

557.92
Ut1w
no.3

**WATER-RESOURCES BULLETIN 3
PART I**


1963

UTAH GEOLOGICAL AND MINERALOGICAL SURVEY
affiliated with
THE COLLEGE OF MINES AND MINERAL INDUSTRIES
University of Utah, Salt Lake City, Utah

UTAH STATE GEOLOGIC
SURVEY AND COLLEGE OF MINES

COLLEGE OF MINES LIBRARY

DO NOT PUBLISH WITHOUT PERMISSION



**DISSOLVED-MINERAL INFLOW
TO GREAT SALT LAKE**
and Chemical Characteristics of
the Salt Lake Brine

Part I:
Selected Hydrologic Data



*Prepared by
The United States Geological Survey
in cooperation with
The College of Mines and Mineral Industries
University of Utah, Salt Lake City, Utah
Price \$1.75*

UTAH GEOLOGICAL AND MINERALOGICAL SURVEY

The Utah Geological and Mineralogical Survey, authorized by act of the Utah State Legislature in 1931, became a reality in 1941 and functioned for eight years within the Department of Publicity and Industrial Development. By law it was transferred from the Department of Publicity and Industrial Development, and since July 1, 1949, it has functioned under the aegis of the College of Mines and Mineral Industries, University of Utah.

The Utah code, Annotated, 1953 Replacement Volume 5, Chapter 36, 53-36-2, provides that the Utah Geological and Mineralogical Survey "shall have for its objects":

1. "The collection and distribution of reliable information regarding the mineral resources of the State.
2. "The survey of the geological formations of the State with special reference to their economic contents, values and uses, such as: the ores of the various metals, coal, oil-shale, hydro-carbons, oil, gas, industrial clays, cement materials, mineral waters and other surface and underground water supplies, mineral fertilizers, asphalt, bitumen, structural materials, road-making materials, their kind and availability; and the promotion of the marketing of the mineral products of the State.
3. "The investigation of the kind, amount, and availability of the various mineral substances contained in State lands, with a view of the most effective and profitable administration of such lands for the State.
4. "The consideration of such other scientific and economic problems as, in the judgment of the Board of Regents, should come within the field of the Survey.
5. "Cooperation with Utah state bureaus dealing with related subjects, with the United States Geological Survey and with the United States Bureau of Mines, in their respective functions including field investigations, and the preparation, publication, and distribution of reports and bulletins embodying the results of the work of the Survey.
6. "The preparation, publication, distribution and sale of maps, reports and bulletins embodying the results of the work of the Survey. The collection and establishment of exhibits of the mineral resources of Utah.
7. "Any income from the sale of maps and reports or from gifts or from other sources for the Survey shall be turned over to the State Treasurer and credited by him to a fund to be known as the Survey Fund to be used under the direction of the Director of the Survey for publication of maps, bulletins or other reports of investigation of the Geological and Mineralogical Survey."

The Utah Geological and Mineralogical Survey publishes maps, bulletins, circulars, and two series of special reports: Water-Resources Bulletins and Special Studies. These can be obtained from the Survey office.

Address:

UTAH GEOLOGICAL AND MINERALOGICAL SURVEY
103 Civil Engineering Building
University of Utah
Salt Lake City 12, Utah

DIRECTORS :

William P. Hewitt, 1961-
Arthur L. Crawford, 1949-1961

WATER-RESOURCES BULLETIN 3 — PART I

**DISSOLVED-MINERAL INFLOW TO
GREAT SALT LAKE AND CHEMICAL
CHARACTERISTICS OF THE
SALT LAKE BRINE**

PART I: SELECTED HYDROLOGIC DATA

*by D. C. Hahl and C. G. Mitchell
U. S. Geological Survey*



View toward Fremont Island from Francis Peak showing Antelope Island and Promontory Point. (D. C. Hahl, 1963)

UNIVERSITY OF UTAH

A. Ray Olpin, Ph.D., President

BOARD OF REGENTS

Royden G. Derrick	Chairman
Carvel Mattsson	Vice Chairman
Reed W. Brinton	Member
Wilford M. Burton	Member
Wilford W. Clyde	Member
John A. Dickson	Member
Richard L. Evans	Member
Leland B. Flint	Member
Mitchell Melich	Member
Blanche T. Miner	Member
Bryant Stringham	Member
A. Ray Olpin	President, Univ. of Utah, Ex-officio Member
Lamont F. Toronto	Secretary of State, Ex-officio Member
Glen M. Hatch	Alumni Assoc., Ex-officio Member
George S. Eccles	Treasurer
Rulon L. Bradley	Secretary

UTAH GEOLOGICAL AND MINERALOGICAL SURVEY

ADVISORY BOARD

John M. Ehrhorn, Chairman	U.S. Smelting, Refining, & Mining Co.
Carl J. Christensen	University of Utah
Ballard H. Clemons	U.S. Bureau of Mines
R. La Vaun Cox	Utah Petroleum Council
Armand J. Eardley	University of Utah
Lowell S. Hilpert	U.S. Geological Survey
Lehi F. Hintze	Brigham Young University
Walker Kennedy	Liberty Fuel Co, Utah-Wyo. Coal Oper. Assoc.
Ezra C. Knowlton	Utah Sand and Gravel Products Corp.
Elwood I. Lentz	Western Phosphates Inc.
E. Jay Mayhew	Apex Exploration Co.
William T. Nightingale	Mountain Fuel Supply Co, R.M.O.G.A.
John C. Osmond	Consulting Geologist, I.A.P.G.
Dean F. Peterson	Utah State University
Miles P. Romney	Utah Mining Association
Richard S. Stone	U.S. Steel Corporation
Alvin J. Thuli	Kennecott Copper Corp., A.I.M.E.
James W. Wade	Retired
J. Stewart Williams	Utah State University

STAFF

William P. Hewitt	Director
Arthur L. Crawford	Assistant Director
Robert E. Cohenour	Research Geologist
Jan B. King	Office Manager
Linda V. Robinett	Bookkeeper

CONTENTS

INTRODUCTION	5
REFERENCES	7

ILLUSTRATION

Plate 1. Map of the Great Salt Lake basin showing water-quality sampling sites	Pocket
--	--------

TABLES

Table 1. Chemical analyses of surface water in the Bear River basin and Blue Creek valley	8
2. Chemical analyses of surface water in the Weber River basin, Utah	16
3. Chemical analyses of surface water draining the area between the Weber and the Jordan River basins, Utah	23
4. Chemical analyses of surface water in the Jordan River basin, Utah	27
5. Chemical analyses of water from springs around the shore of Great Salt Lake and on Antelope Island, Utah.....	32
6. Chemical analyses of water from drains and sewage canals along the southeast shore of Great Salt Lake, Utah.....	36
7. Chemical analyses of water from Great Salt Lake, Utah.....	38

DISSOLVED-MINERAL INFLOW TO GREAT SALT LAKE AND CHEMICAL CHARACTERISTICS OF THE SALT LAKE BRINE

PART I: SELECTED HYDROLOGIC DATA

*by D. C. Hahl and C. G. Mitchell
U. S. Geological Survey*

INTRODUCTION

This report presents the data collected for a study of the dissolved-mineral load contributed by surficial sources to Great Salt Lake, Utah. The study was conducted by the U.S. Geological Survey in cooperation with the University of Utah during the period from July 1959 through June 1962, and is part of an overall investigation of the Great Salt Lake basin by the University. Financial support for the study was provided by the U.S. Geological Survey and by the University of Utah Research Fund and Uniform School Fund. Some of the data presented in this report were obtained as part of cooperative programs between the Geological Survey and other agencies.

The study was conducted under the immediate supervision of J. G. Connor (to July 1961) and R. H. Langford (from August 1961), district chemists in charge of water-quality investigations in Utah by the U.S. Geological Survey. A. J. Eardley, Dean, College of Mines and Mineral Industries, University of Utah, represented the University in the cooperative study and in review of the findings. Personnel of other Geological Survey offices in Salt Lake City and Logan, Utah, aided in the collection of samples and provided water-discharge data. The sampling program in the lower Bear River was carried out by personnel of the Bureau of Sport Fisheries and Wildlife, U.S. Department of the Interior. Local observers sampled the lower Jordan River and the Weber River at Gateway.

The basic data were obtained to define the chemical composition of streams, drains, and springs discharging into the Great Salt Lake area and to define the chemical composition of the lake brine itself. Most of the data included in this report were obtained during a period when inflow to the lake was low and when the water surface of Great Salt Lake was at or near its lowest recorded level. The basic data are grouped in seven tables; each table includes data for several sources within the unit represented by the table. Mean daily discharges are given for sampling sites located at or near gaging stations, and measurements of instantaneous discharge or estimates of discharge are given for other sampling sites. For analyses of samples of lake brine

collected south of the railroad fill, the stage of Great Salt Lake is reported to the nearest 0.05 foot based on records collected at the Salt Lake Co. Boat Harbor. Lake stage is not reported for analyses of samples collected north of the railroad fill because of suspected differences in water-surface elevation between the two parts of the lake. The location of each sampling site is reported to the nearest section and is keyed by number to the map on Plate 1.

The criteria used in collecting the samples included: 1) selection of sampling sites to insure adequate mixing of upstream tributary waters at the sampling section, 2) selection of the most representative sampling point with regard to the stream cross section, and 3) scheduling the sampling frequency to ascertain accurately the yearly average concentration.

Each sample was analyzed according to methods commonly used by the Geological Survey (Rainwater and Thatcher, 1960). Iodide was determined by a modification of the method of Rossum and Villarrus (1960). Density was determined if the specific conductance exceeded 10,000 micromhos. Great Salt Lake brine samples were diluted with distilled water prior to analysis.

Weighted-average analyses shown for sites where comprehensive investigations were conducted were calculated by weighting determined concentrations with water discharge. Correlations between specific conductance, discharge, and concentrations of specific dissolved constituents were used to estimate concentrations for periods of missing record.

Many of the terms used in the field of hydrology are defined in texts and reports such as those by Hem (1959) and by Langbein and Iseri (1960). However, for convenience, some of the terms used in this report are defined as follows:

Cubic feet per second (cfs): A unit expressing rates of discharge. One cubic foot per second is equal to the discharge of a stream of rectangular cross section 1 foot wide and 1 foot deep, flowing water an average velocity of 1 foot per second.

Density: The mass per unit volume expressed in grams per liter at 20° C.

Dissolved solids (calculated): The sum of the concentrations in ppm of determined constituents, bicarbonate being converted to carbonate by dividing by 2.03 before summation.

Dissolved solids (residue on evaporation): The solids remaining when a sample is evaporated to dryness and heated at 180° C for one hour. This may include some water of hydration.

Great Salt Lake area: That area occupied by the lake body and its surrounding shore, the outer perimeter of which is marked generally by the closest sampling points to the lake on the lake's tributaries.

Parts per million (ppm): The unit expressing the concentration of constituents on a weight-to-weight basis, usually in milligrams of constituent per kilogram of solution. For waters of low mineralization the unit is nearly equal to milligrams of constituent per liter of solution.

Specific conductance: A measure of the ability of a water to conduct an electrical current expressed in micromhos per centimeter at 25° C. Specific conductance is directly related to the concentration of ions in solution and can be used as an empirical measure of the dissolved-solids content of a water.

Weighted average: The water discharge-weighted average concentration for the water year. It is computed by summing the products obtained by multiplying each individual determined concentration by the fraction of the annual water discharge represented by that determined concentration.

REFERENCES

Hem, J. D., 1959, Study and interpretation of chemical characteristics of natural water: U.S. Geol. Survey Water-Supply Paper 1473, 269 p.

Langbein, W. B. and Iseri, K. T., 1960, General introduction and hydrologic definitions: U.S. Geol. Survey Water-Supply Paper 1541, 29 p.

Rainwater, F. H. and Thatcher, L. L., 1960, Methods for collection and analysis of water samples: U.S. Geol. Survey Water-Supply Paper 1454, 301 p.

Rossum, J. R. and Villarrus, P. A., 1960, Suggested method for iodide determination: Am. Water Works Assoc. Jour., v. 52, p. 919-22.

Table 1—Chemical analyses of surface water in the Bear River basin and Blue Creek Valley

(Concentration of dissolved constituents and dissolved solids given in parts per million)

Date of collection	Mean discharge (cfs)	Silica (SiO_2)	Aluminum (Al)	Iron (Fe)	Calcium (Ca)	Magnesium (Mg)	Sodium (Na)	Potassium (K)	Lithium (Li)	Bicarbonate (HCO_3)	Carbo-nate (CO_3)	Sulfate (SO_4)	Chloride (Cl)	Fluoride (F)	Iodide (I)	Nitrate (NO_3)	Boron (B)	Dissolved solids (residue on evaporation at 160° C)	Specific conductance (micro-mhos at 25° C)	pH	
1. Bear River near Utah-Wyoming State line (Sec. 30, T. 3N., R. 10E., Utah)																					
<u>1961</u>																					
Feb. 14.....	d 34	6.9	0.0	0.03	38	11	4.4	2.4	6.7	164	0	7.0	4.0	0.5	152	263	7.9
June 20.....	d 304	3.2	7.2	1.2	.4	0	0	40	.56	0.16	50	180	3.75	
<u>1961</u>																					
Feb. 14.....	d 8.5	6.1	0.1	0.02	42	18	3.0	1.2	220	0	11	3.0	0.00	0.5	139	342	8.0
June 20.....	d 13.3	4.9	45	6.8	2.1	.4	167	0	7.4	1.04	0.18	149	260	7.9	
2. Mill Creek at Utah-Wyoming State line (Sec. 17, T. 3N., R. 10E., Utah)																					
<u>1961</u>																					
Feb. 14.....	d 3.4	16	0.4	0.13	81	44	37	9.0	422	0	85	32	0.01	1.5	523	834	7.6
June 20.....	d .5	3.6	51	32	27	3.3	328	0	27	157	0.24	334	566	7.6	
3. Sulphur Creek above reservoir, near Evanston, Wyo. (Sec. 35, T. 14N., R. 119W.)																					
<u>1961</u>																					
Feb. 14.....	d 28.0	10	51	33	31	5.6	241	7	91	23	0.6	0.22	583	600	8.3
4. Sulphur Creek below reservoir, near Evanston, Wyo. (Sec. 26, T. 14N., R. 119W.)																					
<u>1961</u>																					
June 20.....	e 65	7.0	47	13	3.4	194	6	8.6	2.5	0.4	0.2	c 183	318	8.4
5. Bear River 8 miles southeast of Evanston, Wyo. (Sec. 7, T. 14N., R. 119W.)																					
<u>1958</u>																					
Mar. 6.....	e 65	7.0	47	13	3.4	194	6	8.6	2.5	0.4	0.2	c 183	318	8.4
6. Yellow Creek near Evanston, Wyo. (Sec. 21, T. 5N., R. 8E., Utah)																					
<u>1958</u>																					
Mar. 6.....	0	18	74	33	33	360	6	30	42	0.6	c 414	707	8.3
June 21.....	d 6.8	5.5	54	14	10	1.3	233	0	24	9.54	0.19	230	405	7.8
7. Bear River 8 miles northwest of Evanston, Wyo. (Sec. 13, T. 16N., R. 120W.)																					
<u>1961</u>																					
Mar. 7.....	e 100	7.7	57	19	11	244	8	20	9.5	0.3	c 252	448	8.4
8. Bear River near Woodruff, Utah, (Sec. 20, T. 18N., R. 120W., Wyo.)																					
<u>1961</u>																					
Feb. 15.....	d 57	4.0	0.1	0.01	50	17	14	1.5	230	0	17	17	0.1	0.6	238	411	8.1
June 19.....	d 93.6	6.7	43	17	21	2.5	216	0	14	22	0.18	0.17	241	413	7.8
9. Woodruff Creek near Woodruff, Utah (Sec. 28, T. 9N., R. 6E.)																					
<u>1961</u>																					
Feb. 13.....	d 8.3	4.6	0.1	0.00	64	15	8.1	0.7	248	0	22	11	0.01	0.6	244	427	8.0
June 19.....	d 5.9	7.0	52	19	7.9	.7	226	3	16	9.52	0.17	220	387	8.3

(Concentration of dissolved constituents and dissolved solids given in parts per million)

Date of collection	Mean discharge (cfs)	Silica (SiO_2)	Aluminum (Al)	Iron (Fe)	Calcium (Ca)	Magnesium (Mg)	Sodium (Na)	Potassium (K)	Bicarbonate (Li)	Carbonate (HCO ₃)	Sulfate (SO ₄)	Chloride (Cl)	Fluoride (F)	Iodide (I)	Nitrate (NO ₃)	Boron (B)	Dissolved solids (residue on evaporation at 180° C.)	Specific conductance (micro-mhos at 25° C.)	
10. Big Creek near Randolph, Utah (Sec. 10, T. 10N., R. 6E.)																			
<u>1958</u>																			
Feb. 13.....	d 4.0	5.6	0.1	0.00	60	17	6.4	1.1	258	0	15	1.1	0.00	0.5	233	419
June 21.....	d 2.1	6.7	40	16	7.8	.7	200	0	9.1	106	0.14	184	338
<u>1961</u>																			
Mar. 7.....	130	6.3	61	26	29	278	10	30	35	0.3	c 335	600
Feb. 13.....	d 58	5.3	0.1	0.02	54	22	26	2.2	262	0	29	27	0.02	0	296	514
June 19.....	d 24	13	71	35	48	2.7	370	0	51	523	0.22	455	769
11. Bear River near Randolph, Utah (Sec. 7, T. 12N., R. 8E.)																			
<u>1958</u>																			
Mar. 7.....	23	5.0	0.1	0.01	59	14	2.7	0.7	182	0	58	2.0	0.01	0.3	224	376
June 21.....	d 175	4.5	52	12	3.8	.8	176	0	37	3.05	0.15	196	338
12. Rock Creek near Fossil, Wyo. (Sec. 4, T. 21N., R. 118W.)																			
<u>1961</u>																			
July 20.....	d 2.1	7.4	72	32	16	2.3	286	0	98	13	0.4	0.15	377	622
13. Twin Creek at Sage, Wyo. (Sec. 3, T. 21., R. 119W.)																			
<u>1958</u>																			
Mar. 7.....	7	11	101	46	63	290	6	271	42	0.3	c 683	1,030
Feb. 15.....	d 3.8	8.8	0.3	0.05	95	37	44	4.1	246	0	232	33	0.01	1.0	583	857
June 21.....	d 3.6	5.8	54	34	37	2.2	174	0	176	254	0.23	2,430	659
14. Sublette Creek near mouth, near Cokeville, Wyo. (Sec. 21, T. 24N., R. 119W.)																			
<u>1958</u>																			
Mar. 7.....	e 10	23	79	29	18	288	10	74	9.5	0.3	c 384	643
15. Spring Creek near Cokeville, Wyo. (Sec. 5, T. 24N., R. 119W.)																			
<u>1958</u>																			
Mar. 7.....	e 20	8.7	68	18	9.6	184	12	80	9.0	0.6	c 296	493
16. Smiths Fork near Border, Wyo. (Sec. 33, T. 27N., R. 119W.)																			
<u>1961</u>																			
Feb. 15.....	d 66	5.3	0.0	0.01	59	14	2.7	0.7	182	0	58	2.0	0.01	0.3	224	376
June 21.....	d 175	4.5	52	12	3.8	.8	176	0	37	3.05	0.15	196	338
17. Smiths Fork near Cokeville, Wyo. (Sec. 5, T. 24N., R. 119W.)																			
<u>1958</u>																			
Mar. 7.....	e 120	7.7	63	15	7.5	180	8	62	9.0	0.4	c 261	441
18. Bear River below Smiths Fork, near Cokeville, Wyo. (Sec. 28, T. 25N., R. 119W.)																			
<u>1961</u>																			
Feb. 16.....	d 156	6.7	0.1	0.01	64	20	20	1.8	238	0	64	20	0.03	0.1	324	526
June 22.....	d 134	6.8	61	18	15	1.3	239	0	56	17	2.1	0.16	288	479

See footnotes at end of table.

Table 1.--Chemical analyses of surface water in the Bear River basin and Blue Creek valley--Continued
(Concentration of dissolved constituents and dissolved solids given in parts per million)

Date of collection	Mean discharge (cfs)	Silica (SiO_2)	Alumina (Al)	Iron (Fe)	Calcium (Ca)	Magnesium (Mg)	Sodium (Na)	Potassium (K)	Lithium (Li)	Bicarbonate (HCO_3^-)	Sulfate (SO_4^{2-})	Chloride (Cl)	Fluoride (F)	Iodide (I)	Nitrate (NO_3^-)	Boron (B)	Dissolved solids (residue on evaporation at 180° C)	Specific conductance (micro-mhos at 25° C)	pH		
19. Bear River at Border, Wyo. (Sec. 15, T. 14S., R. 46E., Idaho)																					
Feb. 16.....	d 185	7.9	0.1	0.00	68	19	21	1.3	242	0	67	22	0.01	0.2	331	540	8.0
June 22.....	d 109	5.9	61	19	18	1.3	217	0	65	213	0.16	296	500	7.5
20. Thomas Fork near Wyoming-Idaho State line (Sec. 15, T. 28N., R. 119W., Wyo.)																					
Feb. 16.....	d 10.0	9.9	0.1	0.02	80	21	232	1.5	250	0	67	360	0.02	2.7	919	1,620	7.9
June 23.....	d 11.9	8.4	63	18	150	1.3	242	0	47	2152	0.17	619	1,120	7.7
21. Montpelier Creek at irrigators' weir, near Montpelier, Ida. (Sec. 31, T. 12S., R. 45E.)																					
Feb. 16.....	d 5.7	9.5	0.1	0.00	69	18	7.5	0.7	233	c	66	5.0	0.01	0.4	284	463	7.8
June 23.....	d 7.0	9.5	55	16	6.9	.8	201	2	49	3.04	0.18	235	395	8.3
22. Bear Lake Hot Spring northeast corner of Bear Lake, Bear Lake County, Ida. (T. 15S., R. 44E.)																					
July 18.....	e 2	110	138	56	173	43	0.0	73	0	806	80	5.5	4.2	1.2	c 1,450	1,850	8.2
23. Bloomington Creek near Bloomington, Ida. (Sec. 20, T. 14S., R. 43E.)																					
Feb. 17.....	d 12.9	5.2	0.1	0.02	46	18	2.3	0.7	228	0	6.0	3.0	0.00	0.6	184	342	7.7
June 23.....	d 16.7	5.0	43	19	2.4	.6	219	0	5.8	3.01	0.17	174	327	8.1
24. Eightmile Creek near Soda Springs, Ida. (Sec. 20, T. 10S., R. 42E.)																					
Feb. 17.....	d 1.3	5.7	0.1	0.01	57	12	2.8	0.7	231	j	8.2	4.0	0.01	0.3	194	356	7.9
June 23.....	d 13.0	5.8	46	7.3	2.3	.4	172	j	5.8	3.02	0.16	148	269	7.9
25. Cottonwood Creek near Cleveland, Ida. (Sec. 34, T. 12S., R. 40E.)																					
Feb. 9.....	d 6.2	13	0.0	0.00	57	9.0	5.9	1.2	213	0	13	7.0	0.00	0.2	202	350	8.0
July 25.....	d .4	13	0.0	0.00	52	4.1	2.0	2.1	176	0	7.4	3.0	0.03	1.7	150	280	7.8
26. Mink Creek below Dry Fork, near Mink Creek, Ida. (Sec. 33, T. 13S., R. 41E.)																					
Feb. 9.....	d 24.3	4.1	0.1	0.00	43	11	8.6	1.4	228	0	14	10	1.6	0.15	224	391	7.8
July 25.....	d 18.8	12	41	72	52	.6	182	0	4.9	4.09	0.22	152	280	8.1
27. Bear River near Preston, Ida. (Sec. 36, T. 14S., R. 39E.)																					
Feb. 9.....	d 59.6	16	0.1	0.00	89	44	49	8.6	451	0	74	50	0.01	1.6	546	913	8.1
July 25.....	d 135	12	41	72	52	6.8	430	0	83	589	0.22	537	910	7.7

(Concentration of dissolved constituents and dissolved solids given in parts per million)

Date of collection	Mean discharge (cfs)	Silica (SiO_2)	Alumina (Al)	Iron (Fe)	Calcium (Ca)	Magnesium (Mg)	Sodium (Na)	Potassium (K)	Bicarbonate (Li)	Lithium (Li)	Sulfate (SC ₄)	Chloride (Cl)	Fluoride (F)	Iodide (I)	Nitrate (NO ₃)	Boron (B)	Dissolved solids (residue on evaporation at 180° C)	Specific conductance (micro-mhos at 25° C)	pH		
1961																					
Feb. 9.....	d 15.5	4.3	0.0	0.01	44	13	1.7	0.7	193	0	6.4	2.5	0.01	1.3	155	292	8.1
July 26.....	37	4.6	0.0	0.01	44	12	1.7	.4	192	0	4.5	2.04	0.14	157	293	8.2	
28. Cub River near Preston, Ida. (Sec. 5, T. 15S., R. 41E.)																					
29. South Fork Little Bear River near Avon, Utah (Sec. 14, T. 9N., R. 1E.)																					
30. Little Bear River near Paradise, Utah (Sec. 20, T. 10N., R. 1E.)																					
31. Little Bear River near Hyrum, Utah (Sec. 6, T. 10N., R. 1E.)																					
32. Utah Power and Light Co.'s Tailrace near Logan, Utah (Sec. 36, T. 12N., R. 1E.)																					
33. Logan River above State dam, near Logan, Utah (Sec. 36, T. 12N., R. 1E.)																					
34. Blacksmith Fork above Utah Power and Light Co.'s dam, near Hyrum, Utah (Sec. 8, T. 10N., R. 2E.)																					
35. Bear River near Collinston, Utah (Sec. 27, T. 13N., R. 2W.)																					
1962																					
Mar. 18.....	2,63)	15	0.03	56	45	43	6.3	363	0	54	5.2	0.3	1.1	0.08	455	759	8.2
Jan. 11.....	945	16	76	41	59	11	399	0	53	84	0.01	1.9	530	928	7.8	
Feb. 8.....	d 1,400	13	0.1	.00	74	35	61	9.1	369	0	53	7702	1.8	498	864	8.0
Aug. 9.....	d 25.4	13	48	65	179	12	404	0	74	2638	.26	.26	850	1,530	7.5	

See footnotes at end of table.

Table 1.-Chemical analyses of surface water in the Bear River basin and Blue Creek valley--Continued
(Concentration of dissolved constituents and dissolved solids given in parts per million)

Date of collection	Mean discharge (cfs) a	Silica (SiO_2)	Aluminum (Al)	Iron (Fe)	Calcium (Ca)	Magnesium (Mg)	Silicon (Sr)	Sodium (Na)	Potassium (K)	Bicarbonate (Li)	Carbo-borate (HCO ₃)	Sulfate (SO ₄)	Chloride (Cl)	Fluoride (F)	Iodide (I)	Nitrate (NO ₃)	Boron (B)	Dissolved solids (residue on evaporation at 180° C)	Specific conductance (micro-mhos at 25° C)	pH		
36. Malad River at Tremonton, Utah (Sec. 2, T. 11N., R. 3W.)																						
1960																						
Apr. 19	26	0.02	133	63	3.1	689	54	0.6	464	0	229	1,110	0.05	2.6	0.39	c 2.540	4,440	8.1	
Oct. 12	20	108	55	721	71	489	0	123	1,160	0.03	3.5	c 2.510	4,430	7.4		
1961																						
Jan. 11	24	0.3	156	61	54	593	43	284	0	124	980	0.04	2.1	c 2.030	3,590	7.7
Apr. 6	28	0.3	.02	156	71	54	745	56	478	0	279	1,190	0.05	1.8	c 2.790	4,740	8.1
July 26	5,320	
37. Bear River at Corinne, Utah (Sec. 6, T. 9N., R. 2W.)																						
1959																						
June 29	1.00	14	0.01	72	46	153	50	0.0	366	0	84	835	2.0	c 1.780	3,170	7.9		
Sept. 30	9.00	13	0.0	58	46	128	13	0.0	372	0	65	235	0.3	2.6	0.13	756	1,360	8.2		
Dec. 11	1,000	14	388	0	61	165	1.8	670	1,170	7.7			
1960																						
Jan. 6	700	13	0.2	79	46	0.0	194	17	0	406	0	72	300	0.02	2.1	928	1,670	7.6	
Apr. 19	1,900	9.2	0.10	59	25	0.0	87	750	7.9	0	269	3	41	135	0.01	1.4	.10	510	905	8.3
June 16	100	17	0.08	74	52	52	750	40	348	0	101	21007	2.0	240	4,300	7.7
July 19	11	13	0.13	69	63	539	51	352	0	122	1,54005	1.9	.37	3,040	5,240	7.6	
Sept. 22	100	18	71	5	256	402	0	84	37002	3.9	1,060	1,840	8.0	
Oct. 12	100	17	90	55	130	44	416	0	117	1,18005	6.3	2,470	4,310	8.0	
Oct. 17	17	64	49	168	16	383	7	70	23502	2.5	815	1,420	8.2	
Dec. 2	800	15	71	44	153	14	383	0	69	23501	1.9	790	1,380	8.0	
1961																						
Jan. 11	1,300	13	80	43	190	19	400	0	64	29502	4.1	904	1,660	8.1	
Apr. 6	1,100	703	1,220	
July 26	100	2,540	4,550	
38. Black Slough northeast of Corinne, Utah (Sec. 10, T. 9N., R. 2W.)																						
1960																						
Jan. 6	10	0.00	75	47	336	.9	0.0	352	0	67	550	0.01	5.2	0.18	c 1,280	2,320	7.8		
39. Bear River at Bear River Bay Bird Refuge, near Brigham City, Utah (Sec. 26, T. 9N., R. 4W.)																						
1959																						
June 30	6.6	0.01	64	55	221	782	.7	326	0	99	1,220	1.2	c 2,390	4,230	8.1	
Oct. 1	1,500	16	0.01	72	44	0.0	67	41	384	0	75	340	0.3	3.0	0.15	966	1,720	8.1		
Oct. 5	1,200	17	61	43	175	372	0	66	240	2.3	779	1,380	8.0		
Oct. 12	900	16	61	43	178	342	10	63	250	2.0	788	1,400	8.4		
Oct. 19	900	15	65	41	167	372	0	62	230	1.8	757	1,340	8.1		
Oct. 26	800	14	68	43	222	376	0	64	320	1.7	938	1,660	8.2		
Nov. 2	900	13	69	43	192	391	0	62	270	1.5	853	1,520	7.9		
Nov. 9	1,100	13	71	41	191	387	0	60	270	1.4	840	1,500	7.8		
Nov. 16	900	13	74	40	214	386	0	59	3103	921	1,640	7.8		
Nov. 23	1,200	15	0.01	62	46	198	378	0	63	280	3.9	862	1,540	8.0		
Nov. 30	900	1102	42	60	175	394	0	67	238	3.7	806	1,420	7.8		
Dec. 1-10	900	1601	63	56	249	420	0	74	355	3.7	1,030	1,820	7.8		
Dec. 11-15	1,000	1501	67	48	197	406	0	76	265	6.6	866	1,560	7.8		

(Concentration of dissolved constituents and dissolved solids given in parts per million)

Date of collection	Mean discharge (cfs) ¹	Silica (SiO ₂)	Alumin-um (Al)	Iron (Fe)	Cal-cium (Ca)	Magnesium (Mg)	Stron-tium (Sr)	Potas-sium (Na)	Lithi-um (Li)	Bio-carbonate (HCO ₃)	Sulfate (SO ₄)	Chloride (Cl)	Fluo-ride (F)	Iodide (I)	Ni-trate (NO ₃)	Boron (B)	Dissolved solids (residue on evaporation at 180° C)	Specific conductance (micro-mhos at 25° C)	pH	
1959																				
Dec. 22.....	1,000	12	0.02	61	48	178	388	0	67	245	3.1	806	1,450	8.0	
Dec. 29.....	1,100	1303	53	43	163	306	14	73	220	0.01	1.0	702	1,280	8.5	
<u>1960</u>																				
Jan. 5.....	1,200	1401	49	40	141	264	6	58	20002	2.4	642	1,180	8.3
Jan. 11-17.....	1,100	1405	74	41	158	384	0	62	22501	.8	753	1,370	8.1
Jan. 18-22.....	900	1601	67	47	196	388	0	59	28802	.8	832	1,520	8.0
Jan. 27.....	1,100	1600	83	53	239	410	0	69	35201	2.1	1,000	1,820	8.1
Feb. 1-6.....	1,000	1500	73	41	164	376	0	60	23802	2.1	768	1,400	8.1
Feb. 12-14.....	1,600	1109	63	41	148	352	0	61	20802	2.4	716	1,230	7.9
Feb. 16.....	1,100	1601	61	45	161	352	0	67	23202	2.9	763	1,370	8.1
Feb. 26.....	800	1400	66	47	197	384	0	70	22202	.5	873	1,580	8.2
Mar. 5-9.....	2,200	1800	62	33	97	280	22	52	12501	3.8	548	934	8.8
Mar. 16-21.....	1,400	2100	71	36	131	338	10	68	17002	4.8	684	1,180	8.4
Mar. 23.....	1,100	2200	59	40	131	287	27	69	17003	4.8	668	1,140	8.8
Mar. 24-29.....	2,200	2100	57	33	97	251	27	57	12501	4.5	550	944	8.8
Mar. 30-Apr. 5..	2,500	2100	74	50	108	358	0	64	14001	4.1	613	1,050	8.0
Apr. 8-12.....	2,700	2100	63	38	85	298	0	51	11001	3.5	505	879	8.2
Apr. 15-18.....	2,200	1600	58	35	75	246	14	38	10001	3.0	444	775	8.5
Apr. 19-25.....	1,700	1401	61	37	90	294	0	38	12501	1.7	519	918	7.6
May 1-4.....	2,100	1401	60	36	90	274	6	45	12001	1.4	493	870	8.3
May 5-16.....	1,600	1300	55	26	82	236	18	37	11001	2.4	495	892	8.6
May 17-20.....	600	1100	58	24	129	272	0	37	18503	2.3	556	997	7.8
May 21-28.....	103	1200	59	27	175	248	0	41	26504	2.6	726	1,270	8.5
May 29-June 4 ..	103	1100	59	37	360	252	8	54	57006	3.8	1,280	2,250	8.4
June 5-11.....	103	1000	71	49	757	254	24	75	1,20006	4.1	2,380	4,120	8.6
June 12-22.....	103	1000	64	34	828	316	0	86	1,30008	4.4	2,590	4,530	7.9
June 23-July 13 ..	103	8.100	63	34	841	324	0	102	1,30008	4.8	2,570	4,490	7.7
July 14-20.....	103	4.600	61	66	1,050	302	24	122	1,62011	3.4	3,280	5,680	8.6
July 21-31.....	103	5.000	63	31	1,060	376	0	120	1,65010	1.9	3,290	5,710	8.0
Aug. 1-11.....	100	6.200	64	34	1,020	394	0	127	1,56009	3.4	3,220	5,560	8.2
Aug. 12-20.....	100	7.200	74	33	1,090	398	0	131	1,70009	3.6	3,370	5,800	7.8
Aug. 21-Sept. 4 ..	100	1200	74	69	1,110	394	0	133	1,72008	2.9	3,420	5,900	8.1
Sept. 5-10.....	100	1500	63	30	798	402	0	122	1,22005	3.2	2,530	4,350	8.1
Sept. 11-18.....	100	1200	67	88	1,120	422	0	200	1,70012	2.2	3,540	6,010	8.2
Sept. 19-20.....	100	1500	58	109	1,310	436	15	261	1,95018	1.8	4,040	6,780	8.5
Sept. 22-26.....	100	1700	56	66	641	38	373	9	116	99504	4.2	2,130	3,750	8.3
Weighted average water year r	875	16	65	39	180	346	0	62	257	0.02	2.8	792	1,400
1960																				
Oct. 1-9.....	100	13	53	113	1,170	11	577	7	258	1,760	0.15	3.1	3,780	6,300	8.4
Oct. 10-13.....	100	24	50	105	1,090	62	552	0	241	1,63014	2.9	3,490	5,900	8.2
Oct. 16-22.....	700	15	63	98	308	24	389	.6	95	45004	3.7	1,230	2,140	8.4

See footnotes at end of table.

Table 1.--Chemical analyses of surface water in the Bear River basin and Blue Creek valley--Continued
(Concentration of dissolved constituents and dissolved solids given in parts per million)

Date of collection	Mean discharge ^a (cfs) ^a	Silica (SiO ₂)	Alumin- um (Al)	Iron (Fe)	Cal- cium (Ca)	Magnesium (Mg)	Stron- tium (Sr)	Sodium (Na)	Pota- sium (K)	Bicar- bonate (Li)	Car- bonate (CO ₃)	Sulfate (SO ₄)	Fluo- ride (F)	Iodide (I)	Ni- trate (NO ₃)	Dissolved solids (residue on evaporation at 180° C)	Boron (B)	Specific conduct- ance (micro- mhos at 25° C)	pH			
39. Bear River--at Bear River Bay Bird Refuge near Brigham City, Utah (Sec. 26, T. 9 N., R. 4 W.)--Continued																						
Oct. 23-27.....	700	15	61	59	313	22	399	5	92	450	0.04	3.9	1.26	2,190	8.3		
Oct. 30-Nov. 4..	700	17	64	39	177	15	350	14	68	25002	1.8	7.96	1,400	8.4		
Nov. 5-10.....	900	14	64	43	138	13	368	0	60	20502	1.5	71.9	1,250	7.9		
Nov. 11-21.....	1,000	12	67	43	140	12	378	0	66	20001	3.4	73.4	1,280	7.9		
Nov. 22-27.....	1,200	16	77	46	297	22	388	0	80	45502	6.1	1.20	2,100	7.7		
Nov. 28-Dec. 3..	1,000	16	72	40	153	14	378	0	64	23002	3.3	77	1,370	8.0		
Dec. 4-8.....	800	16	75	43	182	16	362	16	75	28002	3.0	87.5	1,520	8.3		
Dec. 9-17.....	900	11	71	47	170	14	371	14	71	25002	3.0	83.2	1,450	8.4		
Dec. 18-25.....	1,000	15	69	45	144	15	386	0	69	21502	3.6	75.6	1,310	8.0		
Dec. 26-Jan. 1....	900	18	47	222	16	400	0	72	34503	4.7	1.00	1,750	8.0			
Jan. 1-9.....	500	13	83	40	190	16	411	0	62	29502	.2	91.0	1,590	7.8		
Jan. 10-12.....	1,100	13	77	44	179	17	400	0	66	27602	1.2	86.1	1,560	7.7		
Jan. 13-16.....	800	15	77	35	166	18	384	0	60	25502	1.9	81.3	1,440	7.7		
Jan. 17-21.....	1,100	14	67	46	159	13	358	0	61	24501	1.9	76.5	1,350	8.2		
Jan. 22-23.....	400	9.5	72	36	137	12	330	12	55	21001	1.8	70.0	1,240	8.4		
Jan. 24-Feb. 5..	900	15	79	38	177	15	375	0	59	28002	1.7	84.4	1,490	8.1		
Feb. 6-11.....	900	9.3	72	35	172	14	323	1	56	26503	1.1	79.4	1,400	8.4		
Feb. 12-15.....	1,300	14	63	36	105	11	326	12	55	14501	1.9	60.5	1,040	8.3		
Feb. 16-21.....	1,500	17	73	34	103	12	359	0	53	14502	4.9	61.7	1,080	7.7		
Feb. 22-Mar. 3..	1,200	20	79	36	139	14	386	0	56	20502	4.2	74.3	1,320	7.7		
Mar. 4-8.....	1,200	17	57	38	156	15	296	14	63	23202	3.6	15	1,320	8.6		
Mar. 9-20.....	1,100	17	70	39	127	14	371	0	61	18802	3.7	69.4	1,240	8.2		
Mar. 21-25.....	1,500	18	65	37	126	13	318	12	60	18501	4.7	67.8	1,200	8.5		
Mar. 26-Apr. 2..	1,500	15	59	34	112	12	296	15	56	16001	4.1	60.4	1,080	8.6		
Apr. 3-7.....	1,200	19	90	37	139	15	366	0	63	20002	2.8	15	b .32	1,300	8.0	
Apr. 8-11.....	800	16	66	33	161	13	338	3	59	23502	3.4	15	1,320	8.3		
Apr. 12-21.....	1,300	14	59	32	112	11	298	0	44	16502	1.8	13	b .31	1,050	8.2	
Apr. 22-29.....	100	1301	66	31	104	11	327	0	46	15002	2.6	13	b .37	1,040	7.9
Apr. 30-May 5..	400	13	66	29	105	11	321	0	41	15502	2.8	11.1	1,030	8.2		
May 6-15.....	100	12	68	41	242	17	346	0	70	37002	2.3	20	98.4	1,780	7.7	
July 1-16.....	100	1002	60	72	627	23	338	0	83	1,04002	2.431	2,140	3,850	8.1
July 17-21.....	100	9.702	57	60	660	30	308	0	83	1,05002	3.132	2,330	4,020	8.2
July 22-28.....	100	8.602	58	63	719	35	294	24	98	1,14002	4.136	2,360	4,220	8.7
May 30-June 16.	100	9.301	67	63	695	36	408	0	111	1,09002	2.337	2,390	4,120	8.0
June 17-July 2..	100	9.401	64	71	1,010	52	379	0	128	1,62002	2.949	3,230	5,720	8.2
July 3-10.....	100	8.602	60	72	927	50	377	0	129	1,49002	4.749	3,320	5,380	8.1
July 11-16.....	100	8.602	60	72	627	37	377	0	120	98802	3.339	2,150	3,900	8.0
July 17-23.....	100	7.402	57	60	627	46	412	0	124	1,38002	3.243	2,350	5,050	8.0
July 24-Aug. 3..	100	8.902	58	77	856	15	1,440	1,100	1,00002	5.110	4,140	4,140
Aug. 4-31.....	100	13			
Sept. 1-26.....	100	13			
Weighted average 1961 water year	619	15	68	42	217	17	366	0	67	32702	3.1	336	1,660	
1961	40	13	0.12	71	42	163	15	392	0	59	235	2.1	0.19	b .785	1,420	7.9	
Nov. 8.....	

(Concentration of dissolved constituents and dissolved solids given in parts per million)

Date of collection	Mean discharge (cfs)	Silica (SiO_2)	Aluminum (Al)	Iron (Fe)	Calcium (Ca)	Magnesium (Mg)	Sodium (Na)	Potassium (K)	Lithium (Li)	Bicarbonate (HCO_3^-)	Sulfate (SO_4^{2-})	Chloride (Cl)	Fluoride (F)	Iodide (I)	Nitrate (NO_3^-)	Boron (B)	Dissolved solids (residue on evaporation at 180° C)	Specific conductance (micro-mhos at 25° C)	pH		
40. Blue Spring Creek at bridge on State Highway 88, Box Elder County, Utah (Sec. 32, T. 11N., R. 5W.)																					
June 29, 1959	19	112	68	1,810	34	538	20	426	2,530	10	8.1	c 3,270	8,640	8.4		
Sept. 30, 1960	d 5	26	0.04	98	36	941	.9	0.5	350	16	202	2,0	1.7	.40	c 2,910	5,130	8.5		
Apr. 19, 1961	d 3.1	2604	128	72	4.4	1,430	41	9	397	24	372	2,150	0.09	1.7	.55	c 4,440	7,710	8.5
Apr. 6, 1961	21	0.5	.03	184	.26	2,540	65	551	0	715	3,74010	12	c 7,690	12,400	8.0

c Calculated from determined constituents.

d Discharge measured at time of sampling.

e Estimated.

r Represents 100 percent of runoff for water year. Includes data estimated for periods of missing records.

a Discharges given were estimated from streamflow records for gaging station at Collinston, Utah, unless otherwise indicated.

b Includes 0 ppm manganese (Mn).

Table 2 — Chemical analyses of surface water in the Weber River basin, Utah

(Concentration of dissolved constituents and dissolved solids given in parts per million)

Date of collection	Mean discharge (cfs)	Silica (SiO_2)	Alumi-nam (Al)	Iron (Fe)	Cal-cium (Ca)	Magnesium (Mg)	Sodium (Na)	Pota-sium (K)	Lith-ium (Li)	Bicar-bonate (HCO_3^-)	Car-bonate (CO_3^{2-})	Sulfate (SO_4^{2-})	Chloride (Cl)	Fluo-ride (F)	Iodide (I)	Ni-trate (NO_3^-)	Bor-on (B)	Dissolved solids (residue on evaporation at 180°C)	Specific conductance (micro-mhos at 25°C)	pH	
41. Weber River near Oakley (Sec. 15, T. 1S., R. 6E.)																					
1959																					
Oct. 1-8.....	75.1	6.0	46	11	4.3	170	4	17	4.0	0.2	174	292	8.3	
Oct. 14-21.....	94.8	4.5	38	8.8	4.6	146	0	14	4.02	18.3	250	7.8	
Oct. 14-25.....	63.2	4.6	38	9.7	2.8	0.7	154	0	12	2.23	15.0	264	8.1	
Nov. 1-26.....	51.1	5.7	42	11	2.3	0.7	146	10	14	2.5	0.00	.1	C.04	160	290	8.4	
1960																					
Jan. 1-31.....	45.8	6.0	44	11	2.3	.6	160	7	15	2.500	.2	.06	168	308	8.4
Feb. 1-Mar. 5....	42.4	5.0	46	12	2.3	.6	168	6	15	2.000	.2	.02	17.2	314	8.4
Mar. 6-25.....	59.1	5.1	46	11	2.8	.3	178	0	16	2.0301	17.8	308	7.8
Apr. 6-21.....	195	4.7	35	7.3	2.4	.3	131	0	12	2.0402	13.7	233	7.7
Apr. 22-May 9....	219	3.9	37	7.1	3.1	.3	139	0	12	3.0203	140	237	8.0
May 10-12, 15-30.	620	3.7	25	4.1	1.8	.3	91	0	7.2	2.02	.02	.98	158	300	8.0
June 20-July 7....	1877	3.6	30	5.4	1.8	.5	110	0	6.6	1.51	.04	108	186	7.4	
July 8-Aug. 4....	114	4.2	37	7.8	1.9	.5	142	C	9.7	1.01	.03	136	240	7.8	
Aug. 5-31.....	54.0	4.5	45	10	2.1	.5	177	C	10	2.03	.02	162	290	7.9	
Sept. 1-30.....	44.9	5.1	48	11	2.9	.5	186	C	14	2.02	.01	17.4	313	7.8	
Weighted average 1960 water year r	155	4.1	31	6.0	2.3	.4	116	C	9.5	2.23	0.03	11.8	199	...	
1960																					
Oct. 16-Nov. 14...	49.1	4.5	0.0	0.01	51	12	2.7	1.2	188	4	17	4.001	0.2	163	325	8.4
Nov. 15-Dec. 15...	48.4	5.0	.0	.00	46	12	2.4	1.2	181	0	18	3.000	.1	153	302	7.9
Dec. 16-Jan. 13...																			197	327	8.1
1961																					
Jan. 14-Feb. 21...	38.1	6.0	.0	.01	50	13	2.7	1.1	196	0	19	3.001	.5			
Feb. 22-Mar. 10...	40.6	5.1	.0	.01	52	12	2.4	.8	201	0	19	3.000	.086	328	8.0
Mar. 11-Apr. 11...	41.7	5.1	52	12	2.4	201	0	19	3.0	220	360	...	
Apr. 12-30.....	54.6	4.6	52	12	2.4	201	0	19	3.0	320	360	...	
June 10-14.....	86.2	229	52	12	2.4	201	0	19	3.0	383	400	...	
July 15-Aug. 16...	53.1	49.5	52	12	2.4	201	0	19	3.0	40	236	...	
Aug. 17-Sep. 16...	102	52	12	2.4	201	0	19	3.0	161	161	...	
Sept. 24-30.....																			163	276	...
Weighted average 1961 water year r	92.5	4.3	37	7.9	2.3	0.4	140	J	11	2.2	0.3	134	240	...	
42. Weber River near Coalville (Sec. 20, T. 2N., R. 5E.)																					
1959																					
Sept. 30.....	121	13	73	18	16	274	3	43	13	0.6	317	508	8.2	
Oct. 13-31.....	33.6	11	79	18	15	286	0	14	1.43	336	547	7.8	
Nov. 11-19.....	31.9	9.8	76	18	12	273	0	18	1.1	1.1	328	531	8.2	
Dec. 11.....	32	11	71	15	11	1.9	235	10	33	10	0.00	.6	0.05	284	490	8.5
1960																					
Jan. 10-16.....	32.1	9.5	16	11	1.9	226	0	46	114	.06	300	502	8.2	
Feb. 8-28.....	40.3	12	72	17	12	2.0	226	12	49	1200	.9	305	504	8.5	
Mar. 14.....	69	13	81	15	12	2.4	240	0	79	133	.04	347	545	7.7	
Apr. 4-11.....	105	12	55	11	8.8	2.0	189	0	33	103	.03	233	377	7.6	
May 1-5.....	83.0	9.3	57	13	8.8	2.0	213	0	31	104	.03	241	391	8.1	

(Concentration of dissolved constituents and dissolved solids given in parts per million)

Date of collection	Mean discharge (cfs)	Silica (SiO_2)	Aluminum (Al)	Iron (Fe)	Calcium (Ca)	Magnesium (Mg)	Sodium (Na)	Potassium (K)	Lithium (Li)	Bicarbonate (HCO_3^-)	Carbonate (CO_3^{2-})	Sulfate (SO_4^{2-})	Chloride (Cl)	Fluoride (F)	Iodide (I)	Nitrate (NO_3^-)	Dissolved solids (residue on evaporation at 130° C at 25° C)	Specific conductance (micro-mhos at 25° C)	pH		
1960																					
May 18-24	19.1	9.4	0.1	0.01	68	16	11	2.7	247	6	33	14	0.3	0.04	292	469	8.4	
June 21-25	27.6	6.0	49	10	6.0	1.4	192	0	13	6.0	2	.05	193	327	8.1			
July 11-31	14.6	7.9	52	11	6.4	1.4	206	0	11	6.54	.06	204	347	7.8			
Aug. 15-23	23.0	9.3	54	12	7.0	1.8	219	0	12	6.05	.03	212	360	7.7			
Sept. 20-30	30.0	11	64	15	11	2.2	262	0	16	9.06	.05	258	441	7.9			
Weighted average 1960 water year	95.6	9.0	56	12	8.0	1.7	212	0	23	8.0	0.4	0.04	230	385		
1961																					
Oct. 17-Nov. 16	48.3	8.5	0.1	0.01	68	16	11	2.1	264	0	27	11	0.00	0.1	260	453	7.7
Nov. 17-Dec. 17	53.4	13	.1	.01	83	17	12	2.3	250	4	77	1200	.6	325	538	8.3
Dec. 18-Jan. 13, 1961	57.6	11	.1	.01	75	15	10	2.6	260	0	45	1101	1.0	303	486	7.9
Jan. 14-Feb. 17	47.8	12	.2	.14	73	17	10	2.4	264	0	43	1101	1.0	311	482	8.2
Feb. 18-Mar. 13	61.0	258	459	
Apr. 28-May 12	17.5	254	451	
May 30-July 27	154	249	422	
Aug. 1-20	39.4	260	443	
Aug. 21-Sept. 30	58.5	259	452	
Weighted average 1961 water year	71.1	9.8	66	15	10	2.3	245	0	34	9.4	0.6	270	445	
1962																					
42. Weber River near Coalville (Sec. 20, T. 2N., R. 5E.) -Continued																					
43. Chalk Creek at Coalville (Sec. 8, T. 2N., R. 5E.)																					
Sept. 30	25	8.3	80	23	29	2.1	348	0	20	36	1.5	384	643	7.9	
Oct. 13-31	17.3	6.0	82	24	31	2.0	346	0	20	44	1.3	384	670	7.6	
Nov. 1-30	13.5	6.2	82	25	37	1.9	354	0	18	55	1.1	412	711	7.9	
Dec. 1-31	11.9	7.0	70	26	35	2.0	354	0	20	51	0.01	.7	402	720	8.4
Jan. 1-31	13.7	7.6	76	22	34	2.1	322	0	18	5001	.4	376	679	8.3
Feb. 1-Mar. 5	17.9	7.4	76	22	32	1.8	322	0	18	4501	.5	366	655	7.9
Mar. 6-7, 10-20,	44.9	7.8	71	20	24	2.4	296	0	21	333	.04	334	573	7.7
29-31	64.7	7.9	70	18	13	1.7	251	0	14	183	.04	295	504	7.8
Apr. 1-30	69.6	7.9	70	19	14	1.5	236	0	17	185	.03	300	506	8.0
May 1-8	154	5.4	57	17	8.8	1.3	238	5	13	104	.03	246	408	8.4
June 11-30	33.3	8.4	82	23	23	2.4	359	0	18	306	.06	370	639	7.7
July 1-31	9.2	12	106	32	45	3.6	447	0	36	63	4.3	.10	331	836	7.7
Aug. 1-31	6.3	12	107	32	45	3.5	446	0	38	64	4.2	.12	332	837	7.8
Sept. 1-Oct. 9	7.6	9.5	100	32	61	3.0	430	0	35	91	4.7	.11	350	949	8.0
Weighted average 1960 water year	34.8	7.3	78	22	26	2.0	334	0	19	37	1.5	0.07	360	633
Oct. 10-Nov. 10	13.8	8.4	0.1	0.00	89	24	34	1.5	368	0	23	51	0.01	1.4	401	733	7.8
Nov. 11-Dec. 8	15.9	8.7	.1	.01	89	24	38	2.8	349	8	26	5902	2.0	416	737	8.3
Dec. 9-31	12.1	8.8	.1	.02	84	25	38	2.7	357	0	22	5802	2.5	423	725	8.1

See footnotes at end of table.

Table 2. --Chemical analyses of surface water in the Weber River basin, Utah--Continued
(Concentration of dissolved constituents and dissolved solids given in parts per million)

Date of collection	Mean discharge (cfs)	Silica (SiO_2)	Alumina (Al)	Iron (Fe)	Calcium (Ca)	Magnesium (Mg)	Stron-tium (Sr)	Sodium (Na)	Potassium (K)	Bicar-bonate (HCO ₃)	Lithium (Li)	Sulfate (SO ₄)	Car-borate (CO ₃)	Fluo-ride (F)	Iodide (I)	Ni-trate (NO ₃)	Boron (B)	Dissolved solids (residue on evaporation at 18° C.)	Specific conductance (micro-mhos at 25° C.)	pH	
43. Chalk Creek at Coalville (Sec. 8, T. 2N., R. 5E.)--Continued																					
1961																					
Jan. 1-11	8.9	7.4	0.1	0.01	88	26	49	2.6	372	3	27	75	0.03	6.6	47	809	8.0	
Feb. 1-28	11.8	45.9	802	
Mar. 1-23	30.1	34.7	618	
Apr. 1-30	28.1	29.3	536	
June 1-17	26.5	30.6	558	
Aug. 1-31	4.7	51.7	915	
Sept. 1-30	4.4	54.2	960	
Weighted average 1961 water year	16.7	7.8	87	25	37	2.4	372	0	23	55	1.9	420	738	
44. Weber River near Echo (Sec. 25, T. 3N., R. 4E.)																					
1959																					
Sept. 30	27.3	10	68	16	19	271	0	29	18	0.5	394	492	7.8	
Oct. 20	.7	7.3	70	16	18	264	0	31	22	2	302	511	7.5	
Nov. 16	.5	7.0	67	17	17	1.9	261	0	28	22	1.3	398	516	7.9	
Dec. 11	.5	9.9	16	17	1.9	31	24	0.01	.1	0.07	103	538	8.2	
1960																					
Jan. 12	.6	9.1	75	16	16	1.6	276	0	32	24	0.01	.1	.07	310	547	8.2
Feb. 16	.5	9.3	75	17	18	1.8	280	0	34	22	1	.02	320	538	7.9	
Mar. 15	.6	10	75	17	16	1.6	280	0	34	22	1	.02	308	508	7.9	
Apr. 11	.7	8.6	69	16	17	1.7	254	0	35	22	1.3	.03	302	502	7.8	
May 3	6	8.9	68	17	16	2.5	261	0	37	196	.05	306	502	7.8	
May 20	460	8.3	69	15	15	2.4	256	0	36	181	.04	298	489	8.1	
June 22	8.1	66	16	13	2.1	254	0	29	162	.05	280	471	7.8	
July 18	51.5	7.6	61	14	11	2.1	240	0	21	122	.05	256	430	7.8	
Aug. 16	39.8	7.9	60	15	11	2.2	240	0	20	125	.06	249	429	7.6	
Sept. 30	102	9.5	67	18	16	2.2	278	0	24	183	.10	292	502	7.7	
Nov. 2.	.5	9.9	0.0	0.00	73	17	18	2.1	257	9	34	2401	1.0	299	521	8.4
Dec. 1.	.5	1.1	.1	.00	76	18	18	2.1	282	0	35	2501	1.1	306	546	7.8
Dec. 28	.5	12	.0	.01	75	18	19	2.3	279	0	38	2601	1.5	334	548	7.8
1961																					
Jan. 31	.5	11	.0	.01	80	18	18	1.8	287	0	37	2501	1.0	334	548	8.0
Feb. 28	.5	335	557	
Mar. 30	.5	311	529	
Apr. 30	114	321	544	
June 13	395	264	455	
Aug. 3.	158	284	483	
Sept. 5	157	328	552	
45. Farmington Diversion at Gateway (Sec. 27, T. 5N., R. 1E.)																					
Oct. 14	1960	13	88	19	23	2.8	286	0	59	30	0.01	4.1	392	634	7.6

(Concentration of dissolved constituents and dissolved solids given in parts per million)

Date of collection	Mean discharge (cfs)	Silica (SiO_2)	Aluminum (Al)	Iron (Fe)	Calcium (Ca)	Magnesium (Mg)	Sodium (Na)	Potassium (K)	Lithium (Li)	Bicarbonate (HCO_3)	Carbonate (CO_3)	Sulfate (SO_4)	Chloride (Cl)	Fluoride (F)	Iodide (I)	Nitrate (NO_3)	Dissolved solids (residue on evaporation at 130° C)	Boron (B)	Specific conductance (micro-mhos at 25° C)	pH	
1959																					
Oct. 1-31.....	94.2	11	0.01	63	20	21	2.7	256	0	37	27	1.5	0.06	a 310	533	8.0	
Nov. 1-30.....	60	10	76	19	22	2.7	254	0	41	28	1.7	.07	349	593	8.1		
Dec. 1-31.....	57.2	11	70	20	22	2.3	258	0	43	28	2.3	.07	331	568	8.1		
1960																					
Jan. 1-31.....	53.1	12	67	19	21	2.3	260	0	41	26	0.00	1.8	.07	a 322	544	8.1	
Feb. 1-29.....	75.9	10	67	20	22	1.9	259	5	41	2800	.07	328	554	8.3		
Mar. 1-20.....	268	14	62	15	20	2.9	227	0	34	26	3.4	.07	288	479	8.2		
Mar. 21-31.....	568	14	42	9.2	12	2.1	152	0	22	14	2.4	.05	392	321	7.7		
Apr. 1-5.....	372	1302	51	12	14	1.8	150	18	29	18	2.4	.07	a 323	380	8.9	
Apr. 6-25.....	553	1202	37	7.3	10	1.2	132	0	20	12	1.8	.05	a 169	279	7.7	
Apr. 26-May 3..	342	9.403	46	10	13	1.4	168	0	27	16	1.5	.05	a 214	352	7.9	
May 4-17.....	532	9.6	36	7.1	9.8	1.4	129	0	18	12	1.305	362	275	7.7	
May 18-31.....	650	12	65	16	16	2.4	243	0	35	21	1.3	288	480	8.2		
June 1-30.....	473	12	65	17	17	2.4	252	0	35	21	1.6	.08	287	502	7.8		
July 1-31.....	428	1300	64	17	16	2.3	249	0	33	20	1.6	.07	a 306	484	7.8	
Aug. 1-31.....	381	12	63	16	17	2.5	242	0	33	20	1.6	.04	286	478	8.1		
Sept. 1-30.....	245	9.3	70	18	18	2.5	262	0	40	22	1.1	.05	312	527	7.9		
Weighted average 1960 water year r	275	12	58	14	16	2.2	219	0	31	19	1.7	0.06	266	442		
1961																					
Oct. 1-31.....	111	11	0.00	67	.8	23	2.7	255	2	43	26	0.03	2.3	0.07	a 317	535	8.3
Oct. 14-31.....	132	13	78	.9	22	2.6	279	0	53	23	0.03	1.5	368	589	7.9	
Nov. 1-30.....	61.6	1500	71	.9	23	2.6	272	0	42	28	2.9	.07	a 326	554	8.2	
Dec. 1-31.....	57.2	14	62	18	22	2.6	241	0	42	29	3.0	.06	312	524	8.1		
1961																					
Jan. 1-31.....	49.5	1400	75	20	22	2.3	302	0	44	27	3.1	.05	a 349	577	8.0	
Feb. 1-28.....	71.2	14	77	18	21	2.7	277	0	42	29	3.2	.04	344	574	8.0		
Mar. 1-31.....	89.9	15	68	16	21	2.5	236	9	38	27	2.3	.05	318	525	8.4		
Mar. 30-31.....	98	12	74	16	10	2.0	259	0	49	102	.03	302	497	7.8		
Apr. 1-6.....	136	8.4	0.2	.09	53	12	16	2.1	176	6	34	2200	1.5	233	400	8.5
Apr. 7-30.....	116	9.4	59	16	19	2.2	218	0	36	24	1.2	.14	280	471	7.9		
May 1-31.....	281	13	60	16	18	2.2	228	0	36	24	1.5	.06	278	468	7.9		
June 1-30.....	325	14	64	19	19	2.5	259	0	37	24	1.6	.19	305	522	8.0		
July 1-31.....	275	1301	70	19	19	2.2	264	0	37	25	1.3	.06	a 307	523	7.9	
Aug. 1-31.....	164	14	63	22	18	2.8	264	0	41	24	1.4	.06	316	535	7.8		
Sept. 1-30.....	109	15	75	17	28	2.7	281	0	42	30	2.6	.07	352	564	7.9		
Weighted average 1961 water year r	143	13	66	18	20	2.4	255	0	39	26	1.8	0.09	308	518		
46. Weber River at Gateway (Sec. 27, T. 5N., R. 1E.)																					
47. South Branch of South Fork Ogden River at Huntsville (Sec. 13, T. 6N., R. 1E.)																					
Jan. 12.....	f 9.2	7.9	63	16	9.2	1.0	238	0	15	20	0.01	2.1	250	436	8.0	
Apr. 6.....	f 20	8.2	0.1	.04	55	148	210	0	17	2000	3.6	228	404	7.9	
July 27.....	f 4.5	238	445	

See footnotes at end of table.

Table 2.--Chemical analyses of surface water in the Weber River basin, Utah--Continued
(Concentration of dissolved constituents and dissolved solids given in parts per million)

Date of collection	Mean discharge (cfs)	Silica (SiO_2)	Aluminnum (Al)	Iron (Fe)	Calcium (Ca)	Magnesium (Mg)	Sodium (Sr)	Potassium (K)	Bicarbonate (Li)	Carbo-bonate (HCO ₃)	Sulfate (SO ₄)	Chloride (Cl)	Fluoride (F)	Iodide (I)	Nitrate (NO ₃)	Boron (B)	Dissolved solids (residue on evaporation at 160° C)	Specific conductance (micro-mhos at 25° C)	pH			
48. North Branch of South Fork Ogden River at Huntsville (Sec. 13, T. 6N., R. 1E.)																						
1961	Apr. 6.....	f 17	5.3	0.1	0.02	55	14	6.5	1.3	215	0	14	10	0.01	1.9	209	372	8.1
	July 27.....	f 2.2	225	420	
49. South Fork Ogden River at Huntsville (Sec. 13, T. 6N., R. 1E.)																						
1961	Jan. 12.....	g 14	6.1	65	15	5.8	0.9	242	j	13	10	0.01	1.2	238	417	8.2
50. North Fork Ogden River near Huntsville (Sec. 3, T. 6N., R. 1E.)																						
1961	Apr. 6.....	20	6.9	0.1	0.02	31	6.3	4.9	0.8	102	j	15	9.0	0.00	5.3	127	225	7.7
	July 27.....	0	267	483	
51. Middle Fork Ogden River at Huntsville (Sec. 1, T. 6N., R. 1E.)																						
1961	Apr. 6.....	32	9.2	0.1	0.07	71	20	1.3	1.3	302	0	15	17	0.01	3.2	292	521	8.0
	July 27.....	0	267	483	
52. Geertsen Creek near Huntsville (Sec. 1, T. 6N., R. 1E.)																						
1961	Apr. 6.....	6.3	0.2	0.08	19	3.4	3.7	1.5	60	0	11	6.5	0.00	2.5	87	138	7.5	
53. Pineview Reservoir near Ogden (Sec. 16, T. 6N., R. 1E.)																						
1960	Oct. 14.....	8.5	46	11	6.0	1.6	176	0	14	10	0.03	8.7	192	329	7.4
54. Wheeler Creek near Huntsville (Sec. 16, T. 6N., R. 1E.)																						
1960	Oct. 14.....	.7	7.8	55	21	9.9	1.1	256	0	23	13	0.00	0.0	254	444	8.1
1961	July 27.....	1.4	194	369	
55. Ogden River below Thiokol Training Center, near Ogden (Sec. 17, T. 6N., R. 1E.)																						
1961	Jan. 12.....	e 5	8.0	60	19	9.5	.6	256	0	25	14	0.00	1.2	264	451	8.0
	July 27.....	184	355	
56. Spring below Thiokol Training Center, near Ogden (Sec. 17, T. 6N., R. 1E.)																						
1961	Jan. 12.....	11	102	29	37	6.0	238	0	194	51	0.01	0.2	553	848	7.5
57. Weber River near Plain City (Sec. 8, T. 6N., R. 2W.)																						
1959	June 30.....	98	11	73	19	43	4.9	290	0	38	52	4.0	c 383	654	8.0	
1960	Oct. 1-3.....	371	12	0.01	74	18	33	0.0	288	0	35	44	3.0	0.10	361	622	8.0	

(Concentration of dissolved constituents and dissolved solids given in parts per million)

Date of collection	Mean discharge (cfs)	Silica (SiO ₂)	Aluminun (Al)	Iron (Fe)	Calcium (Ca)	Magnesium (Mg)	Sodium (Na)	Potassium (K)	Lithium (Li)	Bicarbonate (HCO ₃)	Carbo-nate (CO ₃)	Sulfate (SO ₄)	Chloride (Cl)	Fluo-ride (F)	Iodide (I)	Ni-trate (NO ₃)	Dissolved solids (residue on evaporation at 100° C)	Boron (B)	Specific conductance (micro-mhos at 25° C)	pH	
57. Weber River near Plain City (Sec. 8, T. 8N., R. 2W.)--Continued																					
Oct. 6-9, 1960	115	9.6	72	22	60	30.1	0	39	76	7.1	443	756	7.5			
Oct. 10-21, 1960	148	8.5	71	13	53	28.3	0	36	70	5.4	412	716	7.3				
Nov. 13-30, 1960	117	8.5	73	22	64	32.0	0	36	78	1.0	455	800	7.6			
Dec. 5-31, 1960	107	13	75	22	65	7.7	25.5	21	40	88	0.01	14	0.18	840	8.7			
Jan. 1-10, 1961	102	11	0.00	74	25	62	6.8	0.0	31.2	0	59	8401	4.6	.19	472	828	7.3
Jan. 11-16, 1961	142	12	73	23	67	8.0	27.3	10	40	9601	8.1	.16	480	848	8.5	
Feb. 1-7, 1961	143	11	73	26	66	8.5	28.9	10	43	9401	6.9	.05	485	852	8.6		
Mar. 11-20, 1961	333	12	75	24	59	7.2	30.9	0	48	80	3.6	12	476	806	7.5			
Apr. 5-13, 1961	760	8.901	42	11	0.0	17	2.6	0	14.8	0	25	2500	2.8	.05	208	357	7.5
Apr. 14-18, 1961	553	10	45	9.7	19	2.2	16.0	0	24	26	2.0	.04	226	377	7.5		
Apr. 26-May 11, 1961	345	4.9	46	11	23	2.7	17.4	0	27	30	1.1	.07	242	409	7.3		
May 14-June 13, 1961	51.2	11	67	21	60	7.4	27.6	0	36	82	11	.13	446	753	7.8			
June 14-30, 1961	23.7	12	76	24	61	8.3	31.2	0	37	88	13	.13	485	824	7.6			
July 1-18, 1961	19.9	1402	81	22	65	8.4	34.2	0	32	8602	3.0	.18	492	843	7.4
July 19-31, 1961	17.6	15	78	24	72	9.3	33.4	0	34	98	17	.17	523	886	7.7		
Aug. 1-31, 1961	42.5	13	70	21	58	8.6	30.4	0	33	74	16	.10	452	770	7.6		
Sept. 1-Oct. 9, 1961	54.1	14	75	23	50	8.3	31.2	0	32	66	18	.06	446	757	7.4		
Weighted average water year r 1960	9.5	60	17	39	5.0	23.7	0	33	54	5.1	0.8	346	593		
Oct. 24-Nov. 9, 1960	267	11	0.1	0.02	67	16	30	4.3	25.7	0	28	43	0.01	2.6	316	562	7.5
Nov. 10-30, 1960	140	12	.1	.02	78	23	60	8.1	28.9	6	45	8501	8.8	466	811	8.3
Dec. 1-Jan. 15, 1961	115	11	.1	.00	80	21	62	7.6	31.8	0	47	8502	8.8	493	823	7.9
Jan. 16-Feb. 28, 1961	123	12	.1	.00	77	21	64	7.4	30.0	0	45	9002	9.4	486	821	7.6
Mar. 1-15, 1961	116	7.4	7.4	487	839	
Mar. 16-31, 1961	189	7.4	7.4	433	743	
Apr. 1-9, 1961	186	7.4	7.4	339	585	
Apr. 20-May 31, 1961	14.0	7.4	7.4	633	1,100	
June 1-30, 1961	10.3	7.4	7.4	619	1,050	
July 1-31, 1961	6.3	7.4	7.4	483	837	
Aug. 1-31, 1961	3.0	7.4	7.4	628	1,090	
Sept. 1-18, 1961	4.0	7.4	7.4	682	1,200	
Weighted average water year r 1961	83.7	11	73	21	52	6.9	30.0	0	38	73	447	766	
Nov. 8, 1961	e 20	14	0.92	80	28	109	11	371	0	40	149	0.5	0.4	0.19	h 608	1,090	7.5
58. Walker Slough below Plain City (Sec. 29, T. 8N., R. 2W.)																					
July 18, 1961	13	0.02	48	21	77	16	326	0	35	60	0.01	1.0	0.26	434	711	8.1
Oct. 14, 1961	12	28	30	23	132	23	356	14	55	9708	.6	555	945	8.5

See footnotes at end of table.

Table 2.--Chemical analyses of surface water in the Weber River basin, Utah--Continued
(Concentration of dissolved constituents and dissolved solids given in parts per million)

Date of collection	Mean discharge (cfs)	Aluminum (Al)	Iron (Fe)	Calcium (Ca)	Magnesium (Mg)	Sodium (Na)	Potassium (K)	Lithium (Li)	Bicarbonate (HCO_3^-)	Chloride (Cl^-)	Fluoride (F)	Iodide (I)	Nitrate (NO_3^-)	Dissolved solids (residue on evaporation at 180° C.)	Specific conductance (micro-mhos at 25° C.)	pH					
1961																					
Jan. 12.....	19	0.2	0.04	46	26	22	137	19	428	0	39	95	0.09	7.0	589	1,000	7.7				
Apr. 5.....	15	0.2	0.04	43	33	159	22	382	49	54	115	0.08	.8	679	1,110	8.9					
58. Walker Slough below Plain City (Sec. 29, T. 6N., R. 2W.)--Continued																					
June 30.....	15	0.01	70	21	60	8.7	0.0	324	0	48	52	1.7	427	707	8.0			
Oct. 1.....	15	0.01	70	23	66	9.6	.3	314	0	46	81	0.3	3.6	465	789	7.9			
1960	72	9.6	.3	338	0	58	86	0.02	8.1	517	875	7.5		
Jan. 6.....	12	0.1	71	28	20	2.6	.0	149	0	26	31	0.00	2.6	217	380	7.5		
Apr. 13.....	8.8	0.1	41	11	0.0	17	8.4	17	354	0	47	69	0.04	1.6	492	802	8.0		
July 18.....	16	0.02	52	26	147	23	384	0	90	178	0.03	1.8	736	1,280	7.7		
Oct. 14.....	12	62	36	76	7.5	316	0	46	105	0.01	12	521	904	7.4		
1961	14	81	22	141	18	386	6	67	158	0.06	.9	693	1,180	8.5		
Jan. 12.....	8.1	0.2	0.03	63	33	141	18	386	6	67	158	0.06	.9	616	1,400			
Apr. 5.....			
July 27.....			
59. Weber River at Ogden Bay Bird Refuge below Plain City (Sec. 11, T. 5N., R. 3W.)																					
1960	21	101	24	431	0	66	76	0.04	1.8	0.42	611	943	7.9			
July 18.....	28	0.05	54	36	110	20	520	0	87	77	0.04	3.0	677	1,120	7.9		
Oct. 14.....	28	0.05	67	46	110	20	520	0	87	77	0.04	3.0	677	1,120	7.9		
1961	28	55	132	17	556	0	83	94	0.04	11	732	1,220	8.0		
Jan. 12.....	28	0.06	62	55	121	14	486	20	83	78	0.05	7.3	694	1,130	8.4		
Apr. 5.....	19	0.2	0.06	59	54	121	14	486	20	83	78	0.05	7.3	694	1,130	8.4		
July 27.....			
60. Hooper Slough near Hooper (Sec. 11, T. 5N., R. 3W.)																					
1960	21	101	24	431	0	66	76	0.04	1.8	0.42	611	943	7.9			
July 18.....	28	0.05	54	36	110	20	520	0	87	77	0.04	3.0	677	1,120	7.9		
Oct. 14.....	28	0.05	67	46	110	20	520	0	87	77	0.04	3.0	677	1,120	7.9		
1961	28	55	132	17	556	0	83	94	0.04	11	732	1,220	8.0		
Jan. 12.....	28	0.06	62	55	121	14	486	20	83	78	0.05	7.3	694	1,130	8.4		
Apr. 5.....	19	0.2	0.06	59	54	121	14	486	20	83	78	0.05	7.3	694	1,130	8.4		
July 27.....			
61. Howard Slough near Hooper (Sec. 11, T. 5N., R. 2W.)																					
1959	17	63	32	83	14	0.2	368	20	60	50	0.6	507	823	8.4		
June 10.....	16	0.02	67	36	74	14	0.2	437	0	58	55	0.4	0.5	0.21	532	894	8.0	
Oct. 1.....	16	29	53	60	105	15	0	540	0	86	65	0.03	9.1	678	1,100	8.0	
1960	29	53	60	137	17	.4	403	32	94	9304	5.2	37	687	1,130	8.8
Jan. 6.....	13	0.01	34	50	0.6	95	21	401	0	54	7504	1.3	.35	553	889	7.8
Apr. 13.....	13	0.01	34	50	0.6	95	21	401	0	54	7504	1.3	.35	553	889	7.8
July 18.....	20	0.02	57	27	95	21	401	0	54	7504	1.3	.35	553	889	7.8	

c Calculated from determined constituents.
e Estimated.
r Represents 100 percent of runoff for water year. Data for periods of missing record were estimated.

a Includes 0.0 ppm manganese (Mn).

b Not included in weighted average.

f Discharge recorded at gaging station located about one mile upstream from sampling site.

g Discharge represents combined flow at gaging stations of North and South Branches.
h Water stage recorders located about one mile upstream from sampling site.

Table 3 — Chemical analyses of surface water draining the area between the Weber and the Jordan River basins, Utah

(Concentration of dissolved constituents and dissolved solids given in parts per million)

Date of collection	Mean discharge (cfs)	Silica (SiO_2)	Aluminum (Al)	Iron (Fe)	Calcium (Ca)	Magnesium (Mg)	Sodium (Na)	Potassium (K)	Bicarbonate (Li)	Lithium (HCO ₃)	Sulfate (SO ₄)	Chloride (Cl)	Fluoride (F)	Nitrate (NO ₃)	Dissolved solids (residue on evaporation at 160° C)	Dissolved solids (micro-mhos at 25° C)	Specific conductance	pH				
62. North Fork Kay's Creek above Hobbs Reservoir (Sec. 2, T. 4N., R. 1W.)																						
Apr. 5.....	8.1	0.2	0.13	52	15	20	2.4	184	4	39	27	0.02	0.8	260	435	8.4	
Oct. 14.....	9.8	30	44	74	9.3	368	0	55	54	0.01	0.4	449	782	8.1	
63. Kay's Creek below Hobbs Reservoir (Sec. 21, T. 4N., R. 1W.)																						
1959	e 10	25	71	40	53	5.9	460	0	75	5.8	12	c 600	975	8.0		
Oct. 1.....	e 2	18	0.02	76	23	108	7.5	0	344	14	54	47	0.4	5.8	0.14	464	769	8.4	
Jan. 7.....	e 2	18	0.0	77	47	17	.2	526	0	91	72	0.03	11	.23	673	1,120	8.1	
Apr. 13.....	1101	55	65	1.1	152	17	.2	502	26	106	13005	18	.34	842	1,400	8.5	
Apr. 13.....	2001	77	50	.8	114	10	.2	515	8	94	8603	15	.25	728	1,200	8.3	
July 18.....	2301	75	35	71	9.8	408	0	69	5003	20	.18	551	877	8.0	
Oct. 14.....	13	75	27	44	5.2	342	0	60	4004	2.5	434	725	7.7	
1961	5.....	21	0.2	.02	56	158	13	464	37	110	12406	17	829	1,360	8.6	
Apr. 5.....	(b)	324	511		
July 27.....		
64. Kay's Creek near mouth, near Layton (Sec. 31, T. 4N., R. 1W.)																						
1959			
June 30.....			
Oct. 1.....			
1960			
Oct. 14.....	1.6	7.5	10	3.4	4.2	0.7	45	0	8.4	5.0	0.00	0.4	53	96.3	7.3
Jan. 7.....	1.3	0.0	0.01	8.8	3.9	6.2	.7	44	0	9.5	5.501	1.4	70	97.2	7.2	
Feb. 14.....	1.8	6.6	0	0.00	8.0	4.4	6.6	.2	43	0	8.5	5.500	.2	67	95.0	7.3
Apr. 16.....	2.8	96.4	
65. Holmes Creek near Kaysville (Sec. 25, T. 4N., R. 1W.)																						
1959			
June 30.....			
Oct. 1.....			
1960			
Jan. 7.....	15	0.07	63	40	94	6.4	0	442	0	74	63	0.03	5.6	.18	581	966	7.9	
July 18.....	d 1.0	1302	70	22	37	4.6	308	0	45	3301	2.2	.13	387	629	8.2
Oct. 14.....	44	26	49	7.2	262	0	59	4400	.1	365	624	8.2
1961	9.0	0.3	.19	61	29	78	7.6	382	0	.54	5.6	486	825	7.9
Apr. 5.....	277	494
66. Holmes Creek near mouth, near Kaysville (Sec. 25, T. 4N., R. 1W.)																						
1959			
June 30.....			
Oct. 1.....			
1960			
Jan. 7.....	15	0.03	71	19	75	62	11	0.0	362	0	48	30	0.8	c 424	664	7.8	
Feb. 14.....	17	0.09	86	35	75	62	11	0.0	520	0	34	46	1.6	0.15	562	925	7.9	
67. Haight Creek near Kaysville (Sec. 14, T. 3N., R. 1W.)																						
1959			
June 30.....			
Oct. 1.....			
1960			
Jan. 7.....	15	0.07	63	40	94	6.4	0	442	0	74	63	0.03	5.6	.18	581	966	7.9	
July 18.....	d 1.0	1302	70	22	37	4.6	308	0	45	3301	2.2	.13	387	629	8.2
Oct. 14.....	44	26	49	7.2	262	0	59	4400	.1	365	624	8.2
1961	9.0	0.3	.19	61	29	78	7.6	382	0	.54	5.6	486	825	7.9
Apr. 5.....	277	494
See footnotes at end of table.																						

Table 3.--Chemical analyses of surface water draining the area between the Weber and the Jordan River basins, Utah--Continued
(Concentration of dissolved constituents and dissolved solids given in parts per million)

Date of collection	Mean discharge (cfs)	Silica (SiO ₂)	Alumina (Al)	Iron (Fe)	Calcium (Ca)	Magnesium (Mg)	Sodium (Na)	Strontium (Sr)	Potassium (K)	Bicarbonate (Li)	Lithium (HCO ₃)	Sulfate (SO ₄)	Chloride (Cl)	Fluoride (F)	Iodide (I)	Nitrato (NO ₃)	Boron (B)	Dissolved solids (residue on evaporation at 18° C.)	Specific conductance (micro-mhos at 25° C.)	pH	
<u>1960</u>																					
Jan. 7.....	13	0.05	95	45	87	10	0.0	618	0	51	46	0.03	4.7	0.14	660	1,080	7.7	
Apr. 13.....	1516	70	37	1.1	77	14	.0	478	0	48	5102	2.2	.17	563	931	8.0	
July 18.....	e 0.202	81	30	54	8.6	436	0	35	3502	.9	.16	487	787	7.6	
<u>1961</u>	
Apr. 5.....	6.4	0.2	.03	72	35	73	7.4	460	0	44	4302	.4	510	838	8.1	
July 27.....	548	937	
67. Haight Creek near Kaysville (Sec. 14, T 3N., R. 1W.)--Continued																					
July 9.....	4.0	10	0.01	12	2.4	7.6	1.2	49	0	11	7.0	0.00	0.4	0.04	75	109	7.5
Oct. 14.....	2.1	12	16	3.2	6.9	.5	58	0	12	8.501	.5	80	136	7.8
<u>1961</u>	
Jan. 20.....	2.3	8.0	0.0	.01	13	4.9	8.1	.5	56	0	14	7.800	.1	98	128	7.1
Feb. 14.....	2.4	10	.0	.02	12	4.9	8.2	.4	54	0	13	8.001	.6	79	127	7.4
Apr. 18.....	13	102	
68. Farmington Creek above diversions, near Farmington (Sec. 18, T. 3N., R. 1E.)																					
Oct. 1.....	17	0.02	63	17	36	8.0	0.0	242	22	30	34	0.3	1.4	0.12	342	574	8.4	
<u>1960</u>	
Jan. 7.....	1401	40	14	2.4	22	5.2	0	174	0	29	22	0.01	14	.04	252	413	7.0
Apr. 13.....	d 30.7	8.104	13	2.4	0.0	7.1	1.7	.0	48	0	11	8.000	1.5	.06	79	123	7.3
<u>1961</u>	
Apr. 5.....	16	0.1	.14	42	11	23	2.1	171	0	33	2001	2.6	232	389	7.7	
July 27.....	310	502	
69. Farmington Creek at Farmington Bay Bird Refuge, near Farmington (Sec. 26, T. 3N., R. 1W.)																					
Oct. 1.....	1959	11	0.02	63	16	36	8.0	0.0	242	22	30	34	0.3	1.4	0.12	342	574	8.4
<u>1960</u>	
Oct. 13.....	e 2	13	13	4.4	7.9	1.1	57	0	12	8.5	0.01	0.2	78	131	7.4
Sept. 29.....	20	0.05	43	13	27	3.5	0.0	190	0	34	24	0.3	3.2	0.08	261	416	8.1	
<u>1961</u>	
Apr. 5.....	e 3	8.9	0.2	0.06	22	6.3	10	1.5	78	0	20	1400	1.7	121	205	7.5
70. Davis Creek above diversion, near Farmington (Sec. 30, T. 3N., R. 1E.)																					
June 30.....	e 10	1.1	0.05	61	1.6	31	3.5	0.0	240	0	55	22	0.4	c 314	489	7.9	
Sept. 29.....	20	221	369	7.2	
<u>1960</u>	
Jan. 6.....	1723	37	11	22	1.6	.0	154	0	33	18	0.00	4.2	.08	221	369	7.2	
e 2.7	1301	23	14	1.2	0	14	1.2	0	86	0	25	1400	2.5	.04	146	236	7.5
Apr. 13.....	2201	48	9.7	26	2.9	189	0	33	2201	4.7	.10	268	415	7.5	
July 9.....	e .1	18	48	14	28	2.8	206	0	40	2501	1.8	285	450	7.8
Oct. 14.....	18	220	381	
<u>1961</u>	
July 27.....	
71. Davis Creek near mouth, near Farmington (Sec. 25, T. 3N., R. 1W.)																					
June 30.....	e 10	1.1	0.05	43	1.3	27	3.5	0.0	240	0	55	22	0.4	c 314	489	7.9	
Sept. 29.....	20	261	416	8.1	
<u>1960</u>	
Jan. 6.....	1723	37	11	22	1.6	.0	154	0	33	18	0.00	4.2	.08	221	369	7.2	
e 2.7	1301	23	14	1.2	0	14	1.2	0	86	0	25	1400	2.5	.04	146	236	7.5
Apr. 13.....	2201	48	9.7	26	2.9	189	0	33	2201	4.7	.10	268	415	7.5	
July 9.....	e .1	18	48	14	28	2.8	206	0	40	2501	1.8	285	450	7.8
Oct. 14.....	18	220	381	
<u>1961</u>	
July 27.....	

(Concentration of dissolved constituents and dissolved solids given in parts per million)

See footnotes at end of table.

Table 3.--Chemical analyses of surface water draining the area between the Weber and the Jordan River basins, Utah--Continued
(Concentration of dissolved constituents and dissolved solids given in parts per million)

Date of collection	Mean discharge ^c (cfs)	Silica (SiO ₂)	Alumi- num (Al)	Iron (Fe)	Cal- cium (Ca)	Magnesi- um (Mg)	Stron- tium (Sr)	Sodium (Na)	Pota- sium (K)	Bicar- bonate (Li)	Lithi- um (Li)	Car- bonate (HCO ₃)	Sulfate (SO ₄)	Car- bonate (CO ₃)	Fluo- ride (F)	Iodide (I)	Ni- trate (NO ₃)	Boron (B)	Dissolved solids (residue on evaporation at 180° C)	Specific conduct- ance (micro- mhos at 25° C)	pH
80. Mill Creek above diversions, at Orchard Drive, Bountiful (Sec.: 30, T. 2N., R. 1E.)																					
July 1, 1959	f 2.9	11	68	1 ^e	19	252	0	36	20	0.8	c 294	496	7.9		
Jan. 19, 1961	f 1.1	9.2	0.0	0.01	37	12	9.8	0.5	159	0	15	12	0.00	.1	178	300	8.2	

^a Sample collected one mile upstream in Sec. 32, T. 4N., R. 1W.
^b No measurable flow.
^c Calculated from determined constituents.
^d Discharge measured at time of sampling.
^e Estimated.

Table 4.—Chemical analyses of surface water in the Jordan River basin, Utah
(Concentration of dissolved constituents and dissolved solids given in parts per million)

Date of collection	Mean discharge (cfs) ¹	Silica (SiO_2)	Alumina (Al)	Iron (Fe)	Calcium (Ca)	Magnesium (Mg)	Sodium (Na)	Potassium (K)	Lithium (Li)	Bicarbonate (HCO_3^-)	Sulfate (SO_4^{2-})	Chloride (Cl^-)	Fluoride (F)	Iodide (I)	Nitrate (NO_3^-)	Boron (B)	Dissolved solids (calculated)	Specific conductance (micro-mhos at 25°C)	pH	
1961																				
Sept. 13.....	69	21	67	25	49	4.0	27.8	0	85	46	2.1	0.25	a 426	695	8.1
Sept. 21.....	88	20	67	25	44	3.1	27.4	0	84	409	.28	a 412	674	8.0
1957																				
Oct. 31.....	17	21	103	73	244	26.4	0	404	332	3.9	1.320	2,050	7.4	
Dec. 3.....	20	33	107	63	180	30.0	0	304	250	2.4	1,090	1,740	7.4	
Feb. 18.....	96	16	0.92	75	59	157	25.4	0	280	190	7.1	909	1,530	7.5	
Apr. 7.....	20	18	116	81	213	31.9	0	398	295	2.2	1,280	2,070	7.9	
May 5.....	288	15	67	54	163	23.7	0	250	201	3.8	871	1,440	7.4	
June 10.....	704	16	0.05	65	57	168	16	24.4	0	264	218	0.6	3.6	0.36	b 958	1,510	8.1	
Aug. 4.....	788	19	59	64	205	21.7	0	303	2559	1,010	1,700	7.5	
Sep. 2.....	786	21	55	63	213	19.4	.2	313	2602	1,040	1,710	8.4	
81. Spanish Fork at Castilla (Sec. 12, T. 8S., R. 3E.)																				
82. Jordan River at narrow, near Lehi (Sec. 26, T. 4S., R. 1W.)																				
1959																				
Oct. 1-16.....	316	15	156	65	207	17.4	0	525	295	6.9	1,360	2,080	7.3	
Oct. 17-23.....	262	18	162	72	208	20.0	0	548	295	1.4	1,400	2,150	7.0	
Oct. 24-29.....	249	18	164	67	214	21.7	0	523	300	5.7	2,130	2,130	7.4	
Oct. 30-Nov. 3.....	275	21	165	68	203	23.3	0	504	290	1.0	1,360	2,090	7.2	
Nov. 4-12.....	236	21	165	63	206	23.8	0	494	2907	1,360	2,040	7.1	
Nov. 13-17.....	249	20	173	65	208	22.5	0	520	300	4.4	1,400	2,140	7.0	
Nov. 18-24.....	203	20	165	61	201	21.8	0	505	280	2.8	1,340	2,040	6.8	
Nov. 25-Dec. 1.....	233	16	0.05	148	70	194	21.8	0	482	278	7.9	1,340	2,020	7.9	
Dec. 2-12.....	236	19	0.04	149	72	198	21.0	0	500	282	12	1,340	2,050	7.4	
Dec. 13-17.....	222	1907	149	70	193	18.0	0	524	278	6.8	1,330	2,050	7.4	
Dec. 18-25.....	226	1904	150	68	196	22.2	0	491	272	6.0	1,310	2,050	7.6	
Dec. 26-31.....	225	2014	151	72	196	20.4	0	515	280	3.7	1,340	2,060	7.7	
Jan. 1-9.....	213	1907	163	68	204	32.0	0	464	272	0.04	5.2	g 1,350	2,070	7.4	
Jan. 10-14.....	251	2107	164	77	219	25.8	0	520	312	12	1,450	2,220	7.3	
Jan. 15-21.....	249	1908	153	76	195	23.4	0	499	285	21	1,350	2,090	7.3	
Jan. 22-29.....	249	1702	150	70	207	24.4	0	488	28002	12	1,340	2,000	7.4	
Jan. 30-Feb. 2.....	223	1900	152	70	198	24.0	0	475	28002	14	1,330	2,010	7.4
Feb. 3-10.....	216	1600	157	72	182	22.2	0	496	27002	3.9	1,310	2,010	7.3
Feb. 11-17.....	207	1700	144	72	180	20.0	0	479	26803	12	1,270	1,990	7.3
Feb. 18-24.....	184	1700	141	72	180	15.8	0	508	26203	11	1,270	1,960	7.4
Feb. 25-Mar. 4.....	182	1701	146	73	189	20.8	0	482	27803	14	1,300	2,020	7.3
Mar. 5-10.....	226	1702	144	73	181	20.4	0	486	26502	11	1,280	2,010	7.2
Mar. 11-18.....	232	2000	139	77	195	22.2	0	488	27503	11	1,310	2,030	7.0
Mar. 19-23.....	222	1745	149	78	213	23.8	0	519	29503	6.3	1,390	2,160	7.1
Mar. 24-Apr. 2.....	238	1604	111	81	188	18.8	0	478	26003	9.1	1,240	1,930	6.8
Apr. 3-8.....	245	1500	147	70	194	20.2	0	504	27003	8.4	1,310	2,080	7.0
Apr. 9-13.....	275	1401	125	52	142	16.8	0	394	20002	4.9	1,010	1,550	7.0

See footnotes at end of table.

Table 4. --Chemical analyses of surface water in the Jordan River basin, Utah--Continued
(Concentration of dissolved constituents and dissolved solids given in parts per million)

Date of collection	Mean discharge (cfs) ^f	Silica (SiO_2)	Alumina (Al)	Iron (Fe)	Cadmium (Cd)	Magnesium (Mg)	Sodium (Na)	Potassium (K)	Lithium (Li)	Bicarbonate (HCO_3^-)	Carbonate (CO_3^{2-})	Sulfate (SO_4^{2-})	Chloride (Cl)	Fluoride (F)	Iodide (I)	Nitrate (NO_3^-)	Boron (B)	Dissolved solids (calculated)	Specific conductance (micro-mhos at 25° C)	pH
83. Jordan River above Surplus Canal at Salt Lake City (Sec. 14, T. 1S., R. 1W.)--Continued																				
1960																				
Apr. 14-23	201	18	0.18	143	64	175	159	0	501	245	0.02	4.3	1,230	1,830	6.6
Apr. 24-30	240	16	0.0	141	54	161	188	0	412	23502	8.0	1,120	1,710	7.5
May 1-5	214	20	0.0	151	62	192	202	0	463	28003	6.7	1,280	1,910	7.6
May 6-11	282	15	0.0	112	48	143	180	0	346	19502	7.9	962	1,480	7.6
May 12-18	354	11	0.0	85	36	114	146	0	242	16502	3.6	735	1,150	7.4
May 19-25	300	14	0.0	117	54	155	168	0	383	22002	4.1	1,030	1,590	7.4
May 26-31	267	14	0.0	112	49	139	160	0	365	19002	3.5	935	1,460	7.5
June 1-9	353	14	0.0	111	46	136	176	0	330	19001	4.4	921	1,420	7.5
June 10-16	346	13	0.1	131	57	171	176	0	437	23503	5.6	1,140	1,740	7.4
June 17-24	293	16	0.1	139	66	204	212	0	469	28004	7.5	1,230	1,960	7.5
June 25-30	246	17	0.0	139	68	205	208	0	477	28504	6.9	1,310	1,990	7.5
July 1-7	262	19	0.1	151	69	219	222	0	505	30004	6.9	1,380	2,060	7.6
July 8-14	261	18	0.1	139	72	212	240	0	467	28503	6.9	1,330	2,060	7.4
July 15-23	240	21	0.1	148	71	218	235	0	493	30004	6.9	1,380	2,080	7.5
July 24-29	262	19	0.2	139	73	218	225	0	482	30505	8.1	1,360	2,080	7.5
July 30-Aug. 7 . . .	249	18	0.2	146	74	232	254	0	479	32505	9.0	1,410	2,160	7.5
Aug. 8	302	20	0.1	168	89	243	227	0	537	34005	9.7	1,590	2,270	7.4
Aug. 9-21	220	21	0.4	149	76	218	213	0	511	31505	9.3	1,410	2,140	7.7
Aug. 22-23	286	16	0.3	156	75	224	164	0	571	31505	11	1,450	2,170	7.3
Aug. 24-Sept. 3 . . .	245	17	0.29	151	86	213	247	0	458	30005	9.7	1,340	2,040	7.2
Sept. 4-9	257	18	1.3	146	70	221	214	0	502	30506	7.1	1,380	2,090	7.3
Sept. 10-16	256	19	1.54	154	88	223	196	0	517	31005	17	1,380	2,110	6.9
Sept. 17-20	292	19	1.55	73	216	216	168	0	558	30505	12	1,420	2,150	7.6
Sept. 21-30	230	19	1.54	39	207	207	218	0	494	29504	11	1,360	2,070	7.0
Weighted average 1960 water year r	249	17	1.44	37	194	207	0	474	273	7.7	1,280	1,960	
Oct. 1-8	224	18	1.56	74	203	160	0	559	295	0.05	6.1	1,390	2,070	6.6	
Oct. 9-13	278	18	0.26	168	53	245	384	0	451	36005	1.5	1,520	2,380	7.2
Oct. 14-20	249	22	0.03	172	71	214	238	0	518	31505	8.3	1,440	2,170	7.0
Oct. 21-27	244	22	0.2	162	56	199	316	0	414	29505	2.8	1,320	2,050	7.4
Oct. 28-Nov. 3 . . .	230	23	1.7	165	71	197	154	0	578	28504	3.3	1,400	2,090	6.4
Nov. 4-10	237	17	1.56	68	145	185	14	311	0	398	29002	5.5	1,290	1,980	7.7
Nov. 11-16	235	20	1.68	73	202	18	202	18	302	0	465	31006	1.8	1,410	2,140	7.2
Nov. 17-26	221	23	1.64	66	105	15	105	15	322	0	416	29502	4.9	1,330	2,050	7.6
Nov. 27-29	235	17	1.60	71	205	16	205	16	257	0	470	31003	5.7	1,380	2,100	7.5
Nov. 30-Dec. 8 . . .	224	23	1.52	68	181	15	181	15	317	0	403	28503	2.8	1,290	2,010	7.4
Dec. 9-15	220	22	1.64	72	178	15	195	15	523	0	280	28003	9.1	1,360	2,060	7.1
Dec. 16-23	217	21	1.64	74	184	15	184	14	319	0	514	29504	5.1	1,380	2,090	7.1
Dec. 24-31	213	22	1.68	63	175	14	175	14	319	0	396	29003	6.6	1,300	2,010	7.4

(Concentration of dissolved constituents and dissolved solids given in parts per million)

Date of collection	Mean discharge (cfs) ^f	Silica (SiO ₂)	Alumin-um (Al)	Iron (Fe)	Cal-cium (Ca)	Magnesium (Mg)	Stron-tium (Sr)	Potassium (Na)	Lithi-um (Li)	Bicar-bonate (HCO ₃)	Car-bonate (CO ₃)	Chloride (Cl)	Fluo-ride (F)	Iodide (I)	Ni-trate (NO ₃)	Boron (B)	Dissolved salts (calcu-lated)	Specific conduct-ance (micro-mhos at 25° C)	pH			
1961																						
Jan. 1-8.....	200	19	160	68	182	16	287	0	423	295	0.04	3.9	1,310	2,030	7.1		
Jan. 8-12.....	214	20	152	72	186	14	282	0	433	30005	3.6	1,320	2,070	7.2		
Jan. 13-19.....	196	17	168	71	180	13	148	0	565	29004	11	1,350	2,090	6.8		
Jan. 20-27.....	189	23	160	65	177	13	294	0	395	29002	11	1,290	1,990	7.5		
Jan. 28-Feb. 2..	183	21	156	67	176	12	240	0	457	28008	.5	1,290	1,970	7.0		
Feb. 3-11.....	189	21	0.2	0.01	164	60	167	13	286	0	391	28502	9.4	1,260	1,920	7.5	
Feb. 12-14.....	217	19	.3	.02	174	69	181	14	184	0	533	30503	12	1,410	2,090	8.1	
Feb. 15-23.....	207	20	.2	.01	158	72	175	13	292	0	402	28502	10	1,290	1,960	7.8	
Feb. 24-Mar. 3..	210	22	.4	.01	166	68	186	14	198	0	510	29503	12	1,380	2,060	7.2	
Mar. 4-10.....	205	23	.3	.02	160	65	174	14	266	0	422	28503	12	1,300	1,990	7.2	
Mar. 11-16.....	201	22	.4	.03	167	69	179	14	142	0	549	28504	12	1,380	2,040	6.6	
Mar. 17-23.....	197	19	.3	.07	156	68	178	13	290	0	398	28503	4.4	1,280	1,970	7.3	
Mar. 24-31.....	202	23	.4	.14	147	67	174	13	288	0	398	27503	4.0	1,250	1,940	7.6	
Apr. 1-6.....	187	18	164	61	192	15	233	0	452	300	5.4	1,330	2,030	7.0		
Apr. 7-12.....	181	19	159	70	184	14	140	0	540	298	14	1,380	2,060	6.9		
Apr. 13-21.....	174	17	172	44	166	13	202	0	441	262	4.3	1,230	1,860	6.9		
Apr. 22-27.....	160	19	154	65	152	12	125	0	525	252	15	1,280	1,900	6.7		
Apr. 28-May 2..	145	18	153	51	152	11	273	0	356	245	13	1,140	1,770	7.4		
May 3-12.....	170	14	149	64	169	15	91	0	565	268	5.0	1,300	1,960	6.4		
May 13-19.....	206	15	138	70	179	16	160	0	498	282	9.2	1,290	1,960	6.7		
May 20-25.....	167	16	142	65	165	15	143	0	509	255	6.3	1,250	1,930	6.7		
May 26-31.....	159	12	128	49	149	12	263	0	320	220	4.6	1,280	1,920	7.4		
June 1-9.....	140	15	142	63	173	16	105	0	525	250	7.7	0.27	1,240	1,910	7.0		
June 10-16.....	163	15	133	65	194	16	202	0	369	285	8.1	.31	1,230	1,950	7.4		
June 17-22.....	132	17	147	71	197	17	105	0	575	290	5.1	.28	1,370	2,090	6.8		
June 23-29.....	115	16	135	67	197	17	279	0	391	288	17	.33	1,270	2,010	7.3		
June 30-July 7..	151	18	148	75	209	18	68	0	643	308	3.7	.35	1,460	2,200	6.5		
July 8-15.....	156	19	148	71	223	19	289	0	436	332	7.7	.36	1,400	2,190	7.3		
July 16-20.....	126	18	139	69	202	18	120	0	552	278	11	.31	1,350	2,050	6.8		
July 21-27.....	121	17	141	75	229	20	282	0	447	332	2.4	.39	1,400	2,190	7.2		
July 28-Aug. 1..	118	18	143	67	204	16	302	0	392	285	5.6	.34	1,280	2,030	7.5		
Aug. 2-11.....	140	19	136	64	186	16	286	0	391	280	3.7	.33	1,240	1,960	7.5		
Aug. 12-31.....	124	136	64	186	16	202	0	302	290	2.110	2,110		
Sept. 1-30.....	147	136	64	186	16	245	0	459	290	2.050	2,050		
Weighted average water year 1961 r	162	19	157	68	185	15	245	0	459	290	6.6	1,320	2,030		
Nov. 2.....	105	22	7.2	161	69	194	16	256	0	490	292	1.7	2.1	0.34	1,380	2,120	6.8

See footnotes at end of table

Table 4.—Chemical analyses of surface water in the Jordan River basin, Utah.—Continued
 (Concentration of dissolved constituents and dissolved solids given in parts per million)

Date of collection	Mean discharge (cfs)	Silica (SiO ₂)	Alumnum (Al)	Iron (Fe)	Calcium (Ca)	Magnesium (Mg)	Sodium (Na)	Potassium (K)	Lithium (Li)	Bicarbonate (HCO ₃)	Carbonate (CO ₃)	Sulfate (SO ₄)	Chloride (Cl)	Fluoride (F)	Iodide (I)	Nitrate (NO ₃)	Boron (B)	Dissolved solids (calcium-lated)	Conductance (micro-mhos at 25° C)	pH		
June 26.....	20.....	21.....	21.....	0.00	154	75	71	211	222	16	0.0	270	0	490	320	1.0	8.9	1,400	2,120
Sept. 29.....	21.....	21.....	21.....	0.00	160	67	67	192	17	.1	274	0	466	290	0.03	12	.33	1,360	2,090	
Jan. 6.....	21.....	21.....	21.....	0.00	160	67	67	192	17	.1	274	0	466	290	0.03	12	.33	1,360	2,090	
Oct. 12.....	20.....	20.....	20.....	0.05	131	63	63	181	181	15	0.2	248	0	404	280	0.8	8.8	0.25	1,230	1,930
Oct. 19.....	18.....	18.....	18.....	0.05	146	63	63	179	200	15	0.2	248	0	458	250	5.7	1,230	1,930
Oct. 27.....	18.....	18.....	18.....	0.05	164	63	63	221	234	0	234	0	482	315	1.5	1,380	2,060
Nov. 2.....	17.....	17.....	17.....	0.05	164	68	68	231	234	0	234	0	509	325	4.1	1,380	2,120
Nov. 9.....	16.....	16.....	16.....	0.05	165	66	66	227	234	0	234	0	505	325	4.1	1,380	2,120
Nov. 16.....	20.....	20.....	20.....	0.05	157	66	66	203	240	0	240	0	477	290	2.9	1,330	2,050
Nov. 24.....	17.....	17.....	17.....	0.05	143	66	66	196	226	0	226	0	472	262	7.1	1,270	1,980
Nov. 30.....	20.....	20.....	20.....	0.05	140	72	72	184	238	0	238	0	456	265	4.7	1,270	1,980
Dec. 8.....	16.....	16.....	16.....	0.05	146	70	70	198	224	0	224	0	491	272	2.7	1,440	2,210
Dec. 14.....	17.....	17.....	17.....	0.05	142	76	76	187	232	0	232	0	443	270	2.7	1,420	2,210
Dec. 21.....	18.....	18.....	18.....	0.05	140	72	72	202	244	0	244	0	464	270	2.9	1,330	2,050
Dec. 28.....	16.....	16.....	16.....	0.04	143	72	72	188	210	0	210	0	468	280	7.1	1,270	1,980
Jan. 4.....	15.....	15.....	15.....	0.05	152	75	75	189	294	0	294	0	453	272	4.7	1,270	1,980
Jan. 11.....	19.....	19.....	19.....	0.05	160	71	71	193	302	0	302	0	447	278	2.1	1,310	2,050
Jan. 18.....	17.....	17.....	17.....	0.05	136	52	52	211	221	5	221	5	410	305	3.1	1,240	1,980
Jan. 25.....	19.....	19.....	19.....	0.05	150	69	69	210	203	7	203	7	509	305	3.1	1,310	2,050
Feb. 1.....	14.....	14.....	14.....	0.05	120	74	74	206	240	0	240	0	423	290	0.3	1,260	1,980
Feb. 8.....	10.....	10.....	10.....	0.05	130	77	77	193	218	0	218	0	459	285	0.2	1,270	2,170
Feb. 22.....	18.....	18.....	18.....	0.05	138	62	62	275	227	0	227	0	426	315	0.6	1,270	2,170
Mar. 7.....	12.....	12.....	12.....	0.04	127	65	65	315	277	0	277	0	267	175	0.5	1,340	2,330
Mar. 14.....	17.....	17.....	17.....	0.05	120	54	54	236	211	0	211	0	400	264	0.5	1,200	1,950
Mar. 14.....	12.....	12.....	12.....	0.05	119	57	57	217	202	0	202	0	385	305	0.2	1,250	1,950
Mar. 21.....	13.....	13.....	13.....	0.04	120	62	62	207	206	0	206	0	395	300	0.8	1,260	1,980
Mar. 28.....	8.7	8.7	8.7	0.05	138	62	62	268	219	0	219	0	426	375	0.4	1,360	2,170
Apr. 11.....	15.....	15.....	15.....	0.05	123	44	44	122	122	0	122	0	314	180	0.1	1,340	2,330
Apr. 13.....	14.....	14.....	14.....	0.03	115	45	45	122	188	0	188	0	314	180	0.02	884	1,370
Apr. 18.....	14.....	14.....	14.....	0.05	139	47	47	143	248	0	248	0	336	210	0.1	1,020	1,580
Apr. 25.....	16.....	16.....	16.....	0.05	139	48	48	147	257	0	257	0	342	210	0.1	1,030	1,580
May 2.....	14.....	14.....	14.....	0.05	143	52	52	172	238	0	172	0	386	245	0.2	1,130	1,750
May 9.....	15.....	15.....	15.....	0.05	109	46	46	122	202	0	122	0	305	170	0.1	1,390	2,170
May 23.....	9.8.....	9.8.....	9.8.....	0.05	114	53	53	161	136	0	161	0	423	210	0.3	1,040	1,610

(Concentration of dissolved constituents and dissolved solids given in parts per million)

Date of collection	Mean discharge (cfs)	Silica (SiO_2)	Alumina (Al)	Iron (Fe)	Calcium (Ca)	Magnesium (Mg)	Sodium (Na)	Strontium (Sr)	Potassium (K)	Lithium (Li)	Bicarbonate (HCO_3^-)	Carbo-nate (CO_3^{2-})	Sulfate (SO_4^{2-})	Chloride (Cl)	Fluoride (F)	Iodide (I)	Nitrate (NO_3^-)	Boron (B)	Dissolved solids (calculated)	Specific conductance (micro-mhos at 25° C.)	pH
1960																					
May 30.....	22	0.08	13.1	55	167	25.8	0	37.5	225	0.03	1.5	1.110	1,690	6.9	
June 6.....	1401	95	46	149	202	0	289	0	0.1	.33	897	1,420	7.0		
June 13.....	1400	139	65	196	208	0	468	270	0.2	4.902	1,270	1,930	7.3		
June 20.....	1600	149	66	192	236	0	474	265023	1,280	1,950	7.1		
July 4.....	9.2	168	69	253	216	0	567	34005	4.5	1.520	2,280	8.1			
July 11.....	16	123	59	251	402	0	257	34512	12	1.260	2,240	7.4			
July 18.....	18	112	64	402	1,040	0	59	35522	4.1	1.530	2,770	7.2			
Aug. 8.....	17	140	68	217	214	0	488	28504	5.7	1,340	2,030	7.3			
Aug. 16.....	14	325	13	544	338	0	1,170	73511	3.4	3,090	4,340	7.2			
Aug. 23.....	17	156	63	228	270	0	461	31003	3.2	1,370	2,080	7.1			
Aug. 30.....	16	143	66	219	266	0	431	30503	9.4	1,330	2,070	7.4			
Sept. 6.....	17	136	68	210	220	0	455	29504	8.4	1,300	2,010	7.5			
Sept. 12.....	17	117	65	202	256	0	391	28505	7.6	1,180	1,880	7.6			
Sept. 19.....	17	135	64	222	286	0	428	28508	2.1	1,300	2,010	7.2			
Sept. 26.....	18	156	74	226	227	0	528	31504	4.4	1,440	2,180	7.1			
Oct. 3.....	1903	159	68	207	190	0	528	29504	7.5	1,380	2,080	7.3			
Oct. 10.....	1709	236	81	233	254	0	703	34506	10	1,760	2,500	7.3			
Oct. 17.....	1533	248	9	228	268	0	742	35006	7.8	1,820	2,550	7.1			
<u>1961</u>																					
Jan. 10.....	21	156	6:	189	.5	300	0	391	36004	8.7	1,300	2,000	7.4	
Apr. 5.....	21	15.1	65	183	.4	284	0	393	28004	7.8	1,270	1,950	7.4	
July 25.....	a, 1,240	1,330		

^r Represents 100 percent runoff for water year. Includes estimated data for periods of missing record.

^a Residue on evaporation at 180° C.

^b Includes 0.0 ppm manganese (Mn).

^f Discharges given for site 83 are combined discharge of Surplus Canal and Jordan River at Salt Lake City. Water-stage recorders located about 1,100 feet and 1,500 feet downstream, respectively, from sampling site, which is 700 feet upstream from Surplus Canal diversion dam.

^g Includes 0.2 ppm bromide (Br) and 0.0 ppm nitrite (NO_2^-).

Table 5 — Chemical analyses of water from springs around the shore of Great Salt Lake and on Antelope Island, Utah.

(Concentration of dissolved constituents and dissolved solids given in parts per million)

Date of collection	Mean discharge (cfs)	Silica (SiO_2)	Aluminum (Al)	Iron (Fe)	Calcium (Ca)	Magnesium (Mg)	Sodium (Na)	Strontium (Sr)	Lithium (Li)	Bicarbonate (HCO_3)	Carbo-nate (CO_3)	Sulfate (SO_4)	Chloride (Cl)	Fluoride (F)	Iodide (I)	Nitrate (NO_3)	Boron (B)	Dissolved solids (calculated)	Specific conductance (micro-mhos at 23°C)	pH	Density (grams per ml. at 20°C)		
86. Duck Spring about ten miles south of Kelton (Sec. 8, T. 10N., R. 11W.)																							
Sept. 23, 1960	19	0.4	0.02	168	134	2,780	102	134	0	313	4,740	0.12	10	8,34C	14,100	6.9	1.002		
87. Moes Spring about seven miles south of Kelton (Sec. 33, T. 11N., R. 11W.)																							
Sept. 23, 1960	e 0.1	19	0.4	0.00	200	182	3,560	158	249	0	386	3,120	0.06	10	10,80C	17,700	7.4	1.003	
88. Skull Spring about six miles south of Kelton (Sec. 19, T. 11N., R. 11W.)																							
Sept. 23, 1960	e 0.5	42	0.3	0.00	322	169	6,700	241	299	0	738	11,000	0.12	12	19,400	29,900	7.5	1.009	
89. Twenty-one Seeps about five miles southwest of Kelton (Sec. 7, T. 11N., R. 11W.)																							
Sept. 23, 1960	(a)	23	0.3	0.01	586	168	8,430	346	202	0	327	14,600	0.11	12	24,600	37,400	7.4	1.013	
90. Black Butte Springs about three miles southwest of Kelton (Sec. 6, T. 11N., R. 11W.)																							
Sept. 23, 1960	(a)	14	0.3	0.00	516	123	6,350	273	204	0	222	11,500	0.10	15	19,40D	30,400	7.2	1.010	
91. West Locomotive Spring in Locomotive Springs area (Sec. 36, T. 12N., R. 10W.)																							
Sept. 30, 1959	47	0.00	114	50	744	53	0.5	206	0	91	1,360	0.2	2.3	0.25	2,56D	4,660	7.9		
Sept. 30, 1960	43	0.00	114	49	786	57	.8	198	0	91	1,430	0.02	3.0	.31	2,670	4,900	7.5		
Jan. 5, 1961	43	0.01	112	51	3.8	746	52	.5	200	0	89	1,38001	2.5	.23	2,570	4,630	7.9		
Apr. 19, 1961	43	0.01	119	57	3.1	483	28	861	60	208	0	93	1,57002	2.8	2,920	5,240	7.6
Oct. 12, 1961	46	122	52	125	54	3,460		
Sept. 30, 1959	30	0.00	125	51	493	27	0.2	220	0	88	970	0.1	2.3	0.16	1,900	3,410	7.9		
Sept. 30, 1960	33	0.00	120	54	494	27	.6	215	0	89	970	0.01	2.4	.16	1,900	3,470	7.7		
Jan. 5, 1961	36	0.00	119	57	3.1	502	27	0	218	0	90	98001	3.1	.16	1,920	3,510	7.7		
Apr. 19, 1961	36	0.01	127	52	483	28	216	0	87	96001	1.5	1,850	3,390	7.5		
Oct. 12, 1961	37	125	54	125	54	3,460			
Sept. 30, 1962	37	127	52	748	51	204	0	96	1,370	0.01	2.8	0.26	2,56D	4,620	8.0		
Jan. 9, 1963	37	0.03	127	52	748	51	206	0	99	1,39001	2.6	.31	2,60	4,640	7.6		
92. Baker Spring in Locomotive Springs area (Sec. 36, T. 12N., R. 10W.)																							
Sept. 30, 1959	30	0.00	114	50	744	53	0.5	206	0	91	1,360	0.2	2.3	0.25	2,56D	4,660	7.9		
Sept. 30, 1960	33	0.00	114	49	786	57	.8	198	0	91	1,430	0.02	3.0	.31	2,670	4,900	7.5		
Jan. 5, 1961	36	0.01	119	57	3.1	483	28	861	60	208	0	93	1,57002	2.8	2,920	5,240	7.6
Apr. 19, 1961	36	0.01	127	52	483	28	216	0	87	96001	1.5	1,850	3,390	7.5		
Oct. 12, 1961	37	125	54	125	54	3,460			
Sept. 30, 1962	37	0.03	127	52	748	51	204	0	96	1,370	0.01	2.8	0.26	2,56D	4,620	8.0		
Jan. 9, 1963	37	0.03	127	52	748	51	206	0	99	1,39001	2.6	.31	2,60	4,640	7.6		
93. West Lake in Locomotive Springs area (Sec. 11, T. 11N., R. 10W.)																							
Sept. 30, 1960	37	0.01	122	54	3.2	732	48	0.3	204	0	96	1,370	0.01	2.8	0.26	2,56D	4,620	8.0		
Sept. 30, 1961	37	0.03	127	52	748	51	206	0	99	1,39001	2.6	.31	2,60	4,640	7.6		

(Concentration of dissolved constituents and dissolved solids given in parts per million)

Date of collection	Mean discharge (cfs)	Silica (SiO_2)	Aluminum (Al)	Iron (Fe)	Calcium (Ca)	Magnesium (Mg)	Sodium (Na)	Potassium (K)	Lithium (Li)	Bicarbonate (HCO_3^-)	Carbonate (CO_3^{2-})	Sulfate (SO_4^{2-})	Chloride (Cl^-)	Fluoride (F^-)	Iodide (I^-)	Nitrate (NO_3^-)	Boron (B)	Dissolved solids (calculated)	Specific conductance (micro-mhos at 25° C)	pH	Density (grams per ml. at 20°C)	
94. Bar M. Spring in Locomotive Springs area (Sec. 1, T. 11N., R. 10W.)																						
1959																						
June 29.....	37	126	72	224	0	148	1,650	1,6	3,090	5,450	7.8					
Sept. 30.....	36	0.02	133	61	86	32	0.4	213	0	119	1,560	0.1	2.1	0.18	2,910	5,250	7.5		
<u>1960</u>																						
Jan. 5.....	3101	139	65	1,120	45	.4	210	0	184	1,960	0.02	4.0	.30	3,650	6,430	7.8	
Apr. 19.....	3100	131	60	5.0	833	36	.0	209	0	113	1,55001	2.8	.20	2,850	5,180	8.0	
July 19.....	3103	130	66	930	37	212	0	120	1,68002	2.5	.21	3,110	5,420	7.7	
Oct. 12.....	3305	127	68	910	35	209	0	118	1,64002	1.6	3,050	5,400	7.7	
<u>1962</u>																						
Jan. 9.....	5,000		
95. Teal Spring in Locomotive Springs area (Sec. 2, T. 11N., R. 10W.)																						
1959																						
Sept. 30.....	36	0.01	109	63	1,280	55	0.4	213	0	156	2,180	0.2	2.7	0.32	3,990	7,120	7.8	
<u>1960</u>																						
Jan. 5.....	3401	115	66	1,346	60	.5	212	0	159	2,280	0.03	3.5	.29	4,160	7,400	7.9	
Apr. 19.....	2901	119	67	5.8	1,330	56	.5	210	0	155	2,28003	2.8	.34	4,140	7,680	7.9	
96. Sparks Spring in Locomotive Springs area (Sec. 5, T. 11N., R. 9W.)																						
1959																						
June 29.....	38	0.00	117	68	1,180	49	0.5	231	0	188	1,960	2.0	3,660	6,470	7.7	
Sept. 30.....	29	0.00	117	68	1,150	1,180	0.5	231	0	161	1,960	0.3	1.5	0.27	3,650	6,540	7.2	
<u>1960</u>																						
Jan. 5.....	3502	107	66	1,160	47	.5	227	0	169	1,970	0.02	2.5	.34	3,670	7,980	7.7	
Apr. 19.....	3200	109	66	5.3	1,130	51	.5	225	0	152	1,97001	2.2	.27	3,620	6,570	7.6	
97. East Lake in Locomotive Springs area (Sec. 7, T. 11N., R. 9W.)																						
1959																						
June 29.....	17	124	162	2,790	62	8	349	4,690	7.1	8,180	14,100	8.6	1.001	
Sept. 30.....	16	0.02	76	83	4.7	1,270	58	0.2	186	6	154	2,150	0.03	1.3	0.33	3,910	7,240	8.3	
<u>1960</u>																						
Jan. 5.....	2301	186	179	3,440	140	59	0	389	5,97011	.11	.92	10,400	16,700	7.6	1.003	
Apr. 19.....	1902	611	1,040	27,100	1,130	38	0	2,630	43,40047	105	8.7	75,200	97,200	6.6	1.051	
July 19.....	1902	611	1,040	27,100	1,070	105	0	2,670	43,70060	100	9.1	76,400	91,300	6.5	1.050	
98. Large spring near abandoned salt plant, about 3 miles east of Locomotive Springs area (Sec. 10, T. 11N., R. 9W.)																						
1959																						
June 29.....	e.3	21	604	1,040	26,400	26,300	1,170	5.9	166	0	2,660	42,800	73	73,700	92,100	6.9	1.049
Sept. 30.....	e.3	17	626	1,010	26,300	1,170	5.9	166	0	2,640	43,100	1.5	83	9.4	75,000	94,000	7.1	1.050	
<u>1960</u>																						
Jan. 5.....	e.2	1703	572	1,010	25,900	1,120	9.9	145	0	2,610	43,800	0.51	105	8.7	75,200	97,200	6.6	1.051
Apr. 19.....	1901	603	1,040	27,100	1,130	38	0	2,630	43,40047	155	8.9	76,100	99,700	6.4	1.050	
July 19.....	1902	611	1,040	27,100	1,070	105	0	2,670	43,70060	100	9.1	76,400	91,300	6.5	1.050	
99. Small spring near abandoned salt plant, about three miles east of Locomotive Springs area (Sec. 10, T. 11N., R. 9W.)																						
1959																						
June 29.....	e.1	20	533	839	21,000	21,400	133	0	2,100	34,100	79	58,700	77,200	7.1	1.038	
Sept. 30.....	20	0.01	508	875	21,400	969	5.6	181	0	2,190	35,600	1.2	59	8.1	61,700	81,300	7.4	1.039	
<u>1960</u>																						
Apr. 19.....	1802	553	916	23,100	934	69	0	2,300	37,800	0.37	136	7.9	65,800	86,400	6.9	1.043	

See footnotes at end of table.

Table 5.--Chemical analyses of water from springs around the shore of Great Salt Lake and on Antelope Island, Utah--Continued

(Concentration of dissolved constituents and dissolved solids given in parts per million)

Date of collection	Mean discharge (cfs)	Silica (SiO_2)	Alumina (Al)	Iron (Fe)	Calcium (Ca)	Magnesium (Mg)	Sodium (Na)	Potassium (K)	Lithium ('Li')	Bicarbonate (HCO_3^-)	Carbonate (CO_3^{2-})	Sulfate (SO_4^{2-})	Chloride (Cl)	Fluoride (F)	Iodide (I)	Nitrate (NO_3^-)	Boron (B)	Dissolved solids (calculated)	Specific conductance (micro-mhos at 25°C)	Density (grams per ml. at 20°C)	
100. Hassel Creek at State highway 53, about eleven miles east of Locomotive Springs area (Sec. 2, T. 11N., R. 8W.)																					
1959																					
June 29.....	12	2.16	126	97	4,020	106	1.0	353	12	277	6,520	11	11,400	18,600	8.3	1,003	
Sept. 30.....	5.2	0.03	168	97	3,200	106	1.0	246	0	234	5,330	1.4	8.7	0.86	9,270	15,700	7.8	1,001	
1960																					
Apr. 19.....	4.302	125	73	2,270	75	312	0	172	3,770	0.06	13	.70	6,660	11,800	7.6	1,000
101. Spring east side Promontory Point (Sec. 16, T. 7N., R. 5W.)																					
1959																					
June 29.....	e 1	13	132	66	1,180	37	0.4	254	0	181	1,960	2.7	3,660	6,480	7.9	
Sept. 30.....	e 1	13	0.00	130	66	1,140	37	0.4	248	0	174	1,950	0.1	2.9	0.21	3,640	6,480	7.8
1960																					
Jan. 5.....	1600	96	50	1,150	42	.7	245	0	172	1,850	0.02	3.8	.44	3,500	6,330	8.2
102. Yogurt Springs at State highway 83 (Sec. 11, T. 10N., R. 5W.)																					
1959																					
Sept. 30.....	39	0.03	853	327	10,906	526	5.6	447	0	163	19,400	1.2	12	4.3	32,400	48,600	6.6	1,020
103. Hooper Hot Springs west of Hooper (Sec. 27, T. 5N., R. 5W.)																					
1960																					
Apr. 13.....	30	0.01	524	99	2,456	239	220	0	59	5,090	0.07	17	1.0	8,620	15,000	7.5
1960																					
Jan. 7.....	21	0.02	38	31	72	7.0	0.4	316	0	46	51	0.02	6.8	0.17	b 432	722	7.8
104. Seep north of Keys Creek near Layton (Sec. 36, T. 4N., R. 2W.)																					
1960																					
July 28.....	16	170	39	703	155	0	63	1,360	3.2	2,430	4,430	7.5		
105. Spring in West Lady Finger Spring area, Antelope Island (Sec. 30, T. 4N., R. 3W.)																					
1960																					
July 28.....	34	46	11	197	182	0	17	300	1.7	696	1,280	7.6		
106. Spring in East Lady Finger Spring area (Sec. 30, T. 4N., R. 3W.)																					
1960																					
July 28.....	25	190	63	1,060	177	0	115	1,960	2.1	3,500	6,310	7.2		
107. Seep in East Lady Finger Spring area (Sec. 30, T. 4N., R. 3W.)																					
1960																					
May 7.....	14	42	10	56	2.4	114	0	59	87	2.6	0.06	b 339	585	7.4	
108. Beacon Springs Horse Trough 7.7 miles north of ranch house, on Antelope Island (Sec. 32, T. 4N., R. 3W.)																					
1960																					
May 7.....	14	105	34	250	15	360	0	47	434	3.8	0.23	1,080	1,960	7.8	

(Concentration of dissolved constituents and dissolved solids given in parts per million)

Date of collection	Mean discharge (cfs)	Silica (SiO_2)	Alumina (Al)	Iron (Fe)	Calcium (Ca)	Magnesium (Mg)	Sodium (Na)	Potassium (K)	Lithium (Li)	Bicarbonate (HCO_3)	Carbonate (CO_3)	Sulfate (SO_4)	Chloride (Cl)	Fluoride (F)	Iodide (I)	Nitrate (NO_3)	Boron (B)	Dissolved solids (calculated)	Specific conductance (micro-mhos at 25°C)	Density (grams per ml. at 20°C)		
110. Stream 3.3 miles north of ranch house, on Antelope Island (Sec. 21, T. 3N., R. 3W.)																						
May 7, 1960	e 0.5	18	36	11	49	1.1	146	0	38	59	3.8	0.06	b 288	493	7.6		
May 7, 1960	42	64	21	149	15	202	0	46	263	8.0	0.12	b 733	1,260	7.7		
May 7, 1960	54	62	23	176	18	274	0	68	250	7.0	0.16	b 798	1,350	8.0		
111. Ranch House Spring at ranch house, on Antelope Island (Sec. 10, T. 2N., R. 3W.)																						
Aug. 25, 1958	25	76	41	268	8.0	0.0	268	0	251	480	0.6	4.5	0.16	1,150	1,990	7.6		
Sept. 29, 1959	e 5	15	0.00	106	42	321	9.0	0.0	275	0	255	535	0.02	5.1	1,360	2,320	8.0	
Jan. 5, 1960	e 15	1300	106	47	347	9.0	0	266	0	263	495	5.1	1,390	2,440	8.1	
Apr. 12, 1960	d 7.0	1200	104	46	1.8	325	8.3	.2	262	0	265	480	5.1	1,380	2,310	7.6	
July 8, 1960	d 9.1	1502	106	44	359	8.7	270	0	250	450	4.3	1,320	2,260	7.9	
Oct. 11, 1960	d 3.4	12	99	45	367	9.1	278	0	253	460	4.3	1,360	2,250	7.7	
Jan. 10, 1961	14	109	42	317	8.4	278	0	253	460	4.9	1,340	2,270	8.1	
Apr. 4, 1961	11	0.1	99	47	315	7.8	272	0	253	460	4.1	1,340	2,250	8.1	
July 25, 1961		
112. Spring 1-1/2 mile south of ranch house, on Antelope Island (Sec. 15, T. 2N., R. 3W.)																						
Jan. 5, 1960	11	0.00	211	117	4,420	155	1.2	225	0	504	7,060	0.03	8.4	1.3	12,600	20,700	7.4
113. Mill Pond Spring at U.S. Highway 40, at Mills Junction (Sec. 16, T. 2S., R. 4W.)																						
Aug. 25, 1958	25	76	41	268	8.0	0.0	268	0	242	450	0	144	4.6	1,150	1,990	7.6		
Sept. 29, 1959	e 5	15	0.00	106	42	321	9.0	0.0	275	0	251	480	0.6	4.5	0.16	1,360	2,320	8.0	
Jan. 5, 1960	e 15	1300	106	47	1.8	347	9.0	0	266	0	263	495	5.1	1,390	2,450	7.7	
Apr. 12, 1960	d 7.0	1200	104	46	1.8	325	8.3	.2	262	0	265	480	5.1	1,380	2,310	7.6	
July 8, 1960	d 9.1	1502	106	44	359	8.7	270	0	250	450	4.3	1,320	2,260	7.9	
Oct. 11, 1960	d 3.4	12	99	45	367	9.1	278	0	253	460	4.3	1,360	2,250	7.7	
Jan. 10, 1961	14	109	42	317	8.4	278	0	253	460	4.9	1,340	2,270	8.1	
Apr. 4, 1961	11	0.1	99	47	315	7.8	272	0	253	460	4.1	1,340	2,250	8.1	
July 25, 1961		
114. Spring 1.3 miles east of Big Spring, near Timpie (Sec. 10, T. 1S., R. 7W.)																						
Jan. 5, 1960	11	0.00	211	117	4,420	155	1.2	225	0	504	7,060	0.03	8.4	1.3	12,600	20,700	7.4
115. Big Spring at Timpie (Sec. 9, T. 1S., R. 7W.)																						
Sept. 28, 1959	e 8	7.9	102	97	2,890	97	1.8	132	22	352	4,550	9.7	8,100	14,000	8.8	
Sept. 29, 1959	10	0.00	136	79	2,750	97	1.8	214	0	327	4,360	0.2	13	0.98	7,660	13,000	7.7	
Jan. 5, 1960	9.501	138	81	2,810	106	1.0	223	0	345	4,550	10	8,160	13,700	7.6	
Apr. 12, 1960	7.101	134	80	2,850	103	174	0	351	4,670	12	8,300	14,400	7.5	
July 8, 1960	7.001	144	73	2,750	99	206	0	332	4,500	14	8,060	13,200	7.7	
Oct. 1, 1960	15	0.200	146	73	2,830	98	194	0	349	4,590	17	8,210	13,800	8.0	
Oct. 11, 1960	d 2.3	9.000	139	77	2,810	93	205	0	345	4,510	10	8,090	13,500	7.7	
Jan. 10, 1961	d 6.4	11	2	0.0	142	81	2,840	100	220	0	353	4,600	10	8,25C	13,800	7.7	
Apr. 4, 1961	5.5	.2	.01	.01	144	88	2,810	103	218	0	352	4,720	13	8,43C	14,300	7.8	

a No measurable flow.

b Residue on evaporation at 180°C.

c Estimated

d Discharge measured at time of sampling.

Table 6 — Chemical analyses of water from drains and sewage canals along the southeast shore of Great Salt Lake, Utah

(Concentration of dissolved constituents and dissolved solids given in parts per million)

Date of collection	Mean discharge (cfs)	Silica (SiO_2)	Aluminum (Al)	Iron (Fe)	Cadmium (Cd)	Magnesium (Mg)	Sodium (Na)	Potassium (K)	Lithium (Li)	Bicarbonate (HCO_3)	Carbo-nate (CO_3)	Sulfate (SO_4)	Chloride (Cl)	Fluo-ride (F)	Iodide (I)	Ni-trate (NO_3)	Boron (B)	Dissolved solids (calcu-lated)	Specific conductance (micro-mhos at 25° C)	pH	Density (grams per ml. at 20°C)		
116. Cudahy Packing Plant drain at North Salt Lake (Sec. 2, T. 1N., R. 1W.)																							
July 1, 1959	18	109	27	584	19	0.0	736	0	34	720	1.5	1.5	0.16	1,860	3,240	8.0		
Sept. 29, 1959	15	0.08	103	22	463	0.0	660	0	12	660	1.4	1.6	0.16	1,630	2,980	7.1			
117. Standard Oil Refinery drain at North Salt Lake (Sec. 10, T. 1N., R. 1W.)																							
July 1, 1959	17	67	11	188	444	0	35	155	1.5	1.5	692	1,170	8.0			
118. Salt Lake City sewage Canal at Cudahy Lane, near North Salt Lake (Sec. 4, T. 1N., R. 1W.)																							
July 1, 1959	45	14	135	47	449	446	0	280	600	2.6	2.6	1,750	2,910	7.9		
July 1, 1960	45	25	147	54	470	23	0.3	368	0	7,130	660	4.1	8,630	31,800	1.20	1,000			
Sept. 29, 1960	45	16	0.12	141	46	416	0.3	305	670	1.0	1.3	0.47	1,810	3,100	7.1				
Jan. 6, 1961	45	18	0.07	218	55	66*	32	318	0	427	1,140	0.12	7	2,710	4,760	7.8			
Feb. 8, 1961	45	16	0.08	149	49	48*	26	.4	492	0	164	75018	1.5	1,880	3,500	7.7		
May 9, 1961	45	15	21	134	48	44*	22	516	0	254	63004	1.5	.64	1,850	3,080	7.5		
July 8, 1961	45	2223	144	45	42*	23	602	0	138	63005	1.8	.68	1,770	2,990	7.6		
Oct. 17, 1961	45	17	158	54	47*	21	286	0	301	81012	2.9	2,000	3,400	7.0			
Apr. 5, 1961	45	18	0.5	.26	197	76	755	30	388	0	502	1,19016	.8	2,980	4,940	7.3	
119. Goggin Drain south of U.S. Highway 40, near Salt Lake City (Sec. 5, T. 1S., R. 1W.)																							
June 26, 1961	e 22	25	240	141	1,440	35	0.2	236	0	805	2,380	16	4.2	0.50	5,110	8,240	7.1		
Sept. 29, 1961	e 150	28	0.01	136	89	552	850	36	.7	252	0	562	0.05	2,340	3,900	7.5		
Jan. 5, 1962	e 90	3007	216	97	1,080	59	.5	114	0	738	1,86003	3.0	4,190	7,040	6.7		
Apr. 12, 1962	e 40	3404	248	112	817	49	184	0	636	1,35010	7.2	.49	3,300	5,210	7.0	
July 8, 1962	e 100	3704	204	102	786	53	107	0	754	1,33006	48	3,410	6,790	6.9	
Oct. 11, 1962	d 113	32	228	111			
Jan. 10, 1963	d 60	4	69	261	102	796	42	106	0	697	1,40008	7.1	3,440	5,620	6.6	
Apr. 4, 1963	d 37	9	63	0.8	.09	273	102	1,160	53	12	0	764	1,92012	2.8	4,310	7,210	5.0
July 25, 1963	e 40	0	789	1,880	29	b 4,390	6,760	6.5	
Nov. 3, 1963	e 50	46	1,130	59	121	0	25	4,440	7,200	6.5
Dec. 20, 1963	d 151	1,240	811	2,050	7,750	6.6
120. Kennecott drain at U.S. Highway 40, near Salt Lake City (Sec. 3, T. 1S., R. 3W.)																							
June 26, 1961	e 22	25	240	141	1,440	35	0.2	236	0	805	2,380	9.6	16	4.2	0.50	5,110	8,240	7.1	
Sept. 29, 1961	e 150	28	0.01	136	89	552	850	36	.7	252	0	562	0.05	2,340	3,900	7.5		
Jan. 5, 1962	e 90	3007	216	97	1,080	59	.5	114	0	738	1,86003	3.0	4,190	7,040	6.7		
Apr. 12, 1962	e 40	3404	248	112	817	49	184	0	636	1,35010	7.2	.49	3,300	5,210	7.0	
July 8, 1962	e 100	3704	204	102	786	53	107	0	754	1,33006	48	3,410	6,790	6.9	
Oct. 11, 1962	d 113	32	228	111			
Jan. 10, 1963	d 60	4	69	261	102	796	42	106	0	697	1,40008	7.1	3,440	5,620	6.6	
Apr. 4, 1963	d 37	9	63	0.8	.09	273	102	1,160	53	12	0	764	1,92012	2.8	4,310	7,210	5.0
July 25, 1963	e 40	0	789	1,880	29	25	4,440	7,200	6.5
Nov. 3, 1963	e 50	46	1,130	59	121	0	25	4,440	7,200	6.5
Dec. 20, 1963	d 151	1,240	811	2,050	7,750	6.6

(Concentration of dissolved constituents and dissolved solids given in parts per million)

Date of collection	Mean discharge (cfs)	Silica (SiO_2)	Alumina (Al)	Iron (Fe)	Calcium (Ca)	Magnesium (Mg)	Sodium (Na)	Potassium (K)	Bicarbonate (HCO ₃)	Carbo-nate (Li)	Lithium (Li)	Chloride (Cl)	Sulfate (SO ₄)	Fluoride (F)	Iodide (I)	Nitrate (NO ₃)	Boron (B)	Dissolved solids (calculated)	Specific conductance (micro-mhos at 25° C)	pH	Density (grams per ml. at 20° C)			
121. Garfield Smelter drain at U.S. Highway 40, near Saltair (Sec. 17, T. 1S., R. 3W.)																								
1959																								
Sept. 29.....	e 1	14	0.04	207	67	866	26	0.3	240	11	437	430	0.4	3.0	0.23	3,180	5,390	8.4	
1960																								
Jan. 5.....	e 7	55	2.3	448	27	920	28	.4	0	0	3,040	590	0.05	6.7	64	6,160	16,100	1.70	1.001
Apr. 12.....	e 5	29	3.1	390	58	946	24	0	0	2,420	670	14	13	17	5,600	11,300	1.85	1.001
July 8.....	e 3	35	3.9	432	76	1,680	43	0	0	2,650	910	21	14	23	7,890	16,000	1.70	1.001
1961																								
Apr. 4.....	92	16	24	348	63	1,140	42	0	0	4,070	2,090	13	8.6	7,970	22,700	1.70	1.001	
July 25.....	0	0	b 7,390	16,700	1.70	1.001	
Dec. 20.....	d 3.0	1,380	2,250	1,380	11,300	2.20	

d Discharge measured at time of sampling.

e Estimated.

a Sample collected ten minutes after truck dumped waste.

b Residue on evaporation at 180° C.
f Includes 0.7 ppm manganese (Mn).

Table 7.—Chemical analyses of water from Great Salt Lake, Utah


(Concentration of dissolved constituents and dissolved solids given in parts per million)


Date of collection	Altitude of water surface above mean sea level	Silica (SiO_2)	Aluminum (Al)	Iron (Fe)	Calcium (Ca)	Magnesium (Mg)	Potassium (K)	Bicarbonate (HCO_3^-)	Sulfate (SO_4^{2-})	Chloride (Cl)	Fluoride (F)	Iodide (I)	Boron (B)	Nitrate (NO_3^-)	Dissolved solids		Specific conductance (micro-mhos at 25°C)	pH	Density (grams per mi. at 20°C)		
															Dissolved solids Calculated	Dissolved solids Residue on evaporation at 180°C					
122. Three-fourths of a mile east of Lakeside, south of railroad fill (Sec. 13, T. 6N., R. 9W.)																					
1959																					
June 26 ^a	4,195.70	5.2	428	8,696	95,900	...	352	22,600	157,000	109	...	285,000	176,000	8.0	1.217	
1960	4,195.30	4.9	...	0.03	293	7,176	84,100	4,030	304	15,600	112,000	...	0.32	84	27	253,000	253,000	186,000	7.8	1.192	
Apr. 12 ^b	...	5.705	327	9,046	85,000	5,460	353	18,100	119,00044	82	34	267,000	279,000	187,000	7.7	1.214	
Apr. 12 ^c		
123. About six miles west of Promontory Point, south of railroad fill (Sec. 27, T. 8N., R. 8W.)																					
1930																					
Mar. 30 ^d	4,201.0	361	5,780	69,200	3,380	221	11,500	120,000	1,162		
1959	5.3	0.07	461	8,156	88,200	4,640	307	19,300	153,000	92	...	274,000	...	178,000	8.0	1.213	
June 28 ^e	...	5.4	...	0.07	330	7,566	94,300	...	317	21,300	147,000	7,4	...	109	28	270,000	288,000	182,000	7.7	1.217	
Sept. 30 ^f		
1960	4.907	302	8,770	82,500	5,340	46	334	12,100	150,000	...	0.60	69	36	259,000	284,000	192,000	7.5	1.209
Jan. 5 ^g	5.306	314	8,320	87,600	5,140	...	328	16,900	152,00033	82	32	271,000	278,000	190,000	7.7	1.212
Apr. 19 ^h	5.004	302	7,193	80,800	4,230	307	16,300	138,00030	75	28	247,000	236,000	187,000	7.7	1.194	
Apr. 19 ⁱ	4,195.30	5.008	266	9,445	85,300	5,570	...	368	22,200	149,00052	90	35	272,000	284,000	172,000	7.7	1.221
July 19 ^j	4.906	317	7,643	86,600	4,430	...	323	18,600	150,00049	61	30	268,000	278,000	174,000	7.7	1.214
July 19 ^k	5.205	326	8,670	90,500	4,720	...	340	20,300	150,00046	69	34	275,000	281,000	173,000	7.5	1.218
Oct. 12 ^l	5.005	326	8,670	90,500	4,720	...	340	20,300	150,000		
1961	4,193.35	5.4	2.6	0.03	285	8,600	83,000	4,450	...	349	16,700	148,00045	98	...	261,000	273,000	177,000	7.6	1.208
Apr. 6 ^m	4,193.80	5.4	2.6	0.03	285	8,600	83,000	4,450	...	349	16,700	148,000	268,000	180,000	...	1.205	
Nov. 8 ⁿ	4,191.80	7.011	265	9,390	84,900	5,250	...	398	22,100	147,000	154	...	268,000	280,000	179,000	7.6	1.210
124. Northwest of Antelope Island, about one-eighth mile south of Egg Island (Sec. 25, T. 4N., R. 4W.)																					
1960																					
July 28 ^o	4,194.30	4.9	...	0.05	295	8,450	87,900	4,930	...	325	19,000	.52,000	...	0.44	69	31	273,000	280,000	176,000	7.6	1.218
125. Northeast of Antelope Island, Lady Finger Springs beach area (Sec. 29, T. 4N., R. 3W.)																					
1960																					
July 28 ^p	4,194.30	5.4	...	0.06	280	8,930	88,800	5,330	...	379	20,700	150,000	...	0.49	60	34	274,000	280,000	173,000	7.5	1.219
126. At middle of bay between Antelope Island and mainland, west of Syracuse sewage treatment plant (T. 4N., R. 3W.)																					
1960																					
July 28 ^q	4,194.30	4.8	...	0.07	291	8,660	89,400	4,670	...	383	19,600	151,000	...	0.49	69	33	274,000	280,000	174,000	7.5	1.217
127. At middle of bay between Antelope Island and mainland, west of Farmington Canyon (T. 3N., R. 2W.)																					
1960																					
July 28 ^r	4,194.30	6.1	...	0.04	380	4,830	52,200	2,650	...	341	11,400	86,900	...	0.47	75	20	159,000	165,000	146,000	7.3	1.119
128. At middle of bay between Antelope Island and mainland, west of Bountiful Peak (T. 3N., R. 2W.)																					
1960																					
July 28 ^s	4,194.30	5.7	...	0.03	387	5,670	53,600	3,030	...	358	12,400	93,600	...	0.49	88	23	169,000	180,000	152,000	7.4	1.128
129. West of Antelope Island																					
1954	4,197.25	6.5	...	12.2	407	6,940	86,500	4,070	36	263	17,700	143,000	14	...	85	24	259,000	268,000	165,000	7.4	1.198
Oct. 13 ^t	4,197.25	4.9	...	13.6	388	7,000	88,200	3,980	40	228	17,800	143,000	14	...	74	...	261,000	268,000	165,000	7.5	1.199

(Concentration of dissolved constituents and dissolved solids given in parts per million)


Date of collection	Altitude of water surface above mean sea level (feet)	130. East of Saltair, at intake to Morton Salt Co. (Sec. 34, T. 1N., R. 3W.)												Dissolved solids	Specific conductance pH	Density (grams per ml. at 20°C)					
		Silica (SiO ₂)	Aluminum (Al)	Iron (Fe)	Calcium (Ca)	Magnesium (Mg)	Sodium (Na)	Potassium (K)	Lithium (Li)	Bicarbonate (HCO ₃)	Sulfate (SO ₄)	Chloride (Cl)	Fluoride (F)	Iodide (I)	Nitrate (NO ₃)	Boron (B)	Residue on evaporation at 180°C				
1959																					
June 26.....	4,195.70	7.7	439	6,410	83,800	277	16,900	136,000	65	244,000	175,000	8.1	1,185	
July 1.....	4,194.70	9.3	0.02	234	3,930	43,600	2,450	15	256	7,660	74,000	0.40	96	17	132,000	136,000	143,000	8.1	1,095
1960																					
Feb. 5.....	4,194.70	9.3	439	6,410	83,800	277	16,900	136,000	65	244,000	175,000	8.1	1,185	
1961																					
Apr. 6.....	4,197.05	6.2	2.4	0.00	241	7,290	83,600	4,070	23	251	16,400	140,000	4.2	30	m 254,000	262,000	163,000	7.4	1,197
Feb. 28.....	4,194.85	5.208	280	7,550	85,400	4,810	33	313	14,500	146,00050	92	32	259,000	264,000	190,000	7.6	1,201
Apr. 12.....	4,195.30	6.103	324	7,030	78,100	4,130	297	15,400	136,00037	75	27	241,000	247,000	185,000	7.7	1,187
May 15.....	4,195.30	6.404	310	6,930	78,000	3,810	297	16,300	135,00032	79	28	241,000	252,000	171,000	7.7	1,190
June 1.....	4,195.15	6.207	315	6,930	79,700	4,040	283	16,500	136,00031	75	28	244,000	253,000	172,000	7.6	1,191
July 8.....	4,194.60	5.207	315	7,450	85,800	4,260	317	18,200	148,00046	69	29	264,000	274,000	174,000	7.8	1,210
July 15.....	4,194.50	4.705	343	7,930	90,100	4,770	308	18,200	151,00028	91	31	273,000	275,000	178,000	7.5	1,215
Aug. 1.....	4,194.25	5.8	2.5	0.03	325	7,480	85,700	4,050	315	17,300	143,00026	71	259,000	266,000	178,000	7.4	1,208
Aug. 15.....	4,194.00	5.905	324	7,910	92,200	4,660	315	18,300	147,00035	69	31	271,000	271,000	178,000	7.6	1,212
Sept. 1.....	4,193.65	5.306	319	9,170	91,700	4,790	322	19,300	151,00044	69	31	276,000	278,000	175,000	7.6	1,218
Sept. 15.....	4,193.60	5.005	314	8,240	90,900	4,640	322	19,400	149,00042	69	32	273,000	279,000	175,000	7.6	1,218
Oct. 11.....	4,193.30	5.505	324	8,400	86,400	5,040	332	20,200	151,00043	69	32	275,000	278,000	173,000	7.6	1,217
Nov. 30.....	4,193.20	5.0	2.6	.02	303	7,340	77,800	4,230	331	17,700	133,00042	86	241,000	244,000	175,000	7.6	1,189
Dec. 15.....	4,193.30	5.5	2.6	.02	288	8,410	86,900	4,670	340	18,000	148,00045	80	267,000	276,000	177,000	7.6	1,212
1961																					
Jan. 17.4.....	4,193.40	22	1.8	.36	233	1,050	15,900	989	21	5,510	25,30020	73	49,100	49,300	63,400	5.7	1,033
Feb. 1.....	4,193.40	5.7	2.6	.05	315	8,220	83,500	4,540	338	15,300	146,00045	103	258,000	269,000	178,000	7.6	1,203
Mar. 1.....	4,193.50	272,000	273,000	181,000	1,205
Mar. 16.....	4,193.60	256,000	257,000	179,000	1,192
Mar. 31.....	4,193.70	268,000	281,000	180,000	1,202
Apr. 4.....	4,193.80	266,000	267,000	179,000	1,200
Apr. 17.....	4,193.70	272,000	273,000	180,000	1,206
May 1.....	4,193.65	273,000	274,000	179,000	1,208
May 16.....	4,193.50	277,000	277,000	179,000	1,211
May 31.....	4,193.40	281,000	281,000	180,000	1,214
June 30.....	4,193.05	284,000	284,000	179,000	1,216
July 25.....	4,192.55	285,000	285,000	178,000	1,215
Aug. 1.....	4,192.45	282,000	282,000	180,000	1,215
Aug. 15.....	4,192.25	281,000	281,000	180,000	1,216
Sept. 5.....	4,191.75	284,000	284,000	178,000	1,217
Sept. 18.....	4,191.70	275,000	275,000	178,000	1,210
1959																					
June 26.....	4,195.70	4.2	463	6,980	97,700	290	18,500	158,000	93	282,000	282,000	176,000	8.0	1,212	
Sept. 29.....	4,194.50	6.5	0.02	436	7,210	81,900	3,820	45	266	18,400	135,000	5.9	94	21	247,000	258,000	181,000	7.5	1,194

See footnotes at end of table.








UTAH GEOLOGICAL AND
MINERALOGICAL SURVEY





INDEX MAP


















MAP OF GREAT SALT LAKE BASIN SHOWING WATER-QUALITY SAMPLING STATIONS




ING SITES

Prepared by the U.S. Geological Survey in
cooperation with the University of Utah.
1963




EXPLANATION

70
● Sampling site number refers to site number in tables of basic data.



N



LAKE BASIN SHOWING WATER-QUALITY SAMPLING SITES