

QUARTERLY REVIEW

Vol. 5, No. 2

Geologic Investigation in the State of Utah

May 1971

EARTH ART IN GREAT SALT LAKE

An overwhelming work of art has been constructed in Great Salt Lake. In April of 1970 Robert Smithson, builder of earthworks as art objects, supervised the construction of a spiral jetty of earth and black basalt rocks. It is 1,500 feet long and 15 feet wide.

The project was financed by \$25,000 from the Dwan Gallery of New York and the Ace Gallery of Vancouver, B. C.

Smithson, seemingly intent like the ancient Egyptians on creating landmarks on a grand scale, negotiated a 20-year lease with the Utah State Land Board

for a 10-acre site at the north end of the Lake. The dark coil of the jetty lies in this barren area in water colored red by algae. The jetty itself is outlined by the white of precipitated salt.

To make this piece accessible to earthbound viewers, Smithson directed a 16 mm film of it, starting with the actual construction. While the film is called a documentary, it is a work of art in itself. It is being shown and marketed in an edition of 300, at \$300 a print.

The film begins with a series of contrasts and variations of the idea of the

spiral. It is a progression from spirals of dust behind the car on the road to the Jurassic and dinosaurs to trucks and bulldozers, with peaceful interludes of pink water on which float patches of silvery foam. The reflection of the sun dances on the water in the curve of the spiral.

The film reaches a hypnotic climax a long way from the prosaic road and the mundane maps and lake charts of the beginning. Smithson holds his audience transfixed for 35 minutes, longer than some people spend at an entire art exhibition.




Spiral jetty, by Robert Smithson. This work of art, 1,500 feet long and 15 feet wide, was constructed in the Great Salt Lake in April 1970. Photo courtesy of Dwan Gallery, New York.

Summer Field Work in Utah

The geologists who plan to work in Utah during the 1971 field season are listed below. The reference numbers in the left column correspond as far as possible with the location numbers on the accompanying map.

- | | |
|---|---|
| 1. Baer, J. L.
Brigham Young Univ. | 1. Paleocology of Green River Formation.
2. Permian-Triassic unconformity, south-east Utah. |
| 2. Baer, J. L., and
L. Hintze
Brigham Young Univ. | Structure of eastern thrust belt. |
| 3. Best, M. G.
Brigham Young Univ. | Late Cenozoic volcanoes of Black Rock Desert. |
| 4. Biesinger, J. C.
Utah State Univ. | Geochemical aspects of Bear Lake sediments, Utah-Idaho. |
| 5. Bissell, H. J.
Brigham Young Univ. | Toana-Goshute ranges, east Nevada-west Utah. |
| 6. Blakey, R. C.
Univ. of Iowa | Triassic stratigraphic study, south central Utah. |
| 7. Blau, J. G.
Utah State Univ. | Geology of south part of James Peak quadrangle. |
| 8. Bullock, K. C.
Brigham Young Univ. | Geology and ore deposits of Iron Springs district, Iron County. |
| 9. Bushman, J. R.
Brigham Young Univ. | 1. Spore and pollen study of Wahweap Formation. 2. Continued work on the palynology of the Spolten Cave Archeological site near Santaquin, Utah. |
| 10. Crittenden, M. D., Jr.
USGS | Stratigraphic mapping of Huntsville-Willard Peak area. |
| 11. Currey, D. R.
Univ. of Utah | 1. Desert-basin microrelief, Snake Valley.
2. Holocene beaches, Stansbury Island.
3. Holocene glacial and periglacial geomorphology, Mt. Timpanogos. |
| 12. Doelling, H. H.
UGS | Mapping of coal deposits: 1. Sego-Nash Canyon area. 2. Tabby Mountain.
3. Henry's Fork. 4. Kolob-Harmony.
5. southern Henry Mountains. |
| 13. Doyuran, V.
Univ. of Utah | Ground-water resources of Ogden Valley, Utah. |
| 14. Francis, G. G.
Utah State Univ. | Environmental analysis of the Swan Peak Formation in Wellsville Mountain and the Promontory Range, north central Utah. |
| 15. Fuller, R. L.
Utah State Univ. | Sediment-water interface geochemistry in Bear Lake, Utah-Idaho. |
| 16. Gere, W. C.
USGS | Geology and phosphate deposits of the Crawford Mountains, northern Utah. |
| 17. Goode, H. D.
Univ. of Utah | General geologic mapping of the Bald Knoll and Skutumpah Creek quadrangles. |
| 18. Goodwin, J. H.
Univ. of Utah | Salt-brine balance, north arm of Great Salt Lake, Box Elder County. |
| 19. Gray, W. E.
Utah State Univ. | Structural geology of south part of Clarkston Mountain, Malad Range. |
| 20. Hardy, C. T.,
Utah State Univ. | 1. Structural geology of James Peak quadrangle, Utah. 2. Structural geology of Malad and Bannock ranges, Utah-Idaho. |
| 21. Hoggan, R.
Brigham Young Univ. | Paleocology and biostratigraphy of the Guilmette Limestone. |
| 22. Howes, R. C.
Utah State Univ. | Geology of the Wildcat Hills, Box Elder County. |
| 23. James, W. C.
Utah State Univ. | Carbonate depositional environments in Fish Haven Formation, northwest Utah. |
| 24. Kaliser, B. K.
UGS | 1. Slope stability of Bonneville Basin sediments. 2. Precambrian hydrology, east of Bountiful. 3. Significance of microfaulting along the Wasatch Front. 4. Hydrology of solid waste sites in Utah. |
| 25. Kerns, R. L., Jr.
Utah State Univ. | 1. Geochemistry of Bear Lake ecosystem, Utah-Idaho. 2. Geochemistry cycling of metal ions in clay-water systems. |
| 26. Mahfoud, R. F.
Brigham Young Univ. | Paragenesis and mineralogy of the Burgin mine, East Tintic district, Utah County. |
| 27. Moir, G. J.
UCLA | Environmental analysis of Upper Cretaceous, southwest Utah. |
| 28. Moyle, R. W.
Weber State College | Description and occurrence of Mississippian pentamerids in north and central Utah. |



- | | |
|--|--|
| 29. Newman, G.
Brigham Young Univ. | Mississippian conodonts. |
| 30. Oaks, R. Q., Jr.
Utah State Univ. | Pleistocene and Recent lake fluctuations in Bear Lake Valley, Utah-Idaho. |
| 31. Olsen, D. R.
Utah State Univ. | Igneous petrology of White Pine Canyon, Wasatch Mountains. |
| 32. Orgill, J.
Brigham Young Univ. | Stratigraphy and paleogeography of Permian-Triassic unconformity in the San Rafael Swell. |
| 33. Petersen, M. S.
Brigham Young Univ. | Mississippian ammonoids. |
| 34. Pinnell, M. L.
Brigham Young Univ. | Geology of the Thistle quadrangle. |
| 35. Ritzma, H. R.
UGS | 1. Analysis of fracturing and jointing, northwest Uinta Basin. 2. Mapping of oil-impregnated sandstone deposits. 3. Petroleum study of Boundary Butte. |
| 36. Robison, R. A.
Univ. of Utah | Agnostid trilobites of North America, with emphasis on Great Basin of Utah and Nevada. |
| 37. Saxon, F. C.
Univ. of Utah | Hydrologic resource evaluation of Morgan Valley, Utah. |
| 38. Shuey, R. T.
Univ. of Utah | Paleomagnetic stratigraphy, Needles Range Formation, southwest Utah. |
| 39. Smith, R. B.
Univ. of Utah | 1. Seismic refraction profiles, northeast Utah-southwest Wyoming. 2. Earthquake monitoring, Wasatch fault zone. |
| 40. Smith, S. M.
Brigham Young Univ. | Mineralogy and trace element study of the manganese oxide deposits, Burgin mine, East Tintic district, Utah County. |
| 41. Thomson, K. C.
Southwest Missouri State College | Mineral deposits of Dutch Mountains, Tooele County, Utah. |
| 42. Todd, V.
Stanford Univ. | Metamorphism and structure of rocks, south Grouse Creek Mountains, Utah. |
| 43. Van Horn, R.
USGS | Geology of Salt Lake City. |
| 44. Wengert, S. A.
University of New Mexico | Petroleum prospects, west Paradox region, southeast Utah. |
| 45. Williams, J. S.
Utah State Univ. | Middle Devonian-Upper Devonian boundary in north Utah. |

Utah Geology in Print

A list of papers appearing in 1970 which pertain to the geology and mineral industry in Utah has been prepared and printed below. Papers published previously which have not yet been listed have been included.

The staff of the University of Utah Engineering and Physical Sciences Library, under the direction of Edith Rich, generously provided the *Quarterly Review* staff with the list of papers.

The papers are listed alphabetically by author and by subject.

The following sources were used to provide information:

Abstracts of North American Geology.

Geological Society of America, Bibliography and Index of Geology.

Publications of the U. S. Geological Survey 1970.

Utah Geological and Mineralogical Survey 1970.

Applied Science and Technology Index.

Engineering Index Monthly 1970.

Theses from University of Utah and Brigham Young University.

Miscellaneous.

ALEXANDER, J. B., 1965, Stratigraphy and structure of part of the Fish Lake Plateau, Sevier County, Utah: M. S. thesis, Oregon State.

AMES, R. L., 1970, Sulfur isotopic study of the Tintic mining districts, Utah (abs.): Dissert. Abs. Int., v. 30 (11), p. 5096B.

ANDERSON, J. J., 1965, Geology of northern Markagunt Plateau, Utah: Ph. D. thesis, Texas.

ARMSTRONG, R. L., 1969, K-Ar dating of laccolithic centers of the Colorado Plateau and vicinity: Geol. Soc. Amer. Bull., v. 80, p. 2081-2086, illus.

—, 1970, Geochronology of Tertiary igneous rocks, eastern Basin and Range province, western Utah, eastern Nevada and vicinity, U. S. A.: Geochim. Cosmochim. Acta, v. 34 (2), p. 203-232, illus.

ARMSTRONG, R. L., and others, 1969, Space-time relations of Cenozoic silicic volcanism in the Great Basin of the western United States: Amer. Jour. Sci., v. 267, p. 478-490.

BAARS, D. L., 1965, Pre-Pennsylvanian paleotectonics of southwestern Colorado and east central Utah: Ph. D. thesis, Colorado.

BAARS, D. L., and W. R. Seager, 1970, Stratigraphic control of petroleum in White Rim Sandstone (Permian) in and near Canyonlands National Park, Utah: Amer. Assoc. Petroleum Geologists Bull., v. 54 (5), p. 709-718, illus.

BAER, J. L., 1969, Paleogeology of cyclic sediments of the lower Green River Formation, central Utah: Brigham Young Univ. Geology Studies, v. 16, pt. 1, p. 3-95, illus.

BAETCKE, G. B., 1969, Stratigraphy of the Star Range and reconnaissance study of three selected mines (abs.): Dissert. Abs. Int., Sec. B, Sci. and Eng., v. 30 (5), p. 2249B.

BAKER, C. H., Jr., 1970, Water resources of the Heber-Kamas-Park City area, north central Utah: Utah Dept. Nat. Resources Tech. Pub. 27, 79 p., illus.

BAKER, C. H., Jr., and others, 1969, Ground-water conditions in Utah, spring of 1969: Utah Div. Water Resources Coop. Inv. Rept. 7, 61 p., illus.

BALSLEY, J. K., and W. L. Stokes, 1969, Unusual coprolites from the Upper Cretaceous Ferron Sandstone, east central Utah: Earth Sci. Bull., v. 2 (2), p. 5-6, illus.

BARNES, M. P., 1970, Porphyry copper deposits — a computer analysis of significance of geological parameters: Ph. D. thesis, Univ. of Utah.

BECK, P. J., 1970, The southern Nevada-Utah border earthquakes, August to December, 1966: M. S. thesis, Univ. of Utah.

BEER, L. P., 1969, Ground-water hydraulics and urban development (abs.): Assoc. Eng. Geologists, Program Natl. Meeting, San Francisco, p. 18-19.

BEERS, A. H., 1970, Trace element analysis and trend surface analysis of the Oquirrh Mountains: Ph. D. thesis, Univ. of Utah.

BEERS, A. H., and W. T. Parry, 1969, Regional geochemistry of the Oquirrh Mountain soils (abs.): Min. Eng., v. 21 (8), p. 43.

BEERS, A. H., M. P. Nackowski and W. T. Parry, 1970, Trace element study of the Oquirrh Mountains, Utah (abs.), in International Geochemical Exploration Symposium, 3rd: Canada Inst. Min. Met., Geol. Div.—Soc. Econ. Geol., Program and Abs., p. 15.

BISSELL, H. J., 1970, Realms of Permian tectonism and sedimentation in western Utah and eastern Nevada: Amer. Assoc. Petroleum Geologists Bull., v. 54 (2), p. 285-312, illus.

BISSELL, H. J., and G. V. Chilingar, 1969, Realms of dolomite sedimentation in eastern Great Basin area, U. S. A. (with discussion), in Sedimentary geology and sedimentation: Int. Geol. Cong., 22nd (India, 1964), Rept., pt. 15, p. 248-257.

BJORKLUND, L. J., 1969, Reconnaissance of the ground-water resources of the upper Fremont River Valley, Wayne County, Utah: Utah Dept. Nat. Resources Tech. Pub. 22, 54 p., illus.

BLACK, C. C., 1970, A new Pareumys (Rodentia: *Cylindrodontidae*) from the Duchesne River Formation, Utah: Fieldiana, Geol., v. 16 (17), p. 453-459.

BLAGHBROUGH, J. W., and W. J. Breed, 1969, A periglacial amphitheater on the

northeast side of Navajo Mountain, southern Utah: Plateau, v. 42 (1), p. 20-26, illus.

BLAKEY, R. C., 1970, Geology of the Paria northwest quadrangle, Kane County, Utah: M. S. thesis, Univ. of Utah.

BODILY, N. M., 1970, An armored dinosaur from the Lower Cretaceous of Utah: Brigham Young Univ. Geology Studies, v. 16, pt. 3, p. 35-60, illus.

BOLKE, E. L., and D. Price, 1969, Hydrologic reconnaissance of Curlew Valley, Utah and Idaho: Utah Dept. Nat. Resources Tech. Pub. 25, 40 p., illus.

BRADLEY, W. H., 1970, Green River oil shale; concept of origin extended; an interdisciplinary problem being attacked from both ends: Geol. Soc. Amer. Bull., v. 81 (4), p. 985-1000, illus.

BROGAN, G. E., L. S. Cluff and C. E. Glass, 1970, Wasatch fault — earthquake fault investigation and evaluation; a guide to land use planning for Utah Geological and Mineralogical Survey: Oakland, California, Woodward-Clyde and Associates.

BROOKS, W. H., 1970, Quantitative vegetational differences along the Sevier fault in the Red Canyon area of southern Utah (abs.): Northwest Sci., v. 44 (1), p. 59-60.

BROWN, S. C., 1969, The relationship of exploration methods for groundwater and petroleum in consolidated sedimentary basins, in Proceedings of the Symposium on groundwater studies in arid and semi-arid regions: Roorkee Univ., Dept. Geol. Geophys., p. 11-14.

BUDGE, D. R., 1970, Paleogeology of late Ordovician and Silurian corals, eastern Great Basin (abs.): Geol. Soc. Amer. Abs., v. 2 (2), p. 76.

BURGER, J. A., 1969, Stratigraphic problems in the Cretaceous systems along the north flank of the Uinta Mountains, in Geological guidebook of the Uinta Mountains, Utah's maverick range: Intermt. Assoc. Geologists (and Utah Geol. Soc.), 16th Ann. Field Conf., p. 193-194.

BURKART, K. C., 1965, Petrology and geochemistry of the late Precambrian rocks of the northeastern Great Basin (Utah): Ph. D. thesis, San Diego.

BYRD, W. D., II, 1970, P. R. Spring oil-impregnated sandstone deposit, Uintah and Grand counties, Utah: Utah Geol. and Mineralog. Survey Special Studies 31, 34 p., illus.

CADIGAN, R. A., 1969, Distribution of mercury in the Navajo Sandstone, Colorado Plateau region, in Geological Survey Research, 1969, Chap. B: U. S. Geol. Survey Prof. Paper 650-B, p. 94-100, illus.

CALKINS, W. G., 1970, Magnetic and gravity study of Desert Mountain, Juab County, Utah: M. S. thesis, Univ. of Utah.

CHAMBERLAIN, C. K., 1970, Vertical succession of trace fossils in the Pennsylvanian-lower Permian of central Utah (abs.): Geol. Soc. Amer. Abs., v. 2 (7), p. 517.

CHILDERS, B. S. (comp. and ed.), assisted by Bernice Y. Smith, 1970, Abstracts of

(continued on next page)

(continued from preceding page)

- theses concerning the geology of Utah to 1966: Utah Geol. and Mineralog. Survey Bull. 86, 233 p.
- CLUFF, L. S., 1970, The Caracas earthquake and Salt Lake City, in Governor's conference on geologic hazards in Utah, December 14, 1967: Utah Geol. and Mineralog. Survey Special Studies 32, p. 7-10, illus.
- COHENOUR, R. E., 1970, Sheeprock granite, in Radioactive and isotopic age determinations of Utah rocks: Utah Geol. and Mineralog. Survey Bull. 81 (Utah Univ. Bull., v. 61 (18); Utah Eng. Expt. Sta. Bull. 135), p. 31.
- CONDIE, K. C., 1966, Late Precambrian rocks of the northeastern Great Basin and vicinity: Jour. Geol., v. 74, p. 631-636.
- CONDIE, K. C., and C. K. Barsky, 1970, The origin of Sr-depleted basalts (abs.): Eos (Amer. Geophys. Union, Trans.), v. 51 (4), p. 443.
- CONRAD, O. G., 1969, Tertiary rocks of Needles Range, western Utah: Utah Geol. and Mineralog. Survey Special Studies 29, 28 p., illus.
- COOK, K. L., 1969, Active rift system in the Basin and Range province, in the World Rift System, Internat. Upper Mantle Comm., Upper Mantle Project Sci. Rept. 19: Tectonophysics, v. 8 (4-6), p. 469-511, illus.
- 1969, Gravity surveys in Utah, in D. F. Barnes (ed.), Symposium on gravity surveys in western North America: Eos (Amer. Geophys. Union, Trans.), v. 50 (10), p. 538-541, illus.
- 1970, Earthquake hazards in Utah, in Governor's conference on geologic hazards in Utah, December 14, 1967: Utah Geol. and Mineralog. Survey Special Studies 32, p. 22-27, illus.
- COOK, P. J., 1970, Repeated diagenetic calcitization, phosphatization and silicification in the Phosphoria Formation: Geol. Soc. Amer. Bull., v. 81 (7), p. 2107-2116, illus.
- CROSS, A. T., and G. G. Thompson, 1970, Some aspects of paleoecology and stratigraphy of lower Mancos Shale (upper Cretaceous) of Colorado and Utah, based on palynologic analysis (abs.): Amer. Assoc. Petroleum Geologists Bull., v. 54 (5), p. 842.
- DAVIDSON, D. M., Jr., 1965, Ore emplacement and associated features, Kane Creek, Utah: Ph. D. thesis, Columbia.
- DAWSON, J. C., 1970, The sedimentology and stratigraphy of the Morrison Formation (upper Jurassic) in northwestern Utah (abs.): Geol. Soc. Amer. Abs., v. 2 (7), p. 534-535.
- DICKSON, D. R., and A. E. Rickers, 1970, Evaluation of eddy flux techniques in computing evaporation from Great Salt Lake: Utah Geol. and Mineralog. Survey Water-Resources Bull. 15, 10 p.
- DOELLING, H. H., 1970, Industrial mineral localities of Utah: Utah Geol. and Mineralog. Survey Map 29.
- DUNN, D. L., 1970, Conodont zonation near the Mississippian-Pennsylvanian boundary in western United States: Geol. Soc. Amer. Bull., v. 81 (10), p. 2959-2974, illus.
- 1970, Middle Carboniferous conodonts from western United States and phylogeny of the platform group: Jour. Paleontology, v. 44 (2), p. 312-342, illus.
- EARDLEY, A. J., 1969, Early Tertiary volcanism near west end of Uinta Mountains, in Geologic guidebook of the Uinta Mountains, Utah's maverick range: Intermt. Assoc. Geologists (and Utah Geol. Soc.), 16th Ann. Field Conf., p. 219-220, illus.
- 1970, Salt economy of Great Salt Lake Utah, in Symposium on Salt, 3rd: N. Ohio Geol. Soc., v. 1, p. 78-105, illus.
- 1969, Willard thrust, in Guidebook of northern Utah: Utah Geol. and Mineralog. Survey Bull. 82, p. 107-109.
- EL-SHATOURY, H. M., 1970, Gold Hill mining district, in Radioactive and isotopic age determinations of Utah rocks: Utah Geol. and Mineralog. Survey Bull. 81 (Utah Univ. Bull., v. 61 (18); Utah Eng. Expt. Sta. Bull. 135), p. 27.
- EL-SHATOURY, H. M., and J. A. Whelan, 1970, Mineralization in the Gold Hill mining district, Tooele County, Utah: Utah Geol. and Mineralog. Survey Bull. 83, 37 p.
- EMBREE, G. F., 1970, Lateral and vertical variations in a Quaternary basalt flow — petrography and chemistry of the Gunlock flow, southwestern Utah: Brigham Young Univ. Geology Studies, v. 17, pt. 1, p. 67-115, illus.
- ERICKSON, A. J., Jr., 1969, Discovery and development of the "North Ore Zone" Ontario mine, Park City district, Utah (abs.): Min. Eng., v. 21 (12), p. 64.
- EVANS, R., and K. O. Linn, 1970, Fold relationships within evaporites of the Cane Creek anticline, Utah, in Symposium on Salt, 3rd: N. Ohio Geol. Soc., v. 1, p. 286-297, illus.
- FABBI, B. P., and W. J. Moore, 1970, Rapid X-ray fluorescence determination of sulfur in mineralized rocks from the Bingham mining district, Utah: Appl. Spectroscopy, v. 24 (4), p. 426-428.
- FANFANI, L., A. Nunzi and P. F. Zanazzi, 1970, The crystal structure of roemerite: Amer. Min., v. 55 (1-2), p. 78-89, illus.
- FOX, R. C. (comp.), 1969, Consolidated index to samples, cores, electrical and other mechanical logs filed in Utah Geological and Mineralogical Survey Library of Samples for Geologic Research, 2nd supplement to Circular 50 (1950-1966), material added in 1968: Utah Geol. and Mineralog. Survey Circ. 53, 12 p.
- FRONDEL, C., 1970, Scandium-rich minerals from rhyolite in the Thomas Range, Utah: Amer. Min., v. 55 (5-6), p. 1058-1060.
- FRY, G. F., and J. G. Moore, 1969, Enterobius vermicularis — 10,000-year-old human infection: Sci. (AAAS), v. 166 (3913), p. 1620, illus.
- GARVIN, R. F., 1969, Bridger Lake field, Summit County, Utah, in Geologic guidebook of the Uinta Mountains, Utah's maverick range: Intermt. Assoc. Geologists (and Utah Geol. Soc.), 16th Ann. Field Conf., p. 109-115, illus.
- GAVASCI, A. T., H. A. Helmstaedt, 1969, A pyroxene-rich garnet peridotite inclusion in an ultramafic breccia dike at Moses Rock, southeastern Utah: Jour. Geophys. Research, v. 74 (27), p. 6691-6695, illus.
- GEORGE, D. R., J. M. Riley and L. Crocker, 1967, Preliminary process development studies for desulfating Great Salt Lake brines and sea water: U. S. Bur. Mines Rept. Inv. 6928.
- GODFREY, A. E., 1970, Processes of fan and pediment development in the northern Henry Mountains piedmont, Utah (abs.): Amer. Quat. Assoc., Meeting, 1st, p. 53.
- GOELTZ, N. S. (comp.), assisted by N. N. Nielsen and R. L. Graham, 1970, A directory of the mining industry of Utah — 1967: Utah Geol. and Mineralog. Survey Bull. 84, 40 p.
- GOLDSTEIN, M. A., 1969, Electric and magnetic fields around a grounded wire (abs.): Geophys., v. 34 (6), p. 1016.
- GOODE, H. D., 1969, Reconnaissance appraisal of the water resources near Escalante, Garfield County, Utah: Utah Geol. and Mineralog. Survey Water-Resources Bull. 11, 38 p., illus.
- 1970, Landslides as geologic hazards in Utah, in Governor's conference on geologic hazards in Utah, December 14, 1967: Utah Geol. and Mineralog. Survey Special Studies 32, p. 21, illus.
- GUTSCHICK, R. C., and C. A. Sandberg, 1970, Latest Devonian conchostracans along Cordilleran miogeosyncline, Alberta, Montana, Utah, Nevada (abs.): Amer. Assoc. Petroleum Geologists Bull., v. 54 (5), p. 849-850.
- GWYNN, J. W., 1970, Instrumental analysis of tars and their correlations in oil-impregnated sandstone beds, Uintah and Grand counties, Utah: Ph. D. thesis, Univ. of Utah.
- HAHL, D. C., and A. H. Handy, 1969, Great Salt Lake, Utah — chemical and physical variations of the brine, 1963-1966: Utah Geol. and Mineralog. Survey Water-Resources Bull. 12, 33 p., illus.
- HALE, L. A., 1969 (rev.), Northern Utah, in Geologic guidebook of the Uinta Mountains, Utah's maverick range: Intermt. Assoc. Geologists (and Utah Geol. Soc.), 16th Ann. Field Conf., p. 101-108.
- HAMBLIN, W. K., and M. G. Best (eds.), 1970, The western Grand Canyon district: Utah Geol. Soc. Guidebook 23, 156 p., illus.
- HAMIL, B. M., and M. P. Nackowski, 1970, Trace element distribution in accessory magnetite from quartz monzonite intrusives and its relation to sulphide mineralization in the Basin and Range province of Utah and Nevada — a preliminary report (abs.), in International Geochemical Exploration Symposium, 3rd: Can. Inst. Min. Met., Geol. Div.—Soc. Econ. Geol., Program and Abs., p. 36.

(continued from preceding page)

- HANDY, A. H., R. W. Mower and G. W. Sandberg, 1969, Changes in chemical quality of ground water in three areas in the Great Basin, Utah: U. S. Geol. Survey Prof. Paper 650-D, p. 228-234, illus.
- HANSEN, W. R., 1969, Development of the Green River drainage system across the Uinta Mountains, in *Geologic guidebook of the Uinta Mountains, Utah's maverick range*: Intermt. Assoc. Geologists (and Utah Geol. Soc.), 16th Ann. Field Conf., p. 93-100, illus.
- 1969, Quaternary faulting at Towanta Flat, on the south flank of the Uinta Mountains, Duchesne County, Utah, in *Geologic guidebook of the Uinta Mountains, Utah's maverick range*: Intermt. Assoc. Geologists (and Utah Geol. Soc.), 16th Ann. Field Conf., p. 91-92, illus.
- HASHAD, A. H., P. Damon and J. A. Whelan, 1970, Precambrian geochronology of the central Wasatch Mountains, in *Radioactive and isotopic age determinations of Utah rocks*: Utah Geol. and Mineralog. Survey Bull. 81 (Utah Univ. Bull., v. 61 (18); Utah Eng. Expt. Sta. Bull. 135), p. 15-17.
- HEWITT, W. P., 1970, Construction hazards in Utah, in *Governor's conference on geologic hazards in Utah, December 14, 1967*: Utah Geol. and Mineralog. Survey Special Studies 32, p. 19-20, illus.
- HIGH, L. R., Jr., and M. D. Picard, 1970, Nearshore lacustrine sandstone, Green River Formation (Eocene), Uinta Basin, Utah (abs.): *Jour. Sedimentary Petrology*, v. 40 (2), p. 770.
- HIGH, L. R., Jr., and others, 1969, Stratigraphy of Popo Agie Formation (Late Triassic), Uinta Mountain area, Utah and Colorado, in *Geologic guidebook of the Uinta Mountains, Utah's maverick range*: Intermt. Assoc. Geologists (and Utah Geol. Soc.), 16th Ann. Field Conf., p. 181-192, illus.
- HINDS, R. W., 1970, Ordovician Bryozoa from the Pogonip Group of Millard County, western Utah: *Brigham Young Univ. Geology Studies*, v. 17, pt. 1, p. 19-40, illus.
- HINTZE, L. F., 1969, Geologic road log between Provo, Utah and Ely, Nevada, in *Basin and Range Geology Field Conf.*, 2nd: Reno, Mackay School of Mines, p. 8/1-8/29, illus.
- HINTZE, L. F., and others, 1969, A fossiliferous Lower Ordovician reference section from western United States, in *The Ordovician symposium*: El Paso Geol. Soc., 3rd Ann. Field Trip, p. 8-30, illus.
- HITE, R. J., 1970, Shelf carbonate sedimentation controlled by salinity in the Paradox Basin, southeast Utah, in *Symposium on Salt*, 3rd: N. Ohio Geol. Soc., v. 1, p. 48-66, illus.
- HOGGAN, R. D., 1970, Paleontology and paleoecology of the Curtis Formation in the Uinta Mountains area, Daggett County, Utah: *Brigham Young Univ. Geology Series*, v. 17, pt. 2, p. 31-65.
- HOOD, J. W., and K. M. Waddell, 1969, Hydrologic reconnaissance of Deep Creek Valley, Tooele and Juab counties, Utah, and Elko and White Pine counties, Nevada: Utah Dept. Nat. Resources Tech. Pub. 24, 54 p., illus.
- HOOD, J. W., D. Price and K. M. Waddell, 1969, Hydrologic reconnaissance of Rush Valley, Tooele County, Utah: Utah Dept. Nat. Resources Tech. Pub. 23, 63 p., illus.
- HOWARD, J. D., C. F. Lohrengel, II, 1969, Large non-tectonic deformational structures from Upper Cretaceous rocks of Utah: *Jour. Sedimentary Petrology*, v. 39 (3), p. 1032-1039, illus.
- HUMMEL, J. M., 1969, Anatomy of a gas field - Clay Basin, Daggett County, Utah, in *Geologic guidebook of the Uinta Mountains, Utah's maverick range*: Intermt. Assoc. Geologists (and Utah Geol. Soc.), 16th Ann. Field Conf., p. 117-126, illus.
- HUMMEL, J. M., and R. Chojnacki, 1969, Results of a census of Utah geologists, in *Geologic guidebook of the Uinta Mountains, Utah's maverick range*: Intermt. Assoc. Geologists (and Utah Geol. Soc.), 16th Ann. Field Conf., p. 41-43, illus.
- IIVARI, T. A., 1969, Cenozoic stratigraphy of the east central Markagunt Plateau, Utah: *Compass*, v. 46 (4), p. 233-242, illus.
- JACOB, A. F., 1970, Delta facies of the Green River Formation (Eocene), Carbon and Duchesne counties, Utah (abs.): *Dissert. Abs. Int.*, Sec. B, Sci. and Eng., v. 30 (10), p. 4661B-4662B.
- JENSEN, J. A., 1970, Fossil eggs in the Lower Cretaceous of Utah: *Brigham Young Univ. Geology Studies*, v. 17, pt. 1, p. 51-65, illus.
- JOHNSON, A. M., 1969, Development of folds within Carmel Formation, Arches National Monument, Utah: *Tectonophysics*, v. 8 (1), p. 31-77, illus.
- JOHNSON, A. H., 1970, Jurassic Navajo Sandstone - a fold test for stability of remnant magnetization (abs.): *Eos (Amer. Geophys. Union, Trans.)*, v. 51 (4), p. 271.
- JONES, C. L., 1968, Halite and associated rocks in the salt anticline region, Colorado and Utah (abs.), in *Saline deposits*: Geol. Soc. Amer. Special Paper 88, p. 538.
- KALISER, B. N., 1969, Bonneville Salt Flats hydrogeological study necessitated by recreational and industrial interests (abs.): *Min. Eng.*, v. 21 (8), p. 44.
- 1969, Slips showing: Utah Geol. and Mineralog. Survey Quart. Review, v. 3 (1), p. 3, illus.
- 1970, Environmental geology of the Bear Lake area, Utah, with application to planning in the Intermountain West (abs.): *Min. Eng.*, v. 22 (1), p. 44-45.
- KALISER, B. N., and R. E. Marsell, 1969, The lower Jordan Valley water distribution system's reliance upon geology (abs.): *Assoc. Eng. Geologists, Program Natl. Meeting*, San Francisco, p. 25.
- KEELER, C. M., 1969, Some physical properties of alpine snow: U. S. Army Corps Engineers Cold Regions Research and Eng. Lab Research Rept. 271, 69 p., illus.
- 1970, The relationship between the mechanical and other properties of a mountain snow cover, Alta, Utah, 1967 (abs.): *Dissert. Abs. Int.*, v. 30 (7), p. 3241B.
- KELLER, E. R., and others, 1969, Road logs, in *Geologic guidebook of the Uinta Mountains, Utah's maverick range*: Intermt. Assoc. Geologists (and Utah Geol. Soc.), 16th Ann. Field Conf., p. 226-237, illus.
- KHATTAB, M. M. M., 1969, Gravity and magnetic surveys of the Grouse Creek Mountains and the Raft River Mountains area and vicinity, Utah and Idaho (abs.): *Dissert. Abs.*, Sec. B, Sci. and Eng., v. 29 (12), pt. 1, p. 4720B.
- KOESOEMADINATA, R. P., 1970, Stratigraphy and petroleum occurrence, Green River Formation, Red Wash field, Utah: *Colo. School Mines Quart.*, v. 65 (1), 77 p., illus.
- LANE, N. G., 1970, Lower and Middle Ordovician crinoids from west central Utah: *Brigham Young Univ., Research Studies, Geology Ser.*, v. 17, pt. 1, p. 3-17.
- LAUGHLIN, A. W., T. S. Lovering and R. L. Mauger, 1969, Age of some Tertiary igneous rocks from the East Tintic district, Utah: *Econ. Geol.*, v. 64 (8), p. 915-918.
- LEFOND, S. J., 1969, Handbook of world salt resources: New York, Plenum Press, 384 p.
- LESSARD, R. H., Jr., 1970, Micropaleontology and paleoecology of the Tununk Member of the Mancos Shale: Ph. D. thesis, Univ. of Utah.
- 1970, Micropaleontology and paleoecology of the Tununk Member of the Mancos Shale (abs.): *Geol. Soc. Amer., Abs. with Programs*, v. 2 (5), p. 340.
- LINDSAY, J. B. (ed.), 1970, Geology of the Uinta Mountains, Utah's maverick range: Intermt. Assoc. Geologists (and Utah Geol. Soc.), 16th Ann. Field Conf., 237 p., illus.
- LINTZ, J. Jr. (ed.), 1969, Second Basin and Range geology field conf., Reno, Nev., guidebook: Reno, Mackay School of Mines, illus.
- LOHRENGEL, C. F., II, 1969, Palynology of the Kaiparowits Formation, Garfield County, Utah: *Brigham Young Univ. Geology Studies*, v. 16, pt. 3, p. 61-180, illus.
- MACGINITIE, H. D., 1969, The Eocene Green River flora of northwestern Colorado and northeastern Utah: *California Univ. Pubs. Geol. Sci.*, v. 83, 203 p., illus.
- MADISON, R. J., 1970, Effects of a causeway on the chemistry of the brine in Great Salt Lake, Utah: *Utah Geol. and Mineralog. Survey Water-Resources Bull.* 14, 31 p., illus.
- MAMAY, S. H., and W. J. Breed, 1970, Early Permian plants from the Cutler Formation in Monument Valley, Utah: U. S. Geol. Survey Prof. Paper 700-B, p. 109-117, illus.
- MARSELL, R. E., 1969, Geology of the Salt Lake area, in *Basin and Range geology field conf.*, 2nd: Reno, Mackay School of Mines, p. 7/1-7/23, illus.

(continued from preceding page)

- 1969, Landscapes of the north slopes of the Uinta Mountains, in *Geologic guidebook of the Uinta Mountains, Utah's maverick range*: Intermt. Assoc. Geologists (and Utah Geol. Soc.), 16th Ann. Field Conf., p. 1-15, illus.
- 1970, Cloudburst floods, in *Governor's conference on geologic hazards in Utah*, December 14, 1967: Utah Geol. and Mineralog. Survey Special Studies 32, p. 11-17, illus.
- MATTICK, R. E., 1970, Thickness of unconsolidated to semiconsolidated sediments in Jordan Valley, Utah: U. S. Geol. Survey Prof. Paper 700-C, p. C119-C124, illus.
- MATTOX, R. B., 1968, Salt anticline field area, Paradox Basin, Colorado and Utah, in *Saline deposits*: Geol. Soc. Amer. Special Paper 88, p. 5-16, illus.
- MAUER, R. E., 1970, Geology of the Cedar Mountains, Tooele County, Utah: Ph. D. thesis, Univ. of Utah.
- MAUGER, R. L., and others, 1970, Toward establishing a K-Ar tuff chronology for the Tertiary rocks in the Uinta and Green River basins, Utah and Wyoming: U. S. Atomic Energy Comm., Ann. Progress Rept. COO-689-130, No. 16.
- McCLURG, L. M., 1970, Source rocks and sediments in drainage area of North Eden Creek, Bear Lake Plateau, Utah-Idaho: M. S. thesis, Utah State Univ.
- McCORMICK, C. D., and M. D. Picard, 1969, Petrology of Gartra Formation (Triassic), Uinta Mountain area, Utah and Colorado: Jour. Sedimentary Petrology, v. 39 (4), p. 1484-1508, illus.
- 1969, Stratigraphy of Gartra Formation (Triassic), Uinta Mountain area, Utah and Colorado, in *Geologic guidebook of the Uinta Mountains, Utah's maverick range*: Intermt. Assoc. Geologists (and Utah Geol. Soc.), 16th Ann. Field Conf., p. 169-180, illus.
- McDONALD, J. A., and T. T. Goforth, 1969, Seismic effects of sonic booms — empirical results: Jour. Geophys. Research, v. 74 (10), p. 2637-2647, illus.
- McGETCHIN, T. R., 1970, Mechanism of emplacement of kimberlite and related breccia at Moses Rock dike, Utah (abs.), in *Int. Symposium on Mechanical Processes in the Mantle*, Flagstaff, Arizona, U. S. A.: Int. Upper Mantle Comm. — U. S. Nat. Acad. Sci., Program and Abstracts, p. 7-8.
- McGETCHIN, T. R., and L. T. Silver, 1970, Compositional relations in minerals from kimberlite and related rocks in the Moses Rock dike, San Juan County, Utah: Amer. Min., v. 55 (9-10), p. 1738-1771, illus.
- 1970, A crustal-upper mantle model for the Colorado Plateau based on observations of crystalline rock fragments in a kimberlite dike (abs.): Phys. Earth Planet. Interiors, v. 3, p. 471.
- McGETCHIN, T. R., L. T. Silver and A. A. Chodos, 1970, Titanoclinohumite — a possible mineralogical site for water in the upper mantle: Jour. Geophys. Research, v. 75 (2), p. 255-259.
- MONTOYA, J., 1969, Bismuthian bindheimite, Mammoth mine, Eureka, Utah: Amer. Min., v. 54 (11-12), p. 1726-1728.
- MOORE, W. J., 1970, Phlogopite and actinolite in latitic dike rocks, Bingham mining district, Utah: U. S. Geol. Survey Prof. Paper 700-C, p. C61-C69, illus.
- MOORE, W. J., M. A. Lanphere and J. D. Obradovich, 1969, Chronology of intrusion, volcanism and ore deposition at Bingham, Utah — a reply: Econ. Geol., v. 64 (2), p. 229.
- MOUSSA, M. T., 1970, Nematode fossil trails from the Green River Formation (Eocene) in the Uinta Basin, Utah: Jour. Paleontology, v. 44 (2), p. 304-307, illus.
- MOWER, R. W., 1969, Ground-water inflow toward Jordan Valley through channel fill in seven canyons in the Wasatch Range near Salt Lake City, Utah, in *Geological Survey Research*, 1969, Chap. C: U. S. Geol. Survey Prof. Paper 650-C, p. C174-C176, illus.
- 1970, Ground-water inflow toward Jordan Valley from Utah Valley through valley fill near the Jordan Narrows, Utah, in *Geological Survey Research*, 1970, Chap. B: U. S. Geol. Survey Prof. Paper 700-B, p. B199-B202, illus.
- MULLENS, T. E., 1969, Stratigraphy of lower Echo Canyon, northern Utah, in *Geologic guidebook of the Uinta Mountains, Utah's maverick range*: Intermt. Assoc. Geologists (and Utah Geol. Soc.), 16th Ann. Field Conf., p. 213-218, illus.
- MUNDORFF, J. C., 1970, Major thermal springs of Utah: Utah Geol. and Mineralog. Survey Water-Resources Bull. 13, 60 p.
- MURDOCK, J. N., 1969, Geology of Flaming Gorge Dam and Reservoir, in *Geologic guidebook of the Uinta Mountains, Utah's maverick range*: Intermt. Assoc. Geologists (and Utah Geol. Soc.), 16th Ann. Field Conf., p. 22-31, illus.
- ODEKIRK, J. R., 1970, Desert Mountain granite, in *Radioactive and isotopic age determinations of Utah rocks*: Utah Geol. and Mineralog. Survey Bull. 81 (Utah Univ. Bull., v. 61 (18); Utah Eng. Expt. Sta. Bull. 135), p. 33.
- OLLE, J. M., 1969, Molluscan fauna and lacustrine sediments in Sanpete Valley near Manti, Sanpete County, Utah: Sterkiana, No. 35, p. 5-14, illus.
- OSMOND, J. C., 1969, Geologic hazards in the Uinta Mountains area, Utah, in *Geologic guidebook of the Uinta Mountains, Utah's maverick range*: Intermt. Assoc. Geologists (and Utah Geol. Soc.), 16th Ann. Field Conf., p. 33-40, illus.
- O'SULLIVAN, R. B., 1970, The upper part of the upper Triassic Chinle Formation and related rocks, southeastern Utah and adjacent areas: U. S. Geol. Survey Prof. Paper 644-E, 22 p., illus.
- PALMER, D. E., 1970, Geology of Stansbury Island, Tooele County, Utah: Brigham Young Univ., Research Studies, Geology Ser., v. 17, pt. 2, p. 3-30.
- PARK, G. M., 1970, Granite Mountain, in *Radioactive and isotopic age determinations of Utah rocks*: Utah Geol. and Mineralog. Survey Bull. 81 (Utah Univ. Bull., v. 61 (18); Utah Eng. Expt. Sta. Bull. 135), p. 21.
- 1970, Volcanics, Thomas Range, in *Radioactive and isotopic age determinations of Utah rocks*: Utah Geol. and Mineralog. Survey Bull. 81 (Utah Univ. Bull., v. 61 (18); Utah Eng. Expt. Sta. Bull. 135), p. 23.
- PARKER, L. R., 1970, A titanotherium from the Eocene Green River Formation of Utah (abs.): Geol. Soc. Amer. Abs. with Programs, v. 2 (6), p. 400.
- PETERSON, D. L., and S. S. Oriel, 1970, Gravity anomalies in Cache Valley, Cache and Box Elder counties, Utah, and Bannock and Franklin counties, Idaho: U. S. Geol. Survey Prof. Paper 700-C, p. C114-C118, illus.
- PETERSON, F., 1970, Cretaceous sedimentation and tectonism in the southeastern Kaiparowits region, Utah (abs.): Dissert. Abs. Int., v. 30 (12), pt. 1, p. 5559B.
- PICARD, M. D., and L. R. High, Jr., 1970, Sedimentology of oil-impregnated, lacustrine and fluvial sandstone, P. R. Spring area, southeast Uinta Basin, Utah: Utah Geol. and Mineralog. Survey Special Studies 33, 27 p.
- PINNEY, R. I., 1965, A preliminary survey of Mississippian biostratigraphy (conodonts) in the Oquirrh Basin of central Utah: Ph. D. thesis, Wisconsin.
- PRATT, A. R., and E. Callaghan, 1970, Land and mineral resources of Sanpete County, Utah: Utah Geol. and Mineralog. Survey Bull. 85, 72 p.
- RAUP, O. B., R. J. Hite and H. L. Groves, Jr., 1970, Bromine distribution and paleosalinities from well cuttings, Paradox Basin, Utah and Colorado, in *Symposium on salt*, 3rd: N. Ohio Geol. Soc., v. 1, p. 40-47, illus.
- RITZMA, H. R., 1969, Dahlgreen Creek test evaluated: Utah Geol. and Mineralog. Survey Quart. Review, v. 3 (1), p. 1-2, illus.
- 1969, Oil-impregnated sandstone deposits of Utah — a progress report: Interstate Oil Compact Comm. Bull., v. 11 (2), p. 24-34, illus.
- 1969, Tectonic resume, Uinta Mountains, in *Geologic guidebook of the Uinta Mountains, Utah's maverick range*: Intermt. Assoc. Geologists (and Utah Geol. Soc.), 16th Ann. Field Conf., p. 57-63, illus.
- ROBINSON, E. S., 1970, Mechanical disintegration of the Navajo Sandstone in Zion Canyon, Utah: Geol. Soc. Amer. Bull., v. 81 (9), p. 2799-2805, illus.
- ROBISON, R. A., 1969, Fossil find furnishes link: Utah Geol. and Mineralog. Survey Quart. Review, v. 3 (4), p. 1-2, illus.
- ROBISON, R. A., and J. Sprinkle, 1969, Ctenocystoidea; new class of primitive echinoderms: Sci. (AAAS), v. 166 (3912), p. 1512-1514, illus.
- ROSE, A. W., 1970, Origin of trace element distribution patterns in sulfides of the Central and Bingham districts, western U. S. A.: Mineral Deposits, v. 5 (2), p. 157-163, illus.

(continued from preceding page)

- ROWE, R. C., 1970, Hunting Utah trilobites: *Gems and Minerals*, No. 394, p. 28-29, 50-51, illus.
- ROWLEY, P. D., 1970, Geologic evolution of the southern Sevier Plateau, Utah (abs.): *Geol. Soc. Amer. Abs. with Programs*, v. 2 (5), p. 347-348.
- RUSHFORTH, S. R., 1970, Notes on the fern family Matoniaceae from the western United States: *Brigham Young Univ. Geology Studies*, v. 16, pt. 3, p. 3-34, illus.
- SALES, J. K., 1969, Regional tectonic setting and mechanics of origin of the Uinta uplift, in *Geologic guidebook of the Uinta Mountains, Utah's maverick range: Intermt. Assoc. Geologists (and Utah Geol. Soc.)*, 16th Ann. Field Conf., p. 65-78, illus.
- SAYYAH, T., P. W. Gast and J. A. Whelan, 1970, Raft River Range, in *Radioactive and isotopic age determinations of Utah rocks: Utah Geol. and Mineralog. Survey Bull. 81 (Utah Univ. Bull., v. 61 (18); Utah Eng. Expt. Sta. Bull. 135)*, p. 19.
- SHELL, E. M., 1969, Summary of the geology of the Sheep Creek Canyon geological area and vicinity, Daggett County, Utah, in *Geologic guidebook of the Uinta Mountains, Utah's maverick range: Intermt. Assoc. Geologists (and Utah Geol. Soc.)*, 16th Ann. Field Conf., p. 143-152, illus.
- SCHMOKER, J. W., 1969, Interpretation of aeromagnetic, magnetic and gravity data from the San Francisco Mountains vicinity, southwestern Utah (abs.): *Dissert. Abs. Int., Sec. B, Sci. and Eng.*, v. 30 (6), p. 2764B-2765B.
- SEEGMILLER, B. L., and J. E. Willson, 1968, Mining of fossil hydrocarbons: *Chem. Eng. Progress Symposium Series*, v. 64 (85), p. 51-56.
- SELLEY, R. C., 1970, Studies of sequence in sediments using a simple mathematical device (abs. with discussion): *Geol. Soc. London, Proc.*, No. 1660, p. 363-369.
- SHEEHAN, P. M., 1970, Development of Silurian marine communities in the Great Basin (abs.): *Geol. Soc. Amer. Abs. with Programs*, v. 2 (2), p. 143.
- SHOEMAKER, E. M., H. G. Stephens, 1969, The Green and Colorado River canyons observed from the footsteps of Beaman and Hillers 97 years after Powell (abs.): *Geol. Soc. Amer. Abs. with Programs*, pt. 5, Rocky Mtn. Sec., p. 73.
- SHRODER, J. F., Jr., 1970, Quaternary landslides in Utah (abs.), in *Amer. Quat. Assoc. Meeting, 1st: Amer. Quat. Assoc.*, p. 121.
- SHUEY, R. T., 1969, Ground magnetic survey of the Fountain Green-Moroni area, Sanpete County, Utah: *Utah Geol. and Mineralog. Survey Map 28*.
- SHUEY, R. T., R. B. Johnson and A. J. Eardley, 1970, Paleomagnetism of Lake Bonneville sediments (abs.): *Eos (Amer. Geophys. Union, Trans.)*, v. 51 (4), p. 277.
- SMITH, H. P., 1969, The Thaynes Formation of the Moenkopi Group, north central Utah (abs.): *Dissert. Abs. Int., Sec. B, Sci. and Eng.*, v. 30 (5), p. 2258B-2259B.
- SMITH, R. B., 1969, Seismic survey scientists explore lake: *Utah Geol. and Mineralog. Survey Quart. Review*, v. 3 (4), p. 6-7, illus.
- SMITH, R. B., M. J. Mikulich and R. J. Wold, 1970, Great Salt Lake seismic reflection survey - preliminary results (abs.): *Eos (Amer. Geophys. Union, Trans.)*, v. 51 (4), p. 355.
- SMITH, W. H., and E. C. John, 1969, More jobs for geology spur better mapping methods at Bingham Canyon: *Min. Eng.*, v. 21 (9), p. 93-94, illus.
- STEENLAND, N. C., 1969, An aeromagnetic survey of the Uinta Mountains, in *Geologic guidebook of the Uinta Mountains, Utah's maverick range: Intermt. Assoc. Geologists (and Utah Geol. Soc.)*, 16th Ann. Field Conf., p. 47-51, illus.
- STEINER, M. B., 1970, Jurassic, a period of rapid polar wander, continental drift (abs.): *Eos (Amer. Geophys. Union, Trans.)*, v. 51 (4), p. 272.
- STOCK, A. D., W. L. Stokes, 1969, A re-evaluation of Pleistocene Bighorn sheep from the Great Basin and their relationship to living members of the genus *Ovis*: *Jour. Mammalogy*, v. 50 (4), p. 805-807.
- STOKES, W. L., 1969, History of geological exploration of the Uinta Mountains, in *Geologic guidebook of the Uinta Mountains, Utah's maverick range: Intermt. Assoc. Geologists (and Utah Geol. Soc.)*, 16th Ann. Field Conf., p. 17-21, illus.
- 1970, Scanty fossil evidence emphasizes correlation problems in northeastern Utah and south central Idaho: *Brigham Young Univ. Geology Studies*, v. 17, pt. 1, p. 41-49, illus.
- STOKES, W. L., and J. Balsley, 1968, Supposed coprolites from the Ferron Sandstone of Utah (abs.): *Utah Acad. Sci., Arts and Letters Proc.*, v. 45, pt. 1, p. 320.
- SUEKAWA, H. S., 1970, Study of the Kennecott Copper Corporation—Great Salt Lake Authority tailings test: *Utah Geol. and Mineralog. Survey Special Studies 28*, 41 p.
- SUMISON, C. T., and others, 1970, Ground-water conditions in Utah, spring of 1970: *Utah Div. Water Resources Coop. Inv. Rept. 8*, 71 p., illus.
- THOMPSON, A. E., and W. L. Stokes, 1970, Stratigraphy of the San Rafael Group, southwest and south central Utah: *Utah Geol. and Mineralog. Survey Bull. 87*, 54 p.
- THOMSON, K. C., 1970, Mineral deposits of the Deep Creek Mountains, Tooele and Juab counties, Utah: *Ph. D. thesis, Univ. of Utah*.
- 1970, Deep Creek Mountains, in *Radioactive and isotopic age determinations of Utah rocks: Utah Geol. and Mineralog. Survey Bull. 81 (Utah Univ. Bull., v. 61 (18); Utah Eng. Expt. Sta. Bull. 135)*, p. 29.
- TIDWELL, W. D., 1966, A lower Pennsylvanian flora from Utah and its stratigraphic significance: *Ph. D. thesis, Michigan State*.
- TIDWELL, W. D., and S. R. Rushforth, 1970, *Osmundacaulis wadei*, a new osmundaceous species from the Morrison Formation (Jurassic) of Utah: *Torrey Bot. Club. Bull.*, v. 97 (3), p. 137-144, illus.
- TIDWELL, W. D., and others, 1970, *Palmoxy-lon simperi* and *Palmoxy-lon pristina*, two pre-Cretaceous angiosperms from Utah: *Sci.*, v. 168 (3933), p. 835-840, illus.
- TURK, L. J., 1970, Hydrogeology of the Bonneville Salt Flats, Utah (abs.): *Dissert. Abs. Int.*, v. 30 (12), pt. 1, p. 5561B-5562B.
- UNTERMANN, G. E., and B. R. Untermann, 1969, From Mancos to Mancos across the Uintas (Vernal to Manila), in *Geologic guidebook of the Uinta Mountains, Utah's maverick range: Intermt. Assoc. Geologists (and Utah Geol. Soc.)*, 16th Ann. Field Conf., p. 221-225, illus.
- 1969, Geology of the Uinta Mountain area, Utah-Colorado, in *Geologic guidebook of the Uinta Mountains, Utah's maverick range: Intermt. Assoc. Geologists (and Utah Geol. Soc.)*, 16th Ann. Field Conf., p. 79-86, illus.
- 1969, Popular guide to the geology of Dinosaur National Monument: *Dinosaur, Colo., Dinosaur Nature Assoc.*, 126 p., illus.
- UTAH GEOL. AND MINERALOG. SURVEY, 1969, Wasatch fault zone - Salt Lake City aqueduct system, City Creek Canyon to Provo River, Salt Lake and Utah counties, Utah: *Utah Geol. and Mineralog. Survey Map 27*.
- VANDORSTON, P. L., 1969, Environmental analysis of the Swan Peak Formation in the Bear River Range, north central Utah and southern Idaho (abs.): *Geol. Soc. Amer. Abs. with Programs*, pt. 5, Rocky Mtn. Sec., p. 84.
- 1970, Environmental analysis of Swan Peak Formation in Bear River Range, north central Utah and southeastern Idaho: *Amer. Assoc. Petroleum Geologists Bull.*, v. 54, (7), p. 1140-1154, illus.
- WALLACE, C. A., and M. D. Crittenden, Jr., 1969, The stratigraphy, depositional environment and correlation of the Precambrian Uinta Mountain Group, in *Geologic guidebook of the Uinta Mountains, Utah's maverick range: Intermt. Assoc. Geologists (and Utah Geol. Soc.)*, 16th Ann. Field Conf., p. 127-141, illus.
- WANG, Y. F., 1970, Geological and geophysical studies of the Gilson Mountains and vicinity, Juab County, Utah: *Ph. D. thesis, Univ. of Utah*.
- 1970, Geological and geophysical studies of the Gilson Mountains and vicinity, Juab County, Utah (abs.): *Dissert. Abs. Int.*, v. 30 (12), pt. 1, p. 5562B-5563B.
- WEBSTER, G. D., and N. G. Lane, 1970, Carboniferous echinoderms from the southwestern United States: *Jour. Paleontology*, v. 44 (2), p. 276-296, illus.
- WELTE, D. H., 1969, Determination of C^{13}/C^{12} isotope ratios of individual higher n-paraffins from different petroleum, in *Advances in organic chemistry*, 1968: Oxford, Pergamon Press, p. 269-277, illus.
- WENGERD, S. A., 1970, Western Paradox Basin is a potential oil giant in Pennsylvanian rocks, pts. 1-3: *Oil and Gas Jour.*, v. 68 (4), p. 172, 174, 176, 183-184; also v. 68 (5), p. 142-143, 146-147 and v. 68 (6), p. 96-97, 100-102, illus.
- WHELAN, J. A. (comp.), 1970, Radioactive

(continued from preceding page)

and isotopic age determinations of Utah rocks: *Utah Geol. and Mineralog. Survey Bull.* 81 (*Utah Univ. Bull.*, v. 61 (18); *Utah Eng. Expt. Sta. Bull.* 135), 75 p.

—1970, Mineral range granite, in *Radioactive and isotopic age determinations of Utah rocks: Utah Geol. and Mineralog. Survey Bull.* 81 (*Utah Univ. Bull.*, v. 61 (18); *Utah Eng. Expt. Sta. Bull.* 135), p. 25.

—1970, Notch Peak, House Range, in *Radioactive and isotopic age determinations of Utah rocks: Utah Geol. and Mineralog. Survey Bull.* 81 (*Utah Univ. Bull.*, v. 61 (18); *Utah Eng. Expt. Sta. Bull.* 135), p. 35.

—1970, Rocky Range quartz monzonite, in *Radioactive and isotopic age determinations of Utah rocks: Utah Geol. and Mineralog. Survey Bull.* 81 (*Utah Univ. Bull.*, v. 61 (18); *Utah Eng. Expt. Sta. Bull.* 135), p. 37.

WHITEBREAD, D. H., 1969, Geologic map of the Wheeler Peak and Garrison quadrangles, Nevada and Utah: *U. S. Geol. Survey Misc. Geol. Inv. Map* I-578, scale 1:48,000.

WILLIAMS, J. S., 1969, The Permian system in the Uinta Mountain area, in *Geologic guidebook of the Uinta Mountains, Utah's maverick range: Intermtn. Assoc. Geologists (and Utah Geol. Soc.)*, 16th Ann. Field Conf., p. 153-168, illus.

WILLIAMS, J. S., and A. R. Southard, 1970, Stone stripes at low altitudes in north central Utah and southeastern Idaho (abs.), in *Amer. Quart. Assoc., Meeting, 1st: Amer. Quart. Assoc.*, p. 162.

—1970, Patterned ground indicates unstable landscapes: *Jour. Soil and Water Cons.*, v. 24, p. 194-196.

WILLIAMS, J. S., A. R. Southard and P. Summers, 1970, Surficial geology and land-use problems: *Utah Sci., Utah State Univ. Agricultural Expt. Sta.*, v. 31 (1), p. 23-28.

WILSON, J. D. S., and A. J. Sinclair, 1969, Q-mode factor analysis applied to mineral exploration data, in *Symposium on decision-making in mineral exploration II: Brit. Columbia, Vancouver, Proc.*, p. 244-257, illus.

WINKLER, G. R., 1970, Sedimentology and geomorphic significance of the Bishop Conglomerate and the Browns Park Formation, eastern Uinta Mountains, Utah, Colorado and Wyoming: M. S. thesis, Univ. of Utah.

WINKLER, G. R., and others, 1970, K-Ar dates from Browns Park Formation tuffs on the south flank of the eastern Uinta Mountains, Utah: *U. S. Atomic Energy Comm., Ann. Progress Rept.*, No. COO-689-130.

WOODWARD, L. A., 1968, Lower Cambrian and Upper Precambrian strata of Beaver Mountains, Utah: *Amer. Assoc. Petroleum Geologists Bull.*, v. 52 (7), p. 1279-1290.

—1970, Tectonic implications of structure of Beaver and northern San Francisco mountains, Utah: *Geol. Soc. Amer. Bull.*, v. 81 (5), p. 1577-1583, illus.

YOUNG, G. E., 1970, A lower Ordovician trilobite fauna from the Pogonip Group of western Utah (abs.): *Geol. Soc. Amer. Abs. with Programs*, v. 2 (5), p. 356.

ZABRISKIE, W. E., 1970, Petrology and petrography of Permian carbonate rocks, Arcturus Basin, Nevada and Utah: *Brigham Young Univ. Geology Studies*, v. 17, pt. 2, p. 83-160.

ZIONY, J. I., 1966, Analysis of systematic jointing in part of the Monument upwarp, southeastern Utah: Ph. D. thesis, Univ. California at Los Angeles.

SUBJECT INDEX

ABSOLUTE AGE

Age of some Tertiary igneous rocks from the East Tintic district, Utah: A. W. Laughlin.

Deep Creek Mountains: K. C. Thomson.

Desert Mountain granite: J. R. Odekirk.

Geochronology of Tertiary igneous rocks, eastern Basin and Range province, western Utah, eastern Nevada and vicinity: R. L. Armstrong.

Gold Hill mining district: H. M. El-Shatoury.

Granite Mountain: G. M. Park.

K-Ar dates from Browns Park Formation tuffs on the south flank of the eastern Uinta Mountains, Utah: G. R. Winkler.

K-Ar dating of laccolithic centers of Colorado Plateau and vicinity: R. L. Armstrong.

Mineral Range granite: J. A. Whelan.

Notch Peak, House Range: J. A. Whelan.

Precambrian geochronology of the central Wasatch Mountains: A. H. Hashad.

Radioactive and isotopic age determinations of Utah rocks: J. A. Whelan.

Raft River Range: T. Sayyah.

Rocky Range quartz monzonite: J. A. Whelan.

Sheeprock granite: R. E. Cohenour.

Space-time relations of Cenozoic silicic volcanism in Great Basin of western United States: R. L. Armstrong.

Toward establishing a K-Ar tuff chronology for Tertiary rocks in Uinta and Green River basins, Utah and Wyoming: R. L. Mauger.

Volcanics, Thomas Range: G. M. Park.

AREAL GEOLOGY

From Mancos to Mancos across the Uintas (Vernal to Manila): G. E. Untermann.

Geologic evolution of southern Sevier Plateau: P. D. Rowley.

Geology of northern Markagunt Plateau: J. J. Anderson.

Geology of Stansbury Island, Tooele County: D. E. Palmer.

Geology of the Cedar Mountains, Tooele County: R. E. Maurer.

Geology of the Salt Lake area: R. E. Marsell.

Geology of the Uinta Mountain area, Utah—Colorado: G. E. Untermann.

Northern Utah: L. A. Hale.

Popular guide to the geology of Dinosaur National Monument: G. E. Untermann.

Road logs: E. R. Keller.

Second Basin and Range geology field conference, Reno, Nev.: J. Lintz, Jr.

Stratigraphy and structure of part of Fish Lake Plateau, Sevier County: J. B. Alexander.

EARTHQUAKES

Caracas earthquake and Salt Lake City: L. S. Cluff.

Earthquake hazards in Utah: K. L. Cook.

Southern Nevada-Utah border earthquakes, August to December, 1966: P. J. Beck.

Wasatch fault — earthquake fault investigation and evaluation: G. E. Brogan.

ECONOMIC GEOLOGY

Anatomy of a gas field — Clay Basin, Daggett County: J. M. Hummel.

Bridger Lake Field, Summit County: R. F. Garvin.

Chronology of intrusion, volcanism and ore deposition at Bingham — a reply: W. J. Moore.

Determination of C^{13}/C^{12} isotope ratios of individual higher n-paraffins from different petroleum: D. H. Welte.

Discovery and development of the "North Ore Zone" Ontario mine, Park City district: A. J. Erickson, Jr.

Great Salt Lake — chemical and physical variations of the brine, 1963-1966: D. C. Hahl.

Land and mineral resources of Sanpete County: A. R. Pratt.

Mineral deposits of the Deep Creek Mountains, Tooele and Juab counties: K. C. Thomson.

Mining of fossil hydrocarbons: B. L. Seegmiller.

More jobs for geology spur better mapping methods at Bingham Canyon: W. H. Smith.

Oil-impregnated sandstone deposits of Utah — a progress report: H. R. Ritzma.

Ore emplacement and associated features, Kane Creek: D. M. Davidson, Jr.

Origin of trace element distribution patterns in sulfides of the Central and Bingham districts, western U. S. A.: A. W. Rose.

P. R. Spring oil-impregnated sandstone deposit, Uintah and Grand counties: W. D. Byrd, II.

Q-mode factor analysis applied to mineral exploration data: J. D. S. Wilson.

Salt anticline field area, Paradox Basin, Colorado and Utah: R. B. Mattox.

(continued from preceding page)

- Salt economy of Great Salt Lake: A. J. Eardley.
- Stratigraphic control of petroleum in White Rim Sandstone (Permian) in and near Canyonlands National Park: D. L. Baars.
- Stratigraphy and petroleum occurrence, Green River Formation, Red Wash Field: R. P. Koesoemadinata.
- Stratigraphy of the Star Range and reconnaissance study of three selected mines: G. B. Baetcke.
- Sulfur isotopic study of the Tintic mining districts: R. L. Ames.
- Trace element distribution in accessory magnetite from quartz monzonite intrusives and its relation to sulphide mineralization in Basin and Range province, Utah and Nevada: B. M. Hamil.
- Trace element study of the Oquirrh Mountains: A. H. Beers.
- Western Paradox Basin is potential oil giant in Pennsylvanian rocks: S. A. Wengerd.
- ### ELECTRICAL SURVEYS
- Electric and magnetic fields around a grounded wire: M. A. Goldstein.
- ### ENGINEERING GEOLOGY
- Cloudburst floods: R. E. Marsell.
- Construction hazards in Utah: W. P. Hewitt.
- Earthquake hazards in Utah: K. L. Cook.
- Environmental geology of Bear Lake area: B. N. Kaliser.
- Geologic hazards in Uinta Mountains area: J. C. Osmond.
- Geology of Flaming Gorge Dam and Reservoir: J. N. Murdock.
- Landslides as geologic hazards in Utah: H. D. Goode.
- Slips showing: B. N. Kaliser.
- Some physical properties of alpine snow: C. M. Keeler.
- ### GENERAL
- Abstracts of theses concerning geology of Utah to 1966: B. S. Childers.
- Consolidated index to samples, cores, electrical and other mechanical logs filed in UGMS Library of Samples for Geologic Research: R. C. Fox.
- Directory of mining industry of Utah, 1967: N. S. Goeltz.
- History of geological exploration of Uinta Mountains: W. L. Stokes.
- Results of a census of Utah geologists: J. M. Hummel.
- ### GEOCHEMISTRY
- Distribution of mercury in Navajo Sandstone, Colorado Plateau region: R. A. Cadigan.
- Great Salt Lake — chemical and physical variations of brine: D. C. Hahl.
- Instrumental analysis of tars and their correlations in oil-impregnated sandstone beds, Uintah and Grand counties: J. W. Gwynn.
- Rapid X-ray fluorescence determination of sulfur in mineralized rocks from Bingham mining district: B. P. Fabbi.
- Regional geochemistry of Oquirrh Mountain soils: A. Beers.
- Trace element analysis and trend surface analysis of Oquirrh Mountains: A. H. Beers.
- ### GEOMORPHOLOGY
- Development of Green River drainage system across the Uinta Mountains: W. R. Hansen.
- Landscapes of north slopes of Uinta Mountains: R. E. Marsell.
- Periglacial amphitheater on northeast side of Navajo Mountain, southern Utah: J. W. Blagbrough.
- Processes of fan and pediment development in northern Henry Mountains piedmont: A. E. Godfrey.
- Quaternary landslides in Utah: J. F. Shroder, Jr.
- Relationship between mechanical and other properties of a mountain snow cover, Alta, Utah: C. M. Keeler.
- Stone stripes at low altitudes in north central Utah and southeastern Idaho: J. S. Williams.
- ### GEOPHYSICAL SURVEYS
- Aeromagnetic survey of Uinta Mountains: N. C. Steenland.
- Geological and geophysical studies of Gilson Mountains and vicinity, Juab County: Y. F. Wang.
- Gravity and magnetic surveys of Grouse Creek Mountains and Raft River Mountains area and vicinity, Utah and Idaho: M. M. M. Khattab.
- Gravity surveys in Utah: K. L. Cook.
- Great Salt Lake seismic reflection survey, preliminary results: R. B. Smith.
- Interpretation of aeromagnetic, magnetic and gravity data from San Francisco Mountains vicinity, southwestern Utah: J. W. Schmoker.
- Seismic survey scientists explore lake: R. B. Smith.
- ### GRAVITY SURVEYS
- Gravity anomalies in Cache Valley, Cache and Box Elder counties, Utah, and Bannock and Franklin counties, Idaho: D. L. Peterson.
- Magnetic and gravity study of Desert Mountain, Juab County, Utah: W. G. Calkins.
- Thickness of unconsolidated to semiconsolidated sediments in Jordan Valley: R. E. Mattick.
- ### HYDROGEOLOGY
- Bonneville Salt Flats hydrogeological study necessitated by recreational and industrial interests: B. N. Kaliser.
- Changes in chemical quality of ground water in three areas in Great Basin: A. H. Handy.
- Effects of a causeway on chemistry of brine in Great Salt Lake: R. J. Madison.
- Handbook of world salt resources: S. J. Leffond.
- Hydrologic reconnaissance of Curlew Valley, Utah and Idaho: E. L. Bolke.
- Hydrologic reconnaissance of Deep Creek Valley, Tooele and Juab counties, Utah, and Elko and White Pine counties, Nevada: J. W. Hood.
- Hydrologic reconnaissance of Rush Valley, Tooele County: J. W. Hood.
- Hydrogeology of Bonneville Salt Flats: L. J. Turk.
- Ground-water conditions in Utah, spring of 1969: C. H. Baker, Jr.
- Ground-water conditions in Utah, spring of 1970: C. T. Sumison.
- Ground-water hydraulics and urban development: L. P. Beer.
- Ground-water inflow toward Jordan Valley from Utah Valley through valley fill near Jordan Narrows: R. W. Mower.
- Ground-water inflow toward Jordan Valley through channel fill in seven canyons in Wasatch Range near Salt Lake City: R. W. Mower.
- Lower Jordan Valley water distribution system's reliance upon geology: B. N. Kaliser.
- Preliminary process development studies for desulfating Great Salt Lake brines and sea water: D. R. George.
- Reconnaissance appraisal of water resources near Escalante, Garfield County: H. D. Goode.
- Reconnaissance of ground-water resources of upper Fremont River Valley, Wayne County: L. J. Bjorkland.
- Relationship of exploration methods for groundwater and petroleum in consolidated sedimentary basins: S. C. Brown.
- Study of Kennecott Copper Corp. — Great Salt Lake Authority tailings test: H. S. Suekawa.
- Water resources of Heber-Kamas-Park City area, north central Utah: C. H. Baker, Jr.
- ### MAGNETIC SURVEYS
- Magnetic and gravity study of Desert Mountain, Juab County: W. G. Calkins.
- Thickness of unconsolidated to semiconsolidated sediments in Jordan Valley: R. E. Mattick.
- ### MAPS
- Aeromagnetic survey of Uinta Mountains: N. C. Steenland.
- Ground magnetic survey of Fountain Green-Moroni area, Sanpete County: R. T. Shuey.

(continued from preceding page)

- Hydrologic reconnaissance of Curlew Valley, Utah and Idaho: E. L. Bolke.
- Hydrologic reconnaissance of Deep Creek Valley, Tooele and Juab counties, Utah, and Elko and White Pine counties, Nevada: J. W. Hood.
- Hydrologic reconnaissance of Rush Valley, Tooele County, Utah: J. W. Hood.
- Industrial mineral localities of Utah: H. H. Doelling.
- Lateral and vertical variations in a Quaternary basalt flow — petrography and chemistry of Gunlock flow, southwestern Utah: G. F. Embree.
- Reconnaissance appraisal of water resources near Escalante, Garfield County: H. D. Goode.
- Summary of geology of Sheep Creek Canyon geological area and vicinity, Daggett County: E. M. Schell.
- Tertiary volcanic rocks of Needles Range, western Utah: O. G. Conrad.
- Wasatch fault zone — Salt Lake City aqueduct system, City Creek Canyon to Provo River, Salt Lake City and Utah counties: Utah Geol. and Mineralog. Survey.
- Water resources of Heber-Kamas-Park City area, north central Utah: C. H. Baker, Jr.
- ### MINERALOGY
- Bismuthian bindheimite, Mammoth mine, Eureka: J. Montoya.
- Crystal structure of roemerite: L. Fanfani.
- Mineralization in the Gold Hill mining district, Tooele County: H. M. El-Shatoury.
- Porphyry copper deposits — a computer analysis of significance of geological parameters: M. P. Barnes.
- ### PALEOMAGNETISM
- Jurassic, a period of rapid polar wander, continental drift: M. B. Steiner.
- Jurassic Navajo Sandstone — a fold test for stability of remnant magnetization: A. H. Johnson.
- Paleomagnetism of Lake Bonneville sediments: R. T. Shuey.
- ### PALEONTOLOGY
- An armored dinosaur from Lower Cretaceous of Utah: N. M. Bodily.
- Carboniferous echinoderms from southwestern United States: G. D. Webster.
- Ctenocystoidea — new class of primitive echinoderms: R. A. Robison.
- Development of Silurian marine communities in Great Basin: P. M. Sheehan.
- Early Permian plants from Cutler Formation in Monument Valley: S. H. Mamay.
- Enterobius vermicularis — 10,000-year-old human infection: G. F. Fry.
- Eocene Green River flora of northwestern Colorado and northeastern Utah: H. D. MacGinitie.
- Fossil eggs in the Lower Cretaceous of Utah: J. A. Jensen.
- Fossil find furnishes link: R. A. Robison.
- Fossiliferous Lower Ordovician reference section from western United States: L. F. Hintze.
- Hunting Utah trilobites: R. C. Rowe.
- Latest Devonian conchostracans along Cordilleran miogeosyncline, Alberta, Montana, Utah, Nevada: R. C. Gutschick.
- Lower and Middle Ordovician crinoids from west central Utah: N. G. Lane.
- Lower Ordovician trilobite faunule from the Pogonip Group of western Utah: G. E. Young.
- Lower Pennsylvanian flora from Utah and its stratigraphic significance: W. D. Tidwell.
- Micropaleontology and paleoecology of the Tununk Member of Mancos Shale: R. H. Lessard.
- Middle Carboniferous conodonts from western United States and phylogeny of the platform group: D. L. Dunn.
- Molluscan fauna and lacustrine sediments in Sanpete Valley near Manti, Sanpete County: J. M. Olle.
- Nematode fossil trails from Green River Formation (Eocene) in Uinta Basin: M. T. Moussa.
- New Pareumys (Rodentia: *Cylindrodontidae*) from Duchesne River Formation: C. C. Black.
- Notes on fern family Matoniaceae from western United States: S. R. Rushforth.
- Ordovician Bryozoa from Pogonip Group of Millard County, western Utah: R. W. Hinds.
- Osmundacaulis wadei*, a new osmundaceous species from Morrison Formation (Jurassic) of Utah: W. D. Tidwell.
- Paleoecology of late Ordovician and Silurian corals, eastern Great Basin: D. R. Budge.
- Paleontology and paleoecology of Curtis Formation in Uinta Mountains area, Daggett County: R. D. Hoggan.
- Palmoxylon *simperi* and *Palmoxylon pristina*, two pre-Cretaceous angiosperms from Utah: W. D. Tidwell.
- Palynology of Kaiparowits Formation, Garfield County, Utah: C. F. Lohrengel, II.
- Re-evaluation of Pleistocene Bighorn sheep from Great Basin and their relationship to living members of the genus *Ovis*: A. D. Stock.
- Supposed coprolites from the Ferron Sandstone of Utah: W. L. Stokes.
- Titanotheres from Eocene Green River Formation of Utah: L. R. Parker.
- Unusual coprolites from Upper Cretaceous Ferron Sandstone, east central Utah: J. K. Balsley.
- Vertical succession of trace fossils in Pennsylvanian-lower Permian of central Utah: C. K. Chamberlain.
- ### PETROLOGY
- Compositional relations in minerals from kimberlite and related rocks in the Moses Rock dike, San Juan County: T. R. McGetchin.
- Crustal-upper mantle model for Colorado Plateau based on observations of crystal-line rock fragments in a kimberlite dike: T. R. McGetchin.
- Lateral and vertical variations in a Quaternary basalt flow — petrography and chemistry of the Gunlock flow, southwestern Utah: G. F. Embree.
- Origin of Sr-depleted basalts: K. C. Condie.
- Petrology and petrography of Permian carbonate rocks, Arcturus Basin, Nevada and Utah: W. E. Zabriskie.
- Phlogopite and actinolite in latitic dike rocks, Bingham mining district: W. J. Moore.
- Petrology and geochemistry of late Precambrian rocks of northeastern Great Basin (Utah): K. C. Burkart.
- Pyroxene-rich garnet peridotite inclusion in an ultramafic breccia dike at Moses Rock, southeastern Utah: A. T. Gavasci.
- Scandium-rich minerals from rhyolite in Thomas Range: C. Frondel.
- Tertiary volcanic rocks of Needles Range, western Utah: O. G. Conrad.
- Titanoclinohumite — a possible mineralogical site for water in upper mantle: T. R. McGetchin.
- ### SEDIMENTARY PETROLOGY
- Bromine distribution and paleosalinities from well cuttings, Paradox Basin, Utah and Colorado: O. B. Raup.
- Delta facies of the Green River Formation (Eocene), Carbon and Duchesne counties: A. F. Jacob.
- Environmental analysis of Swan Peak Formation in Bear River Range, north central Utah and southeastern Idaho: P. L. Vandorston.
- Green River oil shale — concept of origin extended; an interdisciplinary problem being attacked from both ends: W. H. Bradley.
- Halite and associated rocks in salt anticline region, Colorado and Utah: C. L. Jones.
- Large non-tectonic deformational structures from Upper Cretaceous rocks of Utah: J. D. Howard.
- Mechanical disintegration of the Navajo Sandstone in Zion Canyon: E. S. Robinson.
- Molluscan fauna and lacustrine sediments in Sanpete Valley near Manti, Sanpete County: J. M. Olle.
- Nearshore lacustrine sandstone, Green River Formation (Eocene), Uinta Basin: L. R. High, Jr.
- Paleoecology of cyclic sediments of lower Green River Formation, central Utah: J. L. Baer.

(continued from preceding page)

- Petrology of Gartra Formation (Triassic), Uinta Mountain area, Utah and Colorado: C. D. McCormick.
- Realms of dolomite sedimentation in eastern Great Basin area: H. J. Bissell.
- Repeated diagenetic calcitization, phosphatization, and silicification in the Phosphoria Formation: P. J. Cook.
- Sedimentology and geomorphic significance of Bishop Conglomerate and Browns Park Formation, eastern Uinta Mountains, Utah, Colorado and Wyoming: G. R. Winkler.
- Sedimentology and stratigraphy of Morrison Formation (upper Jurassic) in northwestern Utah: J. C. Dawson.
- Sedimentology of oil-impregnated, lacustrine and fluvial sandstone, P. R. Spring area, southeast Uinta Basin: M. D. Picard.
- Shelf carbonate sedimentation controlled by salinity in the Paradox Basin, southeast Utah: R. J. Hite.
- Source rocks and sediments in drainage area of North Eden Creek, Bear Lake Plateau, Utah-Idaho: L. M. McClurg.
- Stratigraphic control of petroleum in White Rim Sandstone (Permian) in and near Canyonlands National Park: D. L. Baers.
- Stratigraphy of San Rafael Group, southwest and south central Utah: A. E. Thompson.
- Studies of sequence in sediments using a simple mathematical device: R. C. Selley.
- Thaynes Formation of Moenkopi Group, north central Utah: H. P. Smith.
- SEISMIC SURVEYS**
- Seismic effects of sonic booms – empirical results: J. A. McDonald.
- Thickness of unconsolidated to semiconsolidated sediments in Jordan Valley: R. E. Mattick.
- STRATIGRAPHY**
- Cenozoic stratigraphy of the east central Markagunt Plateau, Utah: T. A. Iivari.
- Conodont zonation near Mississippian-Pennsylvanian boundary in western United States: D. L. Dunn.
- Cretaceous sedimentation and tectonism in southeastern Kaiparowits region: F. Peterson.
- Dahlgreen Creek test evaluated: H. R. Ritzma.
- Early Tertiary volcanism near west end of Uinta Mountains: A. J. Eardley.
- Environmental analysis of the Swan Peak Formation in the Bear River Range, north central Utah and southern Idaho: P. L. Vandorston.
- Fossiliferous Lower Ordovician reference section from western United States: L. F. Hintze.
- Geologic map of Wheeler Peak and Garrison quadrangles, Nevada and Utah: D. H. Whitebread.
- Geology of Paria northwest quadrangle, Kane County: R. C. Blakey.
- Green and Colorado River canyons observed from the footsteps of Beaman and Hillers 97 years after Powell: E. M. Shoemaker.
- Late Precambrian rocks of the northeastern Great Basin and vicinity: K. C. Condie.
- Lower Cambrian and Upper Precambrian strata of Beaver Mountains: L. A. Woodward.
- Paleoecology of cyclic sediments of lower Green River Formation, central Utah: J. L. Baer.
- Permian system in Uinta Mountain area: J. S. Williams.
- Petrology of Gartra Formation (Triassic), Uinta Mountain area, Utah and Colorado: C. D. McCormick.
- Preliminary survey of Mississippian biostratigraphy (conodonts) in Oquirrh Basin of central Utah: R. I. Pinney.
- Realms of Permian tectonism and sedimentation in western Utah and eastern Nevada: H. J. Bissell.
- Scanty fossil evidence emphasizes correlation problems in northeastern Utah and south central Idaho: W. L. Stokes.
- Some aspects of paleoecology and stratigraphy of lower Mancos Shale (upper Cretaceous) of Colorado and Utah, based on palynologic analysis: A. T. Cross.
- Stratigraphic problems in the Cretaceous system along the north flank of Uinta Mountains: J. A. Burger.
- Stratigraphy, depositional environment and correlation of Precambrian Uinta Mountain Group: C. A. Wallace.
- Stratigraphy of Gartra Formation (Triassic), Uinta Mountain area, Utah and Colorado: C. D. McCormick.
- Stratigraphy of lower Echo Canyon, northern Utah: T. E. Mullens.
- Stratigraphy of Popo Agie Formation (Late Triassic), Uinta Mountain area, Utah and Colorado: L. R. High, Jr.
- Stratigraphy of the Star Range and reconnaissance study of three selected mines: G. B. Baetcke.
- Tertiary volcanic rocks of Needles Range, western Utah: O. G. Conrad.
- Upper part of upper Triassic Chinle Formation and related rocks, southeastern Utah and adjacent areas: R. B. O'Sullivan.
- Western Paradox Basin is potential oil giant in Pennsylvanian rocks: S. A. Wenger.
- STRUCTURAL GEOLOGY**
- Active rift system in the Basin and Range province: K. L. Cook.
- Analysis of systematic jointing in part of Monument upwarp, southeast Utah: J. I. Ziony.
- Cenozoic stratigraphy of east central Markagunt Plateau, Utah: T. A. Iivari.
- Development of folds within Carmel Formation, Arches National Monument: A. M. Johnson.
- Fold relationships within evaporites of Cane Creek anticline, Utah: R. Evans.
- Geological and geophysical studies of Gilson Mountains and vicinity, Juab County: Y. F. Wang.
- Geologic road log between Provo, Utah, and Ely, Nevada: L. F. Hintze.
- Mechanism of emplacement of kimberlite and related breccia at Moses Rock dike: T. R. McGetchin.
- Patterned ground indicates unstable landscapes: J. S. Williams.
- Pre-Pennsylvanian paleotectonics of southwestern Colorado and east central Utah: D. L. Baers.
- Quantitative vegetational differences along the Sevier fault in the Red Canyon area of southern Utah: W. H. Brooks.
- Quaternary faulting at Towanta Flat, on south flank of Uinta Mountains, Duchesne County: W. R. Hansen.
- Regional tectonic setting and mechanics of origin of the Uinta uplift: J. K. Sales.
- Surficial geology and land-use problems: J. S. Williams.
- Tectonic implications of structure of Beaver and northern San Francisco mountains: L. A. Woodward.
- Tectonic resumé, Uinta Mountains: H. R. Ritzma.
- Willard thrust: A. J. Eardley.
- VOLCANOLOGY**
- Cenozoic stratigraphy of the east central Markagunt Plateau: T. A. Iivari.
- Space-time relations of Cenozoic silicic volcanism in Great Basin of western United States: R. L. Armstrong.

Observe the postage stamp; its usefulness depends on its ability to stick to one thing until it gets there.

Josh Billings

QUARTERLY REVIEW

State of UtahCalvin L. Rampton
Governor
University of UtahJames C. Fletcher
President
College of Mines & Mineral
IndustriesGeorge R. Hill
Dean
Utah Geological & Mineralogical
SurveyWilliam P. Hewitt
Director

UTAH GEOLOGICAL AND
MINERALOGICAL SURVEY
103 Utah Geological Survey Building
University of Utah
Salt Lake City, Utah
84112

EARTHQUAKE EPICENTERS

General earthquake epicenters in or near Utah for October, November and December 1970, and January 1971, with dates of occurrence and approximate magnitude, are listed below. Unless otherwise indicated, localities are in Utah.

	Magnitude
October	
1 West of Mexican Hat	2.6
1 East of Kemmerer, Wyoming	2.9
1 Near Goshen	2.0
1 East central Nevada	3.0
6 10 km east of Steamboat, Colorado	3.3
7 East of Kemmerer, Wyoming	2.8
7 East central Nevada	2.7
10 Near Nephi	No mag.
10 Near Antimony	3.6
13 Near Richfield	2.7
13 Near Gunnison	<2.0
14 Near Marysville	<2.0
17 North of Kemmerer, Wyoming	3.4
18 Near Fish Lake	2.2
18 Near Monroe	<2.0
18 East of Richfield	2.3
19 Rangley, Colorado	3.3
20 South of Sunnyside	<2.0
20 South Wyoming	No mag.
21 South of Sunnyside	2.1
22 Near Bloom (E. of Sevier Lake)	No mag.
22 Utah-Arizona border near Monument Pass	3.0
24 Rangley, Colorado	3.0
25 Near Antimony	2.6
25 Near Ephraim	2.9
25 Near Salina	3.5
25 South Wyoming	No mag.
25 San Rafael Swell	No mag.
25 Southeast Nevada	3.8
25 South of Sunnyside	2.5
27 Near Moore (S. of Castle Dale)	2.8
29 San Rafael Swell	2.8
30 San Rafael Swell	<2.0
30 South of Sunnyside	<2.0
20 San Rafael Swell	<2.0
November	
1 Great Salt Lake (Bear River Bay)	2.2
2 Great Salt Lake (Bear River Bay)	2.0
3 Great Salt Lake (Bear River Bay)	<2.0
3 Near Cedar City	No mag.
6 San Rafael Swell	2.4
10 Near Ephraim	No mag.
12 South of Sunnyside	2.1

12 South of Sunnyside	1.8
12 South of Sunnyside	2.4
14 South Utah-Colorado border	3.2
14 South of Sunnyside	<2.0
14 San Rafael Swell	1.7
15 Near Castle Rock	2.0
15 South of Sunnyside	<2.0
17 3 km north of Jensen	No mag.
18 Near East Park Reservoir	No mag.
18 Magna	2.5
20 Rangley, Colorado	3.0
24 South of Sunnyside	<2.0
24 San Rafael Swell	No mag.
24 East of Randolph in Wyoming	3.0
26 Near Great Salt Lake	2.2
27 Near San Rafael Reef	2.5
27 Near Nephi	2.5
27 Utah-Arizona border near Rainbow Lodge	3.4
27 Near Morgan	No mag.
28 Near San Rafael, New Mexico	4.0

December	
1 South Wyoming	No mag.
2 East of Randolph, Utah, in Wyoming	3.3
2 East of Randolph, Utah, in Wyoming	3.0
3 South Nevada-Utah border	3.8
4 Near Morgan	1.9
4 Northwest of Nephi	2.8
4 Near Cisco	No mag.
4 Promontory Point	No mag.
5 West central Nevada	2.8
9 North San Rafael Swell	No mag.
10 45 km northeast of Vernal	2.7
10 Central Utah-Nevada border	3.2
11 East of Randolph, Utah, in Wyoming	No mag.
12 Near Cisco	No mag.
15 South of Sunnyside	No mag.
16 East of Randolph, Utah, in Wyoming	2.5
18 South of Sunnyside	<2.0
18 South of Sunnyside	<2.0
20 South of Sunnyside	2.1
21 North San Rafael Swell	<2.0
21 South of Sunnyside	<2.0
21 West central Nevada	2.9
22 Near Eureka	2.5
22 East of Moab	No mag.
24 East of Randolph, Utah, in Wyoming	No mag.
25 North of Vernal	1.8
27 South of Sunnyside	<2.0
30 South Utah-Arizona border	2.5
30 Near Hanksville	2.9
31 53 km north of Vernal	No mag.

31 East of Randolph, Utah, in Wyoming	No mag.
31 43 km north of Vernal	2.1

January	
1 60 km east of Randolph, Utah, in Wyoming	No mag.
2 Utah-Colorado border near Moab, Utah	No mag.
3 Near Manti	<2.0
4 Albuquerque, New Mexico	5.1
4 South of Sunnyside	<2.0
5 South of Sunnyside	<2.0
5 45 km east of Randolph, Utah, in Wyoming	2.2
6 South Utah-Nevada border	3.1
8 South of Sunnyside	<2.0
8 South of Sunnyside	<2.0
9 Central Utah-Arizona border	No mag.
10 Waterpocket Fold	2.6
10 Central Nevada	3.0
12 South Utah-Nevada border	3.2
14 South of Sunnyside	<2.0
14 South of Sunnyside	2.1
14 Near Huntsville	2.1
14 East of Randolph, Utah, in Wyoming	<2.0
17 Central Nevada	<2.0
19 Near Moore	2.3
20 Near Moore	<2.0
20 Green River Desert	No mag.
20 Central Utah-Nevada border	2.5
22 35 km southeast of Vernal	2.4
23 30 km southeast of Vernal	2.3
25 Central Utah-Nevada border	3.0
27 Near Kemmerer, Wyoming	2.4
28 Near Hanksville	3.3
30 Near Morgan	2.0
31 South Idaho	No mag.

These earthquakes were recorded by the University of Utah seismograph stations under the direction of Kenneth L. Cook. All locations and magnitudes are preliminary determinations; the final determinations will be printed in the University of Utah Seismological Bulletin, issued quarterly.

When geologists have a rock festival, do they all get stoned?

UTAH
GEOLOGICAL AND MINERALOGICAL SURVEY
103 UTAH GEOLOGICAL SURVEY BUILDING
THE UNIVERSITY OF UTAH
SALT LAKE CITY, UTAH 84112

Address correction requested

Nonprofit Org.
U.S. Postage Paid
Permit No. 1529
Salt Lake City, Utah